

**Medical Monitoring Project (MMP)  
Medical Record Abstraction Form  
2012 Surveillance Period Inpatient Form (SPIF)  
VERSION 7.1.0**

OPTIONAL FOR LOCAL USE ONLY

**MMP SPIF v7.1.0**

**MMP Participant ID:**

**Date of Admission:**

  
Mo. Day Year

Date not documented

**Abstraction  
Facility ID:**

(ID of facility where abstraction is being conducted)

**Inpatient medical record number:**

Medical record number not documented

**Patient name:**

**Patient residence:**

**Street:**

**City/County:**

**State:**

**ZIP code:**

**Physician name:**







**Medical Monitoring Project (MMP)  
Medical Record Abstraction Form  
2012 Surveillance Period Inpatient Form (SPIF)  
V7.1.0**



**I. ABSTRACTION AND IDENTIFICATION**

**MMP Participant ID:**

**Surveillance Period (SP)**

**SP start date:**  (12 months prior to date of interview OR 1<sup>st</sup> contact attempt if no interview obtained)

**SP end date:**  (date of interview OR 1<sup>st</sup> contact attempt if no interview obtained)

**Date of abstraction:**  **Abstractor ID:**

**Date of admission:**   Date not documented

**Date of discharge:**   Date not documented

**Abstraction Facility ID:**  (ID of facility where abstraction is being conducted)

**Was the documented care abstracted with this form given at another facility (i.e., outside the Abstraction Facility)?**

**Yes**  
Complete information about the "Care" Facility → Enter Care Facility ID or indicate that Care Facility was not documented or was outside jurisdiction

**Care Facility ID**  (ID of the facility where the documented care was provided)

**No**  
Continue to Section II below

**Care Facility not documented or outside jurisdiction**

**II. SURVEILLANCE PERIOD INPATIENT FORM SECTIONS – OPTIONAL**

**Is there documentation of any of the following during this inpatient stay?**

**Yes** → Select all that are documented below.

**No** → This form is now complete except for optional section VIII (Remarks).

<input type="radio"/> New or existing diagnoses of AIDS defining Opportunistic Illnesses (AIDS OI) → <b>Complete section III.</b>	<input type="radio"/> Prescription or continuation of medications other than ART → <b>Complete section VI.</b>
<input type="radio"/> New or existing diagnoses of conditions other than AIDS OI → <b>Complete section IV.</b>	<input type="radio"/> Laboratory test results, <i>closest to admission</i> → <b>Complete section VII.</b>
<input type="radio"/> Prescription or continuation of antiretroviral therapy (ART) <i>closest to admission</i> → <b>Complete section V.</b>	<input type="radio"/> Laboratory test results, <i>closest to discharge</i> → <b>Complete section VII.</b>
<input type="radio"/> Prescription or continuation of antiretroviral therapy (ART) <i>closest to discharge</i> → <b>Complete section V.</b>	<input type="radio"/> Laboratory test results, hepatitis screening tests → <b>Complete section VII.</b>

### III. AIDS DEFINING OPPORTUNISTIC ILLNESSES (AIDS OI)

Is there documentation any new or existing diagnoses of AIDS defining opportunistic illnesses (AIDS OI) during this inpatient stay?

- Yes → Select all that are documented below.  
 No

<input type="radio"/> 1 Candidiasis, bronchi, trachea, or lungs	<input type="radio"/> 14 Lymphoma, Burkitt's (or equivalent term)
<input type="radio"/> 2 Candidiasis, esophageal	<input type="radio"/> 15 Lymphoma, immunoblastic (IBL, or equivalent term)
<input type="radio"/> 3 Carcinoma, invasive cervical	<input type="radio"/> 16 Lymphoma, primary in brain
<input type="radio"/> 4 Coccidioidomycosis, disseminated or extrapulmonary	<input type="radio"/> 17 <i>Mycobacterium avium</i> complex or <i>M. kansasii</i> , disseminated or extrapulmonary
<input type="radio"/> 5 Cryptococcosis, extrapulmonary	<input type="radio"/> 18 <i>M. tuberculosis</i> , pulmonary
<input type="radio"/> 6 Cryptosporidiosis, chronic intestinal (>1 month duration)	<input type="radio"/> 19 <i>M. tuberculosis</i> , disseminated or extrapulmonary
<input type="radio"/> 7 Cytomegalovirus disease (other than in liver, spleen, or nodes)	<input type="radio"/> 20 <i>Mycobacterium</i> , of other species or unidentified species, disseminated or extrapulmonary
<input type="radio"/> 8 Cytomegalovirus retinitis (with loss of vision)	<input type="radio"/> 21 <i>Pneumocystis jiroveci</i> pneumonia (PCP)
<input type="radio"/> 9 Herpes simplex: chronic ulcer (>1 month duration) or bronchitis, pneumonitis, or esophagitis	<input type="radio"/> 22 Pneumonia, recurrent in 12 month period
<input type="radio"/> 10 HIV encephalopathy	<input type="radio"/> 23 Progressive multifocal leukoencephalopathy (PML)
<input type="radio"/> 11 Histoplasmosis, disseminated or extrapulmonary	<input type="radio"/> 24 Salmonella septicemia, recurrent
<input type="radio"/> 12 Isosporiasis, chronic intestinal (>1 month duration)	<input type="radio"/> 25 Toxoplasmosis of brain
<input type="radio"/> 13 Kaposi's sarcoma	<input type="radio"/> 26 Wasting syndrome due to HIV

### IV. CONDITIONS OTHER THAN AIDS OI

Is there documentation of any new or existing diagnoses of conditions other than AIDS OI during this inpatient stay?

- Yes → Select all that are documented below.  
 No

<input type="radio"/> 1 Abscess	<input type="radio"/> 19 Erythema multiforme	<input type="radio"/> 37 Hypogonadism (gonadal deficiency)	<input type="radio"/> 55 Prostatitis
<input type="radio"/> 2 Alcoholism	<input type="radio"/> 20 Erythroderma	<input type="radio"/> 38 Hypothyroidism	<input type="radio"/> 56 Psoriasis
<input type="radio"/> 3 Anxiety disorder	<input type="radio"/> 21 Fatty liver	<input type="radio"/> 39 Ischemic heart disease	<input type="radio"/> 57 Psychosis, including schizophrenia
<input type="radio"/> 4 Arthritis (osteoarthritis)	<input type="radio"/> 22 Fever, unexplained, >100°F for 2+ weeks*	<input type="radio"/> 40 Lactic acidosis	<input type="radio"/> 58 Pulmonary hypertension
<input type="radio"/> 5 Asthma	<input type="radio"/> 23 Gastroesophageal reflux disease (GERD)	<input type="radio"/> 41 Lipoatrophy	<input type="radio"/> 59 Rash, drug-related
<input type="radio"/> 6 Avascular necrosis	<input type="radio"/> 24 Guillain-Barré syndrome	<input type="radio"/> 42 Lipodystrophy	<input type="radio"/> 60 Renal failure
<input type="radio"/> 7 Buffalo hump	<input type="radio"/> 25 Hearing loss, acquired	<input type="radio"/> 43 Malignancy	<input type="radio"/> 61 Respiratory infection, upper
<input type="radio"/> 8 Bronchitis	<input type="radio"/> 26 Hepatic (liver) failure	<input type="radio"/> 44 Metabolic syndrome	<input type="radio"/> 62 Respiratory infection, NOS
<input type="radio"/> 9 Cardiomyopathy, due to HIV or unknown cause	<input type="radio"/> 27 Hepatitis, alcohol-induced	<input type="radio"/> 45 Myelopathy (spinal cord disease/disorder)	<input type="radio"/> 63 Seborrheic dermatitis
<input type="radio"/> 10 Cellulitis (skin infection, bacterial)	<input type="radio"/> 28 Hepatitis, drug-induced	<input type="radio"/> 46 Myopathy (muscular weakness or changes)	<input type="radio"/> 64 Stevens-Johnson Syndrome
<input type="radio"/> 11 Depression, diagnosed by physician	<input type="radio"/> 29 Hepatitis, infectious, not drug-induced	<input type="radio"/> 47 Nephrolithiasis (kidney stone)	<input type="radio"/> 65 Stroke, ischemic, non-hemorrhagic
<input type="radio"/> 12 Diabetes mellitus (DM), type 1	<input type="radio"/> 30 Hepatitis, NOS	<input type="radio"/> 48 Nephropathy (kidney damage)	<input type="radio"/> 66 Suicide attempt

<input type="radio"/> <sup>13</sup> Diabetes mellitus (DM), type 2	<input type="radio"/> <sup>31</sup> Hodgkin's lymphoma (Hodgkin's disease)	<input type="radio"/> <sup>49</sup> Neuropathy, cranial	<input type="radio"/> <sup>67</sup> Thrombocytopenia, idiopathic (ITP)
<input type="radio"/> <sup>14</sup> Diabetes mellitus (DM), NOS	<input type="radio"/> <sup>32</sup> Human papillomavirus (HPV) infection	<input type="radio"/> <sup>50</sup> Neuropathy, peripheral	<input type="radio"/> <sup>68</sup> Vision loss, moderate or severe; blindness
<input type="radio"/> <sup>15</sup> Diarrhea, allergic/colitis	<input type="radio"/> <sup>33</sup> Hypercholesterolemia	<input type="radio"/> <sup>51</sup> Neuropathy, NOS	<input type="radio"/> <sup>69</sup> Warts, anal or genital
<input type="radio"/> <sup>16</sup> Diarrhea, infectious	<input type="radio"/> <sup>34</sup> Hyperglycemia	<input type="radio"/> <sup>52</sup> Oral candidiasis (thrush)	<input type="radio"/> <sup>70</sup> Warts, non-anal, non-genital
<input type="radio"/> <sup>17</sup> Diarrhea, NOS	<input type="radio"/> <sup>35</sup> Hypertension (high blood pressure)	<input type="radio"/> <sup>53</sup> Osteopenia or osteoporosis	<i>*in absence of a known cause</i>
<input type="radio"/> <sup>18</sup> Erectile dysfunction	<input type="radio"/> <sup>36</sup> Hypertriglyceridemia	<input type="radio"/> <sup>54</sup> Pneumonia	



24 <input type="radio"/>	24 <input type="radio"/>	Stavudine	d4T	Zerit	NRTI
25 <input type="radio"/>	25 <input type="radio"/>	Tenofovir	TDF	Viread	NRTI
26 <input type="radio"/>	26 <input type="radio"/>	Tipranavir	TPV	Aptivus	PI
27 <input type="radio"/>	27 <input type="radio"/>	Trizivir	ABC/3TC/AZT		CNRTI
28 <input type="radio"/>	28 <input type="radio"/>	Truvada	FTC/TDF		CNRTI

### V. ANTIRETROVIRAL THERAPY (ART) cont'd

Prescription or continuation closest to:					
Admission	Discharge	Name	Abbreviation	Also Known As	Group
29 <input type="radio"/>	29 <input type="radio"/>	Zalcitabine	ddC	Hivid	NRTI
30 <input type="radio"/>	30 <input type="radio"/>	Zidovudine	AZT	Retrovir	NRTI
31 <input type="radio"/>	31 <input type="radio"/>	Other, Specify:			
32 <input type="radio"/>	32 <input type="radio"/>	Other, Specify:			
33 <input type="radio"/>	33 <input type="radio"/>	Other, Specify:			

### VI. OTHER MEDICATIONS

**Is there documentation of prescription or continuation of medications other than ART during this inpatient stay?**

- Yes → Select all that are documented below.
- No

1 <input type="radio"/>	acarbose	35 <input type="radio"/>	dapsone (DDS)
2 <input type="radio"/>	acetaminophen/hydrocodone	36 <input type="radio"/>	darifenacin
3 <input type="radio"/>	acetaminophen/oxycodone	37 <input type="radio"/>	dexamethasone
4 <input type="radio"/>	acyclovir	38 <input type="radio"/>	diphenhydramine
5 <input type="radio"/>	adefovir	39 <input type="radio"/>	doxorubicin
6 <input type="radio"/>	albuterol	40 <input type="radio"/>	doxorubicin liposomal
7 <input type="radio"/>	albuterol/ipratropium	41 <input type="radio"/>	doxycycline
8 <input type="radio"/>	aldesleukin	42 <input type="radio"/>	dronabinol
9 <input type="radio"/>	alprazolam	43 <input type="radio"/>	enalapril
10 <input type="radio"/>	amikacin	44 <input type="radio"/>	enalapril/hydrochlorothiazide (HCTZ)
11 <input type="radio"/>	amitriptyline	45 <input type="radio"/>	entecavir
12 <input type="radio"/>	amitriptyline/chlordiazepoxide	46 <input type="radio"/>	epoetin alfa (EPO)
13 <input type="radio"/>	amoxicillin	47 <input type="radio"/>	escitalopram
14 <input type="radio"/>	amoxicillin/clavulanate	48 <input type="radio"/>	esomeprazole
15 <input type="radio"/>	aspirin (ASA)	49 <input type="radio"/>	ethambutol
16 <input type="radio"/>	atenolol	50 <input type="radio"/>	ethionamide
17 <input type="radio"/>	atorvastatin	51 <input type="radio"/>	famotidine
18 <input type="radio"/>	azithromycin	52 <input type="radio"/>	fexofenadine
19 <input type="radio"/>	baclofen	53 <input type="radio"/>	filgrastim
20 <input type="radio"/>	bupropion	54 <input type="radio"/>	folinic acid
21 <input type="radio"/>	bupirone	55 <input type="radio"/>	fluconazole
22 <input type="radio"/>	butalbital/aspirin	56 <input type="radio"/>	fludrocortisone
23 <input type="radio"/>	butalbital/aspirin/caffeine (BAC)	57 <input type="radio"/>	fluoxetine
24 <input type="radio"/>	calcitrol	58 <input type="radio"/>	fluphenazine
25 <input type="radio"/>	capreomycin	59 <input type="radio"/>	fluticasone
26 <input type="radio"/>	cetirizine	60 <input type="radio"/>	fluticasone/salmeterol
27 <input type="radio"/>	chlorpropamide	61 <input type="radio"/>	fluvastatin
	cimetidine		foscarnet

28 <input type="radio"/>		62 <input type="radio"/>	
29 <input type="radio"/>	ciprofloxacin	63 <input type="radio"/>	gabapentin
30 <input type="radio"/>	citalopram	64 <input type="radio"/>	gatifloxacin
31 <input type="radio"/>	clonazepam	65 <input type="radio"/>	gemfibrozil
32 <input type="radio"/>	cromolyn	66 <input type="radio"/>	hydrochlorothiazide (HCTZ)
33 <input type="radio"/>	cycloserine	67 <input type="radio"/>	hydrochlorothiazide (HCTZ)/methyldopa
34 <input type="radio"/>	cyclosporine	68 <input type="radio"/>	hydrochlorothiazide (HCTZ)/metoprolol

## VI. OTHER MEDICATIONS cont'd

69 <input type="radio"/>	hydrochlorothiazide (HCTZ)/triamterene	108 <input type="radio"/>	penicillin
70 <input type="radio"/>	imiquimod	109 <input type="radio"/>	phenytoin
71 <input type="radio"/>	insulin (inhaled or injectable)	110 <input type="radio"/>	pioglitazone
72 <input type="radio"/>	interferon alphacon-1	111 <input type="radio"/>	podofilox topical
73 <input type="radio"/>	interferon alfa 2a	112 <input type="radio"/>	podophyllin topical
74 <input type="radio"/>	interferon alfa 2b	113 <input type="radio"/>	pravastatin
75 <input type="radio"/>	iodoquinol	114 <input type="radio"/>	prednisone
76 <input type="radio"/>	isoniazid (INH)	115 <input type="radio"/>	propranolol
77 <input type="radio"/>	isoniazid (INH)/pyrazinamide (PZA)/rifampin	116 <input type="radio"/>	propranolol/hydrochlorothiazide (HCTZ)
78 <input type="radio"/>	isoniazid (INH)/rifampin	117 <input type="radio"/>	pyrazinamide (PZA)
79 <input type="radio"/>	kanamycin	118 <input type="radio"/>	ranitidine
80 <input type="radio"/>	lansoprazole	119 <input type="radio"/>	ribavirin
81 <input type="radio"/>	lansoprazole/amoxicillin/clarithromycin	120 <input type="radio"/>	rifabutin
82 <input type="radio"/>	levofloxacin	121 <input type="radio"/>	rifampin
83 <input type="radio"/>	levothyroxine	122 <input type="radio"/>	rifapentine
84 <input type="radio"/>	lisinopril	123 <input type="radio"/>	rosiglitazone
85 <input type="radio"/>	lithium	124 <input type="radio"/>	rosiglitazone/glemepiride
86 <input type="radio"/>	loxapine	125 <input type="radio"/>	rosuvastatin
87 <input type="radio"/>	megestrol	126 <input type="radio"/>	sertraline
88 <input type="radio"/>	metformin	127 <input type="radio"/>	sildenafil
89 <input type="radio"/>	methadone	128 <input type="radio"/>	somatropin
90 <input type="radio"/>	metoclopramide	129 <input type="radio"/>	streptomycin
91 <input type="radio"/>	metoprolol	130 <input type="radio"/>	tadalafil
92 <input type="radio"/>	mirtazapine	131 <input type="radio"/>	tamsulosin
93 <input type="radio"/>	moxifloxacin	132 <input type="radio"/>	telbivudine
94 <input type="radio"/>	nalbuphine	133 <input type="radio"/>	testosterone
95 <input type="radio"/>	niacin	134 <input type="radio"/>	tinidazole
96 <input type="radio"/>	nifedipine	135 <input type="radio"/>	trazadone
97 <input type="radio"/>	nizatidine	136 <input type="radio"/>	triamcinolone nasal
98 <input type="radio"/>	octreotide	137 <input type="radio"/>	trichloroacetic acid (TCA) topical
99 <input type="radio"/>	olanzapine	138 <input type="radio"/>	trimethoprim/sulfamethoxazole (TMP/SMZ)
100 <input type="radio"/>	omeprazole	139 <input type="radio"/>	valacyclovir
101 <input type="radio"/>	oxycodone	140 <input type="radio"/>	valproic acid
102 <input type="radio"/>	p-aminosalicylate	141 <input type="radio"/>	vancomycin
103 <input type="radio"/>	palonosetron	142 <input type="radio"/>	varденаfil
104 <input type="radio"/>	pantoprazole	143 <input type="radio"/>	venlafaxine
105 <input type="radio"/>	paroxetine	144 <input type="radio"/>	warfarin
106 <input type="radio"/>	peginterferon alfa 2a	145 <input type="radio"/>	zanamivir
107 <input type="radio"/>	peginterferon alfa 2b	146 <input type="radio"/>	zolpidem

147	Other, <input type="radio"/> Specify:	
148	Other, <input type="radio"/> Specify:	
149	Other, <input type="radio"/> Specify:	
150	Other, <input type="radio"/> Specify:	
151	Other, <input type="radio"/> Specify:	

### VII. INPATIENT LABORATORY TEST RESULTS

Is there documentation of any of the following laboratory test results during this inpatient stay?

Yes → Enter all that are documented for each test below.

No

**Laboratory tests performed closest to admission:** (select all that are documented)

	Result		
	Undetectable	Value	Units (select one, where applicable)
1 <input type="radio"/> CD4 cell count			Cells/ mm <sup>3</sup> or $\mu$ L <input type="radio"/> Other, specify: _____ <input type="radio"/> Units not documented
2 <input type="radio"/> CD4 cell %			% <input type="radio"/> Other, specify: _____ <input type="radio"/> Units not documented
3 <input type="radio"/> HIV viral load	<input type="radio"/>		Copies/mL <input type="radio"/> Other, specify: _____ <input type="radio"/> Units not documented
			<input type="radio"/> Lower Limit of Detection for HIV Viral Load Test Used: → _____ <input type="radio"/> Lower Limit of Detection NOT documented
4 <input type="radio"/> ALT (SGPT)			Units /L <input type="radio"/> Other, specify: _____ <input type="radio"/> Units not documented
5 <input type="radio"/> AST (SGOT)			Units/L <input type="radio"/> Other, specify: _____ <input type="radio"/> Units not documented
6 <input type="radio"/> Creatinine (Creat, Cr)			mg/dL <input type="radio"/> Other, specify: _____ <input type="radio"/> Units not documented

**Laboratory tests performed closest to discharge:** (select all that are documented)

	Result		
	Undetectable	Value	Units (select one, where applicable)
1 <input type="radio"/> CD4 cell count			Cells/ mm <sup>3</sup> or $\mu$ L <input type="radio"/> Other, specify: _____ <input type="radio"/> Units not documented
2 <input type="radio"/> CD4 cell %			% <input type="radio"/> Other, specify: _____ <input type="radio"/> Units not documented
3 <input type="radio"/> HIV viral load	<input type="radio"/>		Copies/mL <input type="radio"/> Other, specify: _____ <input type="radio"/> Units not documented
			<input type="radio"/> Lower Limit of Detection for HIV Viral Load Test Used: → _____ <input type="radio"/> Lower Limit of Detection NOT documented
4 <input type="radio"/> ALT (SGPT)			Units /L <input type="radio"/> Other, specify: _____ <input type="radio"/> Units not documented
5 <input type="radio"/> AST (SGOT)			Units/L <input type="radio"/> Other, specify: _____ <input type="radio"/> Units not documented
6 <input type="radio"/> Creatinine (Creat, Cr)			mg/dL <input type="radio"/> Other, specify: _____ <input type="radio"/> Units not documented

#### INFECTIOUS DISEASE TESTS: Hepatitis A, B, C

Pos(+)	Neg(-)	Indeterminate	Undetectable	Value	Units (select one, where applicable)
--------	--------	---------------	--------------	-------	--------------------------------------

22 <input type="radio"/> <b>Anti-HAV IgG</b> (HAV Ab IgG)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
23 <input type="radio"/> <b>Anti-HAV IgM</b> (HAV Ab IgM)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
24 <input type="radio"/> <b>Anti-HAV total</b> (HAV Ab total)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			

## VII. INPATIENT LABORATORY TEST RESULTS cont'd

	Pos(+)	Neg(-)	Indeterminate	Undetectable	Value	Units (select one, where applicable)
25 <input type="radio"/> <b>Anti-HBc IgG</b> <small>(HBc Ab IgG)</small>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
26 <input type="radio"/> <b>Anti-HBc IgM</b> <small>(HBc Ab IgM)</small>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
27 <input type="radio"/> <b>Anti-HBc total</b> <small>(HBc Ab total)</small>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
28 <input type="radio"/> <b>Anti-HBe (HBe Ab)</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
29 <input type="radio"/> <b>Anti-HBs IgG</b> <small>(HBs IgG Ab)</small>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
30 <input type="radio"/> <b>Anti-HBs total</b> <small>(HBs Ab)</small>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
31 <input type="radio"/> <b>HBeAg</b> <small>(Hepatitis B surface antigen)</small>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
32 <input type="radio"/> <b>HBsAg</b> <small>(Hepatitis B surface antigen)</small>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
33 <input type="radio"/> <b>HBV DNA (PCR)</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		IU/mL <input type="radio"/> Other, specify: _____ <input type="radio"/> Units not documented
					Lower Limit of Detection for HBV DNA (PCR) Test Used: →	<input style="width: 150px; height: 20px;" type="text"/>
					<input type="radio"/> Lower Limit of detection NOT documented	
34 <input type="radio"/> <b>Anti-HCV, EIA</b> <small>(HCV Ab)</small>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>			
35 <input type="radio"/> <b>HCV genotype</b>						
36 <input type="radio"/> <b>HCV RNA qualitative</b>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
37 <input type="radio"/> <b>HCV RNA quantitative (PCR)</b>			<input type="radio"/>	<input type="radio"/>		IU/mL <input type="radio"/> Other, specify: _____ <input type="radio"/> Units not documented
					Lower Limit of Detection for HCV RNA (PCR) Test Used: →	<input style="width: 150px; height: 20px;" type="text"/>
					<input type="radio"/> Lower Limit of Detection NOT documented	

