

From: "Saved by Windows Internet Explorer 8"  
Subject: Template Users: Select the text for each of the instruction components below and type over it without changing the font type, size, or effects  
Date: Fri, 3 Jan 2014 12:01:46 -0500  
MIME-Version: 1.0  
Content-Type: text/html;  
charset="iso-8859-1"  
Content-Transfer-Encoding: quoted-printable  
Content-Location: http://forms.sc.egov.usda.gov/eForms/instruction?FileType=TipInstruction&FileName=RUS213.HTML  
X-MimeOLE: Produced By Microsoft MimeOLE V6.1.7601.17609

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.0 Transitional//EN">
<HTML><HEAD><TITLE>Template Users: Select the text for each of the =
instruction components below and type over it without changing the font =
type, size, or effects</TITLE>
<META content=3D"text/html; charset=3Diso-8859-1" =
http-equiv=3DContent-Type>
<META name=3DGENERATOR content=3D"MSHTML 8.00.7601.18305">
<STYLE>@font-face {
    font-family: Wingdings;
}
@font-face {
    font-family: Tahoma;
}
@page Section1 {size: 8.5in 11.0in; margin: 1.0in 1.25in 1.0in 1.25in; }
P.MsoNormal {
    MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; FONT-SIZE: 12pt
}
LI.MsoNormal {
    MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; FONT-SIZE: 12pt
}
DIV.MsoNormal {
    MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; FONT-SIZE: 12pt
}
H1 {
    PAGE-BREAK-AFTER: avoid; MARGIN: 12pt 0in 3pt; FONT-FAMILY: Arial; =
FONT-SIZE: 14pt
}
H2 {
    PAGE-BREAK-AFTER: avoid; FONT-STYLE: italic; MARGIN: 12pt 0in 3pt; =
FONT-FAMILY: Arial; FONT-SIZE: 14pt
}
H3 {
    PAGE-BREAK-AFTER: avoid; MARGIN: 12pt 0in 3pt; FONT-FAMILY: "Times New =
Roman"; FONT-SIZE: 12pt
}
H4 {
    PAGE-BREAK-AFTER: avoid; FONT-STYLE: italic; MARGIN: 12pt 0in 3pt; =
FONT-FAMILY: "Times New Roman"; FONT-SIZE: 12pt
}
H5 {
    FONT-STYLE: italic; MARGIN: 12pt 0in 3pt; FONT-FAMILY: "Times New =
Roman"; FONT-SIZE: 13pt
}
P.MsoCommentText {
    MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; FONT-SIZE: 10pt
}
LI.MsoCommentText {
    MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; FONT-SIZE: 10pt
}
DIV.MsoCommentText {
    MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; FONT-SIZE: 10pt
}
```

```
P.MsoHeader {
    MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; FONT-SIZE: 12pt
}
LI.MsoHeader {
    MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; FONT-SIZE: 12pt
}
DIV.MsoHeader {
    MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; FONT-SIZE: 12pt
}
P.MsoFooter {
    MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; FONT-SIZE: 12pt
}
LI.MsoFooter {
    MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; FONT-SIZE: 12pt
}
DIV.MsoFooter {
    MARGIN: 0in 0in 0pt; FONT-FAMILY: "Times New Roman"; FONT-SIZE: 12pt
}
P.MsoListBullet {
    TEXT-INDENT: -0.25in; MARGIN: 0in 0in 0pt 0.25in; FONT-FAMILY: "Times =
New Roman"; FONT-SIZE: 12pt
}
LI.MsoListBullet {
    TEXT-INDENT: -0.25in; MARGIN: 0in 0in 0pt 0.25in; FONT-FAMILY: "Times =
New Roman"; FONT-SIZE: 12pt
}
DIV.MsoListBullet {
    TEXT-INDENT: -0.25in; MARGIN: 0in 0in 0pt 0.25in; FONT-FAMILY: "Times =
New Roman"; FONT-SIZE: 12pt
}
P.MsoBodyTextIndent {
    MARGIN: 0in 0in 0pt 0.5in; FONT-FAMILY: "Times New Roman"; FONT-SIZE: =
12pt
}
LI.MsoBodyTextIndent {
    MARGIN: 0in 0in 0pt 0.5in; FONT-FAMILY: "Times New Roman"; FONT-SIZE: =
12pt
}
DIV.MsoBodyTextIndent {
    MARGIN: 0in 0in 0pt 0.5in; FONT-FAMILY: "Times New Roman"; FONT-SIZE: =
12pt
}
P.MsoBodyTextIndent2 {
    MARGIN: 0in 0in 0pt 17.1pt; FONT-FAMILY: "Times New Roman"; FONT-SIZE: =
12pt
}
LI.MsoBodyTextIndent2 {
    MARGIN: 0in 0in 0pt 17.1pt; FONT-FAMILY: "Times New Roman"; FONT-SIZE: =
12pt
}
DIV.MsoBodyTextIndent2 {
    MARGIN: 0in 0in 0pt 17.1pt; FONT-FAMILY: "Times New Roman"; FONT-SIZE: =
12pt
}
P.MsoDocumentMap {
    MARGIN: 0in 0in 0pt; FONT-FAMILY: Tahoma; BACKGROUND: navy; FONT-SIZE: =
12pt
}
LI.MsoDocumentMap {
    MARGIN: 0in 0in 0pt; FONT-FAMILY: Tahoma; BACKGROUND: navy; FONT-SIZE: =
12pt
}
DIV.MsoDocumentMap {
    MARGIN: 0in 0in 0pt; FONT-FAMILY: Tahoma; BACKGROUND: navy; FONT-SIZE: =
```

```

12pt
}
P.Heading3Cent {
    PAGE-BREAK-AFTER: avoid; TEXT-ALIGN: center; MARGIN: 12pt 0in 3pt; =
FONT-FAMILY: "Times New Roman"; FONT-SIZE: 12pt; FONT-WEIGHT: bold
}
LI.Heading3Cent {
    PAGE-BREAK-AFTER: avoid; TEXT-ALIGN: center; MARGIN: 12pt 0in 3pt; =
FONT-FAMILY: "Times New Roman"; FONT-SIZE: 12pt; FONT-WEIGHT: bold
}
DIV.Heading3Cent {
    PAGE-BREAK-AFTER: avoid; TEXT-ALIGN: center; MARGIN: 12pt 0in 3pt; =
FONT-FAMILY: "Times New Roman"; FONT-SIZE: 12pt; FONT-WEIGHT: bold
}
DIV.Section1 {
    page: Section1
}
OL {
    MARGIN-BOTTOM: 0in
}
UL {
    MARGIN-BOTTOM: 0in
}
</STYLE>
</HEAD>
<BODY lang=3DEN-US>
<DIV class=3DSection1>
<H1>Instructions for RUS Form 213</H1>
<H1><I>CERTIFICATE (=93Buy American=94)</I></H1>
<H3>This form is used to document compliance with the =93Buy American=94 =
requirement.</H3>
<P class=3DMsoNormal>&nbsp;</P>
<P class=3DMsoNormal><B>The instructions for submitting this form (if =
required)=20
are included in 7&nbsp;CFR&nbsp;1726, Electric System Construction =
Policies and=20
Procedures.</B></P>
<P class=3DMsoNormal><B></B>&nbsp;</P>
<DIV align=3Dcenter>
<TABLE=20
style=3D"BORDER-BOTTOM: medium none; BORDER-LEFT: medium none; =
BORDER-COLLAPSE: collapse; BORDER-TOP: medium none; BORDER-RIGHT: medium =
none"=20
class=3DMsoNormalTable border=3D1 cellSpacing=3D0 cellPadding=3D0>
<THEAD>
<TR style=3D"PAGE-BREAK-INSIDE: avoid">
<TD=20
style=3D"BORDER-BOTTOM: windowtext 1.5pt solid; BORDER-LEFT: =
windowtext 1.5pt solid; PADDING-BOTTOM: 0in; PADDING-LEFT: 5.4pt; WIDTH: =
1in; PADDING-RIGHT: 5.4pt; BACKGROUND: aqua; BORDER-TOP: windowtext =
1.5pt solid; BORDER-RIGHT: windowtext 1.5pt solid; PADDING-TOP: 0in"=20
vAlign=3Dtop width=3D96>
<P class=3DHeading3Cent>Fld Name /<BR>Item No.</P></TD>
<TD=20
style=3D"BORDER-BOTTOM: windowtext 1.5pt solid; BORDER-LEFT: medium =
none; PADDING-BOTTOM: 0in; PADDING-LEFT: 5.4pt; WIDTH: 5in; =
PADDING-RIGHT: 5.4pt; BACKGROUND: aqua; BORDER-TOP: windowtext 1.5pt =
solid; BORDER-RIGHT: windowtext 1.5pt solid; PADDING-TOP: 0in"=20
vAlign=3Dtop width=3D480>
<P class=3DHeading3Cent>Instruction</P></TD></TR></THEAD>
<TBODY>
<TR style=3D"PAGE-BREAK-INSIDE: avoid">
<TD=20

```

```

style=3D"BORDER-BOTTOM: windowtext 1.5pt solid; BORDER-LEFT: =
windowtext 1.5pt solid; PADDING-BOTTOM: 0in; PADDING-LEFT: 5.4pt; WIDTH: =
1in; PADDING-RIGHT: 5.4pt; BORDER-TOP: medium none; BORDER-RIGHT: =
windowtext 1.5pt solid; PADDING-TOP: 0in"=20
vAlign=3Dtop width=3D96>
<P class=3DMsoNormal>First Blank</P></TD>
<TD=20
style=3D"BORDER-BOTTOM: windowtext 1.5pt solid; BORDER-LEFT: medium =
none; PADDING-BOTTOM: 0in; PADDING-LEFT: 5.4pt; WIDTH: 5in; =
PADDING-RIGHT: 5.4pt; BORDER-TOP: medium none; BORDER-RIGHT: windowtext =
1.5pt solid; PADDING-TOP: 0in"=20
vAlign=3Dtop width=3D480>
<P class=3DMsoNormal>Enter Borrower=92s (Owner=92s) RUS =
designation (e.g.,=20
AL001.)</P></TD></TR>
<TR style=3D"PAGE-BREAK-INSIDE: avoid">
<TD=20
style=3D"BORDER-BOTTOM: windowtext 1.5pt solid; BORDER-LEFT: =
windowtext 1.5pt solid; PADDING-BOTTOM: 0in; PADDING-LEFT: 5.4pt; WIDTH: =
1in; PADDING-RIGHT: 5.4pt; BORDER-TOP: medium none; BORDER-RIGHT: =
windowtext 1.5pt solid; PADDING-TOP: 0in"=20
vAlign=3Dtop width=3D96>
<P class=3DMsoNormal>Second Blank</P></TD>
<TD=20
style=3D"BORDER-BOTTOM: windowtext 1.5pt solid; BORDER-LEFT: medium =
none; PADDING-BOTTOM: 0in; PADDING-LEFT: 5.4pt; WIDTH: 5in; =
PADDING-RIGHT: 5.4pt; BORDER-TOP: medium none; BORDER-RIGHT: windowtext =
1.5pt solid; PADDING-TOP: 0in"=20
vAlign=3Dtop width=3D480>
<P class=3DMsoNormal>Enter =93Contractor,=94 =93Subcontractor,=94 =
=93Seller,=94 or=20
=93Material Supplier,=94 as the case may be.</P></TD></TR>
<TR style=3D"PAGE-BREAK-INSIDE: avoid">
<TD=20
style=3D"BORDER-BOTTOM: windowtext 1.5pt solid; BORDER-LEFT: =
windowtext 1.5pt solid; PADDING-BOTTOM: 0in; PADDING-LEFT: 5.4pt; WIDTH: =
1in; PADDING-RIGHT: 5.4pt; BORDER-TOP: medium none; BORDER-RIGHT: =
windowtext 1.5pt solid; PADDING-TOP: 0in"=20
vAlign=3Dtop width=3D96>
<P class=3DMsoNormal>Third Blank</P></TD>
<TD=20
style=3D"BORDER-BOTTOM: windowtext 1.5pt solid; BORDER-LEFT: medium =
none; PADDING-BOTTOM: 0in; PADDING-LEFT: 5.4pt; WIDTH: 5in; =
PADDING-RIGHT: 5.4pt; BORDER-TOP: medium none; BORDER-RIGHT: windowtext =
1.5pt solid; PADDING-TOP: 0in"=20
vAlign=3Dtop width=3D480>
<P class=3DMsoNormal>Enter the number of contract.</P></TD></TR>
<TR style=3D"PAGE-BREAK-INSIDE: avoid">
<TD=20
style=3D"BORDER-BOTTOM: windowtext 1.5pt solid; BORDER-LEFT: =
windowtext 1.5pt solid; PADDING-BOTTOM: 0in; PADDING-LEFT: 5.4pt; WIDTH: =
1in; PADDING-RIGHT: 5.4pt; BORDER-TOP: medium none; BORDER-RIGHT: =
windowtext 1.5pt solid; PADDING-TOP: 0in"=20
vAlign=3Dtop width=3D96>
<P class=3DMsoNormal>Fourth and Fifth Blanks</P></TD>
<TD=20
style=3D"BORDER-BOTTOM: windowtext 1.5pt solid; BORDER-LEFT: medium =
none; PADDING-BOTTOM: 0in; PADDING-LEFT: 5.4pt; WIDTH: 5in; =
PADDING-RIGHT: 5.4pt; BORDER-TOP: medium none; BORDER-RIGHT: windowtext =
1.5pt solid; PADDING-TOP: 0in"=20
vAlign=3Dtop width=3D480>
<P class=3DMsoNormal>Enter the date of the contract.</P></TD></TR>
<TR style=3D"PAGE-BREAK-INSIDE: avoid">
<TD=20

```

```
style=3D"BORDER-BOTTOM: windowtext 1.5pt solid; BORDER-LEFT: =
windowtext 1.5pt solid; PADDING-BOTTOM: 0in; PADDING-LEFT: 5.4pt; WIDTH: =
1in; PADDING-RIGHT: 5.4pt; BORDER-TOP: medium none; BORDER-RIGHT: =
windowtext 1.5pt solid; PADDING-TOP: 0in"=20
vAlign=3Dtop width=3D96>
<P class=3DMsoNormal>Sixth Blank</P></TD>
<TD=20
style=3D"BORDER-BOTTOM: windowtext 1.5pt solid; BORDER-LEFT: medium =
none; PADDING-BOTTOM: 0in; PADDING-LEFT: 5.4pt; WIDTH: 5in; =
PADDING-RIGHT: 5.4pt; BORDER-TOP: medium none; BORDER-RIGHT: windowtext =
1.5pt solid; PADDING-TOP: 0in"=20
vAlign=3Dtop width=3D480>
<P class=3DMsoNormal>Enter name of RUS Borrower =
(Owner).</P></TD></TR>
<TR style=3D"PAGE-BREAK-INSIDE: avoid">
<TD=20
style=3D"BORDER-BOTTOM: windowtext 1.5pt solid; BORDER-LEFT: =
windowtext 1.5pt solid; PADDING-BOTTOM: 0in; PADDING-LEFT: 5.4pt; WIDTH: =
1in; PADDING-RIGHT: 5.4pt; BORDER-TOP: medium none; BORDER-RIGHT: =
windowtext 1.5pt solid; PADDING-TOP: 0in"=20
vAlign=3Dtop width=3D96>
<P class=3DMsoNormal>Signature Block</P></TD>
<TD=20
style=3D"BORDER-BOTTOM: windowtext 1.5pt solid; BORDER-LEFT: medium =
none; PADDING-BOTTOM: 0in; PADDING-LEFT: 5.4pt; WIDTH: 5in; =
PADDING-RIGHT: 5.4pt; BORDER-TOP: medium none; BORDER-RIGHT: windowtext =
1.5pt solid; PADDING-TOP: 0in"=20
vAlign=3Dtop width=3D480>
<P class=3DMsoNormal>Enter name of the contractor, subcontractor, =
seller, or=20
material supplier and the date prepared.&nbsp; (Sign printed=20
copy.)</P></TD></TR></TBODY></TABLE></DIV>
<H4 style=3D"PAGE-BREAK-AFTER: auto"><SPAN=20
style=3D"FONT-STYLE: normal"></SPAN>&nbsp;</H4></DIV></BODY></HTML>
```