



Ethanol Flex Fuel (EFF) Bulk Blender-Refiner Batch Report – (EFF0400): Instructions for Completing

Who must report

- Any EFF bulk blender-refiner for each of its bulk-blender refineries shall submit to EPA an Ethanol Flex Fuel Bulk Blender-Refiner Batch Report for each batch produced during the compliance year. This report is used to demonstrate compliance with applicable EFF requirements by batch.

Reporting deadlines for refiners and importers

- EFF bulk blender-refiners shall submit to EPA the Ethanol Flex Fuel Bulk Blender-Refiner Batch Report(s) by March 31st of each year for the prior calendar year averaging period.

How to submit reports

- EPA maintains report templates, electronic submission procedures and additional support options at <http://www.epa.gov/otaq/fuels/reporting/cdx.htm>.

Field No.	Field Name	Units	Field Formats, Codes & Special Instructions
1	Report Form ID		AAAAAA ; <i>Character</i> . Enter EFF0400
2	Report Type		A ; <i>Character</i> . Specify if the data submitted in this report is original or if it is being resubmitted. Submit only one original report; any corrections or updates should be marked as a resubmission. O = Original R = Resubmission
3	CBI		A ; <i>Character</i> . Specify if the data contained within the report is claimed as Confidential Business Information (CBI) under 40 CFR Part 2, subpart B: Y = Confidential Business Information N = Non-Confidential Business Information
4	Report Date		MM/DD/YYYY ; <i>Character</i> . Enter the date the original or resubmitted report is created.
5	Averaging/Compliance Period		YYYY ; <i>Character</i> . Enter the averaging/compliance year the report covers.
6	Company/Entity ID		AAAA ; <i>Character</i> . Enter the EPA assigned four-character ID for the bulk-blender refiner.
7	Facility ID		AAAAA ; <i>Character</i> . Enter EPA-assigned five-character ID for the facility. Include leading zeros as needed.



Field No.	Field Name	Units	Field Formats, Codes & Special Instructions
8	Batch Number		AAAAAA ; <i>Character</i> . The batch number assigned by the Refiner/Importer identifying the gasoline batch this report describes. This six digit batch number must form a unique identifier when combined with company ID, facility and year (e.g., 4321-54321-14-000001, 4321-54321-14-000002, etc.), as described in 40 CFR 80.65(d)(3). Please include leading zeros where applicable.
9	Batch Volume	Gallons	99999999 ; <i>Number</i> . Production volume of the reported batch of EFF.
10	Production Date		MM/DD/YYYY ; <i>Character</i> . Date the reported batch was produced or imported.
11	Product Type		AA ; <i>Character</i> . Enter the one appropriate product description code from the following list: ER = EFF produced for use in an area required to use reformulated gasoline as described in 40 CFR § 80.70 EC = EFF produced for use in conventional gasoline areas
12	Batch Grade		AA ; <i>Character</i> . Enter the one appropriate batch grade code from the following list. HI = EFF that contains more than 50 volume percent ethanol up to and including 83 volume percent ethanol (i.e. E51-83) LO = EFF that contains more than 15 volume percent ethanol up to and including 50 volume percent ethanol (i.e. E16-50)
13	EFF RVP Standard		AA ; <i>Character</i> . <ul style="list-style-type: none"> • For EFF produced for use in a VOC-controlled RFG area, report the appropriate region; if not VOC-controlled report “VN”. • For EFF produced for use in a CG area, report “VN” if the batch was produced for use during winter. Indicate “V1” if the batch was produced for use in a 7.8 psi area, or “V2” if it was produced for use in a 9.0 psi area. VN = Not VOC Controlled (or CG Winter) V1 = RFG VOC Region 1 (or CG 7.8 PSI) V2 = RFG VOC Region 2 (or CG 9.0 PSI) V3 = RFG Adjusted VOC V4 = Federal SIP
14	Ethanol	Volume %	99.9 ; <i>Number</i> .

Field No.	Field Name	Units	Field Formats, Codes & Special Instructions
15	Ethanol Parameter Test method		AAAAA ; <i>Character</i> . Enter the test method used to measure parameter for ethanol content as described in 40 CFR § 80.1553(i) as follows: D5599 = ASTM D5599 D4815 = ASTM D4815
16	RVP	psi	99.99 ; <i>Number</i> .
17	RVP Parameter Test Method		AAAAA ; <i>Character</i> . Enter the test method used to measure parameter for RVP as described in 40 CFR § 80.1553(g) as follows: D5191 = ASTM D5191 D5482 = ASTM D5482 D6378 = ASTM D6378 MODEL = RVP model results as specified in 40 CFR § 80.1553(j)
18	Ethanol Blendstock Type		AA ; <i>Character</i> . Enter the type of ethanol blendstock used to produce the ethanol flex fuel as follows: DE = Denatured ethanol UE = Undenatured ethanol
19	Ethanol Blendstock Volume	Gallons	999999999 ; <i>Number</i> . Volume of ethanol blendstock use to produce reported batch of EFF.
20	First Hydrocarbon Blendstock Type		AA ; <i>Character</i> . Enter the type of hydrocarbon blendstock used to produce the ethanol flex fuel as follows: RG = Reformulated Gas RO = RBOB any oxygenate CG = Conventional Gasoline CB = Conventional Gasoline Blendstock for Oxygenate Blending (CBOB) or blendstock which becomes conventional gasoline solely upon addition of oxygenate NC = Certified natural gasoline EFF blendstock
21	First Hydrocarbon Blendstock Volume	Gallons	999999999 ; <i>Number</i> . Volume of first hydrocarbon blendstock used to produce reported batch of EFF.
22	Second Hydrocarbon Blendstock Type		AA ; <i>Character</i> . Enter the second type of hydrocarbon blendstock used to produce the ethanol flex fuel as follows: RG = Reformulated Gas RO = RBOB any oxygenate CG = Conventional Gasoline CB = Conventional Gasoline Blendstock for Oxygenate Blending (CBOB) or blendstock which becomes conventional gasoline solely upon addition of oxygenate NC = Certified natural gasoline EFF blendstock NA = Not applicable, enter if no second hydrocarbon blendstock was used

Field No.	Field Name	Units	Field Formats, Codes & Special Instructions
23	Second Hydrocarbon Blendstock Volume	Gallons	999999999 ; <i>Number</i> . Enter volume of second hydrocarbon blendstock used to produce reported batch of EFF or “NA” if no second hydrocarbon blendstock.
24	Third Hydrocarbon Blendstock Type		AA ; <i>Character</i> . Enter the third type of hydrocarbon blendstock used to produce the ethanol flex fuel as follows: RG = Reformulated Gas RO = RBOB any oxygenate CG = Conventional Gasoline CB = Conventional Gasoline Blendstock for Oxygenate Blending (CBOB) or blendstock which becomes conventional gasoline solely upon addition of oxygenate NC = Certified natural gasoline EFF blendstock NA = Not applicable, enter if no third hydrocarbon blendstock was used
25	Third Hydrocarbon Blendstock Volume	Gallons	999999999 ; <i>Number</i> . Enter volume of third hydrocarbon blendstock used to produce reported batch of EFF or “NA” if no third hydrocarbon blendstock.
26	Fourth Hydrocarbon Blendstock Type		AA ; <i>Character</i> . Enter the fourth type of hydrocarbon blendstock used to produce the ethanol flex fuel as follows: RG = Reformulated Gas RO = RBOB any oxygenate CG = Conventional Gasoline CB = Conventional Gasoline Blendstock for Oxygenate Blending (CBOB) or blendstock which becomes conventional gasoline solely upon addition of oxygenate NC = Certified natural gasoline EFF blendstock NA = Not applicable, enter if no fourth hydrocarbon blendstock was used
27	Fourth Hydrocarbon Blendstock Volume	Gallons	999999999 ; <i>Number</i> . Enter volume of fourth hydrocarbon blendstock used to produce reported batch of EFF or “NA” if no fourth hydrocarbon blendstock.



Field No.	Field Name	Units	Field Formats, Codes & Special Instructions
28	Fifth Hydrocarbon Blendstock Type		AA ; <i>Character</i> . Enter the fifth type of hydrocarbon blendstock used to produce the ethanol flex fuel as follows: RG = Reformulated Gas RO = RBOB any oxygenate CG = Conventional Gasoline CB = Conventional Gasoline Blendstock for Oxygenate Blending (CBOB) or blendstock which becomes conventional gasoline solely upon addition of oxygenate NC = Certified natural gasoline EFF blendstock NA = Not applicable, enter if no fifth hydrocarbon blendstock was used
29	Fifth Hydrocarbon Blendstock Volume	Gallons	999999999 ; <i>Number</i> . Enter volume of fifth hydrocarbon blendstock used to produce reported batch of EFF or "NA" if no fifth hydrocarbon blendstock.

Electronic Submission Sample Record:

EFF0400,O,Y,03/31/2018,2017,9999,99999,123456,123456,12/31/2017,EC,HI,V2,80.5,D5599,8.79,MO
 DEL,UE,99382,NC,24074,NA,NA,NA,NA,NA,NA,NA,NA

Paperwork Reduction Act Statement

The public reporting and recordkeeping burden for this collection of information is disclosed in the estimates of the individual report form instructions. Burden means the total time, effort, or financial resources expended by persons to generate, maintain, retain, or disclose or provide information to or for a Federal agency. This includes the time needed to review instructions; develop, acquire, install, and utilize technology and systems for the purposes of collecting, validating, and verifying information, processing and maintaining information, and disclosing and providing information; adjust the existing ways to comply with any previously applicable instructions and requirements; train personnel to be able to respond to a collection of information; search data sources; complete and review the collection of information; and transmit or otherwise disclose the information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.