

THE PAPERWORK REDUCTION ACT OF 1995 (Pub. L. 104-13): Public reporting burden for this collection of information is estimated to average .5 hours per response, including the time for reviewing instructions, gathering and maintaining the data needed, and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number.

Prenatal Alcohol and Other Drug Exposures: Local Agency Survey

1. Select all of the following options that best describe your current role?

(Select all that apply)

- Frontline worker
- Supervisor/manager
- Director/administrator
- Hotline/intake staff
- Child protective services/investigative staff
- Family needs assessment staff
- In-home/ongoing case management staff
- Out-of-home/foster/permanency staff
- Post-adoption staff
- Medical staff (e.g., nurse care manager)
- Behavioral/Mental Health staff (e.g., therapist, psychologist or LCSW)
- Prevention staff
- Independent living staff
- Substance abuse specialist
- Other (Please describe): _____

2. How many years have you worked in at this local agency? (Select one).

- Less than 1 year
- 1 to 5 years
- 6 to 10 years
- 11 to 20 years
- 20+ years

3. How many years have you worked in child welfare? (Select one).

- Less than 1 year
- 1 to 5 years
- 6 to 10 years
- 11 to 20 years
- 20+ years

4. Please tell us about the activities you currently conduct as part of your job.

	I do this routinely as part of my job	I supervise those who conduct this activity	I manage/direct a department where these activities are conducted
	<i>(select the best answer in each column)</i>		
a. Intake/screening of allegations of child abuse and neglect	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No
b. Child protection investigations of screened-in reports to determine occurrence/assess for risk of abuse and neglect	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No
c. Family and child need assessments and referrals for voluntary services (when the child is not in foster or adoptive care)	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No
d. Family/child needs assessment and referrals for mandatory family services (when the child is in foster or adoptive care)	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No
e. Service planning and referrals during ongoing case management, when the child has been placed out-of-home	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No
f. Service planning and referrals during ongoing case management, while the family is receiving in-home services	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No	<input type="radio"/> Yes <input type="radio"/> No

5. We are interested the types of information that are collected by local agencies when cases have been opened and are the subject of a family needs assessment or a child protective investigation to assess for potential child abuse/neglect. Please read the following scenarios, and then answer the questions that follow.

SCENARIO ONE: A report on the Wright family has been [*opened, having met your agency’s criteria for a child protection investigation of child abuse and neglect.*] Hospital staff report that a newborn male, Tyler, was born this morning. The newborn exhibited extreme fussiness, had low birth weight, and had kidney functioning issues. Subsequent toxicology tests were positive for both marijuana and heroin for the mother, and positive for heroin for Tyler. The mother refused referrals for outpatient drug treatment but admitted to using “oxies,” “smack,” and “weed” throughout her pregnancy. Upon initial review, the hotline staff learned that the mother has a history of involvement with child protective services and that Tyler’s twin male siblings (age 2) were placed with their grandmother after the agency investigated and substantiated allegations of physical neglect.

Please answer the following questions as best you can - we understand that investigations might not be part of your job duties, that other important information on this child and family would be collected, and that you are working with very limited information in the scenario above.

If conducted by a typical staff member with investigative responsibilities at your local agency, in the above scenario, please tell us:										
Types of information	How <u>often</u> would this information be <u>obtained</u> during the investigation of the above scenario?					How important would this information be to inform the investigation of the above scenario?				
	Alwa ys	Usual ly	Sometim es	Rare ly	Don't Know	Critic al	Very importa nt	Somewh at importa nt	Not importa nt	Don't Know
	<i>(Select one response for each row)</i>					<i>(Select one response for each row)</i>				
a. Mother’s history of drug use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Mother’s history of alcohol use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Mother’s current use of drugs	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Mother’s current use of alcohol	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Mother’s pregnancy history (e.g., prenatal care, nutrition)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Mother’s use of drugs or alcohol while pregnant with child	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Child’s birth history (e.g., medical history at birth)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Child’s developmental	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

milestones										
i. Child's known disabilities	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

6. When answering question about Scenario 1 above, how might you use the types of information that you marked as critical to inform decisions about risk and possible referral for services?

7. We are also interested in the types of information collected by local agencies when assessing family and/or child needs in preparation for case planning and service referrals, when children are under care and placement responsibility of the child welfare agency. Please read the following scenario, and then answer the questions that follow.

SCENARIO TWO: Alyssa (age 13) was recently removed from her home and placed in a non-relative foster family. Alyssa's older brother is 18 and lives outside the home. The investigation found that her mom frequently abused alcohol and it would lead to violent behavior directed towards Alyssa. In addition, Mom has a long history of past and current substance abuse. Alyssa's mother has biweekly visitations with Alyssa and has a goal of reunification. Alyssa's current foster family notes that, since placement, Alyssa has kept mostly to herself and seems anxious and depressed. The foster family notes that Alyssa has difficulty following directions, though breaking instructions down into shorter phrases and keeping them simple has helped. Alyssa's school indicated that Alyssa has learning disabilities and an IEP, and has difficulty making friends her own age.

Please answer the following questions to the best you can - we understand family needs assessment and case planning might not be part of your job duties, that other important information would be sought, and that you are working with very limited information in the scenario above.

If conducted by a typical staff member with case planning responsibilities at your agency, in the above scenario, please indicate how important this information would be to inform case planning and service referrals for Alyssa and her mom.

	Critical	Very important	Somewhat important	Not important	Don't Know
	<i>(Select one response for each row)</i>				
a. Mother's history of drug use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Mother's history of alcohol use	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Mother's current use of drugs	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Mother's current use of alcohol	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Mother's pregnancy history (e.g., prenatal care, nutrition)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Mother's use of drugs or alcohol while pregnant with child	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Child's birth history (e.g., medical history at birth)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Child's history of illness and injury	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. Child's developmental milestones	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
j. Child's known disabilities	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

k. Child's mental health diagnoses	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
------------------------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------

8. When answering the questions about Scenario 2 above, which types of information that were marked as critical or very important are least likely to be available to you? Please describe how you would go about getting that information, if available.

9. Please think now about the same scenario (repeated below for your convenience), and consider what type of service referrals would likely be made.

SCENARIO TWO: Alyssa (age 13) was recently removed from her home and placed in a non-relative foster family. Alyssa's older brother is 18 and lives outside the home. The investigation found that her mom frequently abused alcohol and it would lead to violent behavior directed towards Alyssa. In addition, Mom has a long history of past and current substance abuse. Alyssa's mother has biweekly visitations with Alyssa and has a goal of reunification. Alyssa's current foster family notes that since placement, Alyssa has kept mostly to herself and seems anxious and depressed. The foster family notes that Alyssa has difficulty following directions, though breaking instructions down into shorter phrases and keeping them simple has helped. Alyssa's school indicated that Alyssa has learning disabilities and an IEP.

We understand that working with ongoing cases might not be part of your job duties, that there could be more referrals than those listed below, and that you are working with very limited information. Given those limitations, please respond as best you can with the answer that most closely resembles typical agency practice.

Assuming that services are available, please indicate what kinds of referrals a typical staff member at your agency would provide to Alyssa as part of the case planning/service referral process.						
	All children served by this agency are referred to this service	Would definitely refer Alyssa to this service	Might refer Alyssa to this service	Probably would not refer Alyssa to this service	Would not refer Alyssa to this service	Are these services available in your clients' community?
Types of referrals made:	<i>(Select one response for each row)</i>					
a. Medical examinations/ physical health check/ medical treatment exam?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> Available <input type="radio"/> Somewhat available <input type="radio"/> Not available <input type="radio"/> Don't know
b. Initial screening to identify potential developmental or learning issues?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> Available <input type="radio"/> Somewhat available <input type="radio"/> Not available <input type="radio"/> Don't know
c. Initial screening to identify potential mental health or behavioral issues?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> Available <input type="radio"/> Somewhat available <input type="radio"/> Not available <input type="radio"/> Don't know
d. Initial screening to identify potential speech, physical therapy, and/or occupational needs?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> Available <input type="radio"/> Somewhat available <input type="radio"/> Not available <input type="radio"/> Don't know
e. In-depth assessment/ diagnosis of mental	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> Available <input type="radio"/> Somewhat available

health/behavioral issues?						<input type="radio"/> Not available <input type="radio"/> Don't know
f. In-depth assessment/ diagnosis of intellectual, learning, developmental, and/or cognitive issues?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> Available <input type="radio"/> Somewhat available <input type="radio"/> Not available <input type="radio"/> Don't know
g. In-depth assessment/ diagnosis related to speech, physical therapy, and/or occupational needs?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> Available <input type="radio"/> Somewhat available <input type="radio"/> Not available <input type="radio"/> Don't know
h. Referral for specific assessment of diagnosis related to prenatal alcohol exposure	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/> Available <input type="radio"/> Somewhat available <input type="radio"/> Not available <input type="radio"/> Don't know

10. In your opinion, when reviewing information to determine whether a child has been prenatally exposed to alcohol or other drugs....

	...which are the top three most <u>commonly</u> <u>reviewed</u> sources of information at your agency?	...which are the top three most <u>accurate</u> sources of information?
	(select three)	(select three)
a. Observations of drug or alcohol paraphernalia in the child's home	<input type="checkbox"/>	<input type="checkbox"/>
b. Birth records (e.g., medical status at birth, positive toxicology)	<input type="checkbox"/>	<input type="checkbox"/>
c. Developmental assessments	<input type="checkbox"/>	<input type="checkbox"/>
d. Other medical records (e.g., doctors' appointments, diagnoses)	<input type="checkbox"/>	<input type="checkbox"/>
e. Information shared by schools	<input type="checkbox"/>	<input type="checkbox"/>
f. Conversations with the mother	<input type="checkbox"/>	<input type="checkbox"/>
g. Conversations with other family members or collateral reports	<input type="checkbox"/>	<input type="checkbox"/>
h. Observations of the child's physical symptoms or behaviors	<input type="checkbox"/>	<input type="checkbox"/>
i. Judicial review or court reports	<input type="checkbox"/>	<input type="checkbox"/>
j. Other, please describe _____	<input type="checkbox"/>	<input type="checkbox"/>

11. When do you think is the most ideal point to assess or identify a child's history of prenatal substance exposure to alcohol or other drugs? (select one)

- intake/screening of allegations of child abuse or neglect
- child protection investigations of screened-in reports to determine occurrence/assess for risk of abuse and neglect
- family/child needs assessment for mandatory services
- service planning during ongoing case management,
- Other (please specify): _____

12. Now we'd like to ask a few questions about your training related to prenatal substance exposures of children, including alcohol. For each topic listed, please select the appropriate column to indicate any training that you have received on that topic.

TRAINING TOPICS	TRAINING/EDUCATION SOURCE					
	Courses or sections of courses in undergraduate and/or graduate school	Training through State CW Agency	In-House Local CW Agency Training	Continuing Education Units	Other Source (e.g. training/TA provider)	Training not offered/ Did not receive any training on topic
	(Select all that apply, selecting at least one option for each row)					
a. General training on prenatal alcohol exposure	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. General training on prenatal exposure to opioids and/or heroin	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. General training on prenatal exposure to other drugs (please describe drug type(s)): ----- -----	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
d. Effects of prenatal alcohol exposure on childhood development	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
e. Effects of prenatal exposure to other drugs on childhood development	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

13. How would you rate your level of understanding about the development of children with prenatal exposure to alcohol? (Select one).

- No knowledge
- Beginner
- Intermediate
- Advanced

14. How would you rate your level of understanding about the development of children with prenatal exposure to other drugs besides alcohol? (Select one).

- No knowledge
- Beginner
- Intermediate
- Advanced

15. In your opinion, what type of prenatal substance exposure do you think is most harmful? Why?

16. Please select either “True” or “False” for the following statements about prenatal exposure to alcohol
(As a reminder, this survey is anonymous and your responses will not affect your employment status at this agency).

- a. Alcohol use during pregnancy is the leading known cause of developmental disability and birth defects in the United States. True False
- b. Alcohol can harm an embryo or fetus at any time during pregnancy. True False
- c. Women who drink early in pregnancy but stop drinking are not at risk for having a child with a Fetal Alcohol Spectrum Disorder. True False
- d. Of all substances of abuse, alcohol produces the most serious neurobehavioral effects in the fetus. True False
- e. There is no cure for Fetal Alcohol Spectrum Disorder, although treatment can mitigate some effects. True False
- f. A woman can have 1 or 2 drinks a day without causing harm to her baby since she isn't bingeing. True False
- g. Fetal Alcohol Spectrum Disorders only occur if the mother is an alcoholic during pregnancy. True False
- h. Women only need to avoid hard liquor during pregnancy, beer and wine are okay. True False
- i. Most children with a Fetal Alcohol Spectrum Disorders have unusual facial features. True False

17. Please select all of the possible effects of prenatal exposure to alcohol on children.

(Select all that apply).

- Growth deficits
- Brain damage
- Intellectual disability
- Abnormal facial characteristics
- Heart, lung, and kidney defects
- Hyperactivity and behavior problems
- Attention and memory problems
- Difficulty with judgment, reasoning and self-regulation
- Learning disabilities
- Social issues
- Sleep problems
- Poor adaptive skills
- Neonatal Abstinence Syndrome (NAS)
- Other effects (please describe): _____

18. Among the children that this local agency comes into contact with, what percentage of children would you estimate have been prenatally exposed to alcohol? _____%

19. Among the children that this local agency comes into contact with, what percentage of children would you estimate have been prenatally exposed to drugs other than alcohol? _____%

20. Please use the space provided to share any other thoughts you have about the identification, documentation, and service referrals for children in care with prenatal exposure to alcohol and other drugs.

Thank you for your participation!