

**SUPPORTING JUSTIFICATION
POSITIVE TRAIN CONTROL
OMB No. 2130-0553
49 CFR PART 236**

Summary

- This submission is a request for a revision to the last approved submission pertaining to 49 U.S.C. § 20157 and 49 CFR part 236, subpart I, which was approved by OMB on **August 15, 2017**, and which expires **August 31, 2018**.
- FRA published the required 60-day **Federal Register** Notice on **May 10, 2018**. See 83 FR 21815. FRA received no written comments in response to this Notice.
- FRA is publishing the required 30-day **Federal Register** Notice on **August 8, 2018**. See 83 FR 39152. Although comments will be sent directly to OMB, FRA does not expect to receive any comments in response to this Notice.
- The total number of burden **hours requested** for this submission is **2,728,528 hours**.
- Total number of **responses requested** for this submission is **147,526**.
- The total number of burden **hours previously approved** for the last submission is **3,124,202 hours**.
- Total number of **responses previously approved** for the last submission is **147,738**.
- Total **burden decreased** by **395,674 hours** and by **212 responses**.
- **Program changes increased** the burden by **254 hours**.
- **Adjustments decreased** the burden by **395,928 hours** and by **212 responses**.

The answer to question **number 12 itemizes all information collection requirements and hourly burden, including the hourly burden associated with Form FRA F 6180.166, Annual PTC Progress Report and Form FRA F 6180.165, Quarterly PTC Progress Report. (See pp. 26-149).

*** *Note: In this renewal submission, FRA is seeking to revise both Form FRA F 6180.165, Quarterly PTC Progress Report, and Form FRA F 6180.166, Annual PTC Progress Report, as detailed below.*

Proposed Revisions to the Quarterly and Annual PTC Progress Report Forms

On August 15, 2017, OMB approved the Quarterly PTC Progress Report (Form FRA F 6180.165) and Annual PTC Progress Report (Form FRA F 6180.166) for a period of one year, expiring on August 31, 2018. The current Quarterly PTC Progress Report Form and Annual PTC Progress Report Form, as approved through August 31, 2018, can be accessed and downloaded in FRA's eLibrary at: <https://www.fra.dot.gov/eLib/details/L17365> and <https://www.fra.dot.gov/eLib/details/L17366>, respectively. These versions of the forms took into account the Association of American Railroads' written comments on behalf of itself and its member railroads; the American Public Transportation Association's written comments on behalf of Northeast Illinois Commuter Rail System, the Utah Transit Authority, the Tri-County Metropolitan Transportation District of Oregon, and the Fort Worth Transportation Authority; and industry stakeholders' comments during FRA's public meeting on April 19, 2016. FRA published minutes from the meeting on www.regulations.gov under Docket No. FRA-2016-0002. For a summary of the oral and written comments and FRA's responses to the comments, please see 81 FR 28140, May 9, 2016.

Following the above cited 60-day public comment period, FRA is now requesting OMB's re-approval of the forms, with the five changes described below. First, in Section 1 of the Quarterly PTC Progress Report Form (FRA F 6180.165), FRA proposes revising the row "Territories Where Revenue Service Demonstration Has Been Initiated" to state "Territories in Revenue Service Demonstration or in PTC Operation" for clarity, based on additional feedback from the industry following OMB's approval of the form on August 15, 2017. FRA intended this row to include any and all territories where a railroad had initiated revenue service demonstration (RSD), even if a railroad subsequently obtained PTC System Certification from FRA and is operating its PTC system in revenue service. The purpose of this row is to collect information regarding a railroad's progress toward meeting the statutory criteria under 49 U.S.C. 20157(a)(3)(B)(vi)–(vii), if applicable. Based on feedback from the industry, FRA proposes clarifying the language in this row in Section 1 so railroads understand that a railroad can include in this row the number of territories where its PTC system is in RSD or in operation. This proposed change does not result in any additional reporting burden as it is only a clarifying change.

Second, in footnotes 4 and 6 of the Quarterly PTC Progress Report Form (FRA F 6180.165), FRA proposes adding a hyperlink to Appendix A. The footnotes currently state: "If a particular category listed in this table does not apply to the railroad's technology, please indicate 'N/A'. A railroad may add categories or subcategories if it wants to provide more detail." FRA proposes adding the phrase "in Appendix A" to the second sentence with a hyperlink to that appendix to the form, as it will help direct railroads to the available section of the PDF where they can provide additional information. A hyperlink to Appendix A was in the corresponding footnotes in the prior

version of the Quarterly PTC Progress Report Form that OMB approved through June 30, 2017, but the hyperlink was omitted in error from the current version of the form. This proposed change (i.e., adding a hyperlink to an existing appendix) does not result in any additional reporting burden as it is only a formatting change.

Third, in Section 4 (entitled “Installation/Track Segment Progress – Current Status”) of both the quarterly form and the annual form, FRA proposes replacing the “Testing” option in the drop-down menu with two more precise options—i.e., “Field Testing” and “Revenue Service Demonstration.” This modification will help ensure clearer and more accurate reporting, without imposing an additional reporting burden.

Fourth, with respect to only the Annual PTC Progress Report Form (FRA F 6180.166), FRA proposes to delete a now inapplicable instruction from footnote 7 in Section 4, which stated,

Please note: For the Annual PTC Progress Report due by March 31, 2017, this mandatory geographic requirement (that must be satisfied by either completing Column 5 in Section 4 or submitting a GIS shapefile as described above) is due to FRA by April 30, 2017. Every other part of this form must be completed and submitted to FRA by March 31, 2017. This limited extension applies only in 2017.

FRA delayed the due date for submitting that specific information in 2017 only, per OMB’s request, to ensure railroads had sufficient time to compile and provide the information. FRA proposes removing that note from footnote 7 as it is no longer applicable or necessary. By statute, a railroad’s Annual PTC Progress Report is due by March 31st each year. 49 U.S.C. 20157(c)(1).

Fifth, with respect to both the quarterly form and the annual form, FRA proposes making certain changes to Section 6 (entitled “Update on Interoperability Progress”). FRA proposes removing the portion of the instruction that states a host railroad must provide information about the status of each tenant railroad’s rolling stock “if the tenant does not have a separate PTCIP on file.” FRA proposes removing this limiting instruction because FRA needs to know the PTC implementation status of any tenant railroad that operates on the host railroad’s property, except any tenant railroad that is subject to an exception under 49 CFR 236.1006(b). In addition, before the final column in the table in Section 6, FRA proposes adding a column entitled, “Scheduled Completion Date for Interoperability Testing.” This information is necessary for FRA to understand the progress a host railroad and each of its required tenant railroads are jointly making toward testing and achieving PTC system interoperability, consistent with host railroad’s PTC Implementation Plan and/or PTC Safety Plan. FRA estimates the additional burden for a host railroad to complete this new reporting requirement would be, on average, approximately 2.5 hours for Class I railroads and large passenger railroads; 1.25 hours

for Class II and medium passenger railroads; and thirty minutes for Class III, terminal, and small passenger railroads.

1. Circumstances that make collection of the information necessary.

Under 49 U.S.C. § 20157, as amended by the Positive Train Control Enforcement and Implementation Act of 2015 (PTCEI Act), all railroads required to implement a positive train control (PTC) system must provide information on implementation progress. As outlined in the PTCEI Act, railroads must submit an annual progress report to the Federal Railroad Administration (FRA) by March 31, 2016, and annually thereafter, until implementation is completed. 49 U.S.C. § 20157(c)(1). The PTCEI Act specifically requires railroads to provide certain information in the annual progress reports, including “any other information” FRA requests. See id. The annual progress report will report all progress for the previous calendar year. For example, the annual progress report due by March 31, 2016, shall cover the railroad’s implementation progress from January 1 to December 31, 2015.

In addition, 49 U.S.C. § 20157(c)(2) requires FRA to at least annually conduct compliance reviews to ensure each railroad is complying with its revised PTCIP. The PTCEI Act requires railroads to provide information to FRA that FRA determines is necessary to adequately conduct such compliance reviews. See 49 U.S.C. § 20157(c)(2). To effectively monitor the industry’s compliance with statutory mandate to implement a PTC system by the new statutory deadline, FRA is requiring each subject railroad to submit quarterly reports on its implementation progress, in addition to the annual progress reports mandated by the PTCEI Act, under FRA’s statutory and regulatory investigative authorities. See 49 U.S.C. 20157(c)(2); see also 49 U.S.C. §§ 20107, 20902; 49 CFR § 236.1009(h).

Specifically, FRA requires railroads to provide quarterly progress reports covering the preceding three-month period and submit the forms to FRA on the dates in the following table until full PTC system implementation is completed:

	Coverage Period	Due Dates for Quarterly Reports
Q1	January 1 – March 31	April 30*
Q2	April 1 – June 30	July 31
Q3	July 1 – September 30	October 31
Q4	October 1 – December 31	January 31

*Please note that FRA did not require a Q1 progress report to be submitted in April 2016. For 2016, the Q1 and Q2 reports were both due in the same form on July 31, 2016.

FRA has determined that quarterly reporting is necessary for FRA to meet the statutory requirement to conduct compliance reviews at least annually to ensure each railroad is complying with its Revised PTCIP. See 49 U.S.C. § 20157(c)(2). The annual reports, which contain five more sections than the quarterly reports and are due by March 31 each year under the PTCEI Act, retrospectively describe railroads' PTC system implementation progress for the entire preceding calendar year. Importantly, the quarterly reports provide FRA with each railroad's real-time implementation progress in as close to real time as possible for the current calendar year, enabling FRA to identify railroads that are not on track to meet the core implementation milestones they set in their Revised PTCIPs. FRA specifically chose quarterly reports in lieu of the monthly reports OMB previously approved under OMB Control No. 2130-0553 to monitor industry progress implementing PTC systems, while minimizing the burden on industry. See 81 FR 28140 (May 9, 2016). The structure of the quarterly report form enables railroads to complete the more comprehensive Annual PTC Progress Reports (Form FRA F 6180.166) in an efficient manner, by the March 31st statutory deadline. The frequency of quarterly reporting allows FRA to actively monitor railroads' implementation progress and identify railroad-specific and industry-wide roadblocks and obstacles to full PTC system implementation and to provide technical assistance early enough for such assistance to be effective. The quarterly reports also enable FRA to determine which railroads are at risk of not meeting the statutory deadline for PTC system implementation and the multiple statutory criteria required to obtain FRA approval of a deadline extension beyond December 31, 2018, but no later than December 31, 2020, for certain non-hardware, operational aspects of PTC system implementation. Moreover, the quarterly reports enable FRA to provide the public and Congress with data-driven status reports on industry's progress implementing this critical, life-saving technology four times per year. Because of the quarterly reporting requirement, FRA has been able to respond to urgent requests from members of Congress and the White House about railroads' up-to-date PTC implementation progress following fatal accidents.

Congress made it clear in the PTCEI Act and the Fixing America's Surface Transportation Act that enforcement is FRA's main oversight tool for ensuring each railroad implements a PTC system consistent with its Revised PTCIP and by the new statutory deadline. 49 U.S.C. § 20157(e)(1)-(4). FRA needs the quarterly reports to conduct the compliance reviews the PTCEI Act mandates and to initiate well-supported enforcement action against a delinquent railroad when necessary. In the PTCEI Act, Congress required each railroad to provide detailed implementation information in its Revised PTCIP, including milestones for spectrum acquisition, employee training, and hardware installation, with totals separated by each major hardware category. 49 U.S.C. § 20157(a)(2)(A)(iii). By law, each railroad must comply with its Revised PTCIP, including its milestones, and FRA is authorized to assess a civil penalty for any failure to meet those milestones. 49 U.S.C. § 20157(a)(2)(D), (e)(2), 49 CFR § 1.89.

By statute, railroads are required to provide FRA with any information FRA deems necessary to adequately conduct its compliance reviews. See 49 U.S.C. § 20157(c)(2). PTC systems are required to be implemented on over 60,000 miles of the 140,000-mile U.S. rail network. And, while FRA will perform random audits of PTC system implementation, FRA inspectors cannot feasibly inspect every mile of the U.S. rail network at different points in time to determine where the hardware of PTC systems, for example, has and has not been installed and to confirm that railroads are implementing PTC systems as they stated they would in their Revised PTCIPs. See 49 U.S.C. § 20157(a)(2)(D), (c)(2), (e). Therefore, FRA has reasonably determined the Quarterly PTC Progress Reports are necessary for FRA to perform the Congressionally-mandated compliance reviews. Moreover, Congress has implicitly agreed with FRA's determination this form is necessary by requesting that FRA collect additional information. See 82 FR 13717 (March 14, 2017).

Background for the PTC Final Rule Published on January 15, 2010

The President signed RSIA into law on October 16, 2008, mandating PTC system implementation by December 31, 2015. Specifically, Section 104 of the Rail Safety Improvement Act of 2008, Pub. L. 110-432, 122 Stat. 4854, (Oct. 16, 2008) (codified at 49 U.S.C. 20157) (RSIA) requires the installation of PTC systems governing all train operations on certain track. To effectuate this goal, RSIA required the covered railroads to submit for FRA approval a PTC implementation plan (PTCIP) within 18 months (i.e., by April 16, 2010).

On July 27, 2009, FRA published an NPRM regarding the mandatory implementation and operation of PTC systems in accordance with RSIA. During the comment period for that proceeding, CSX Transportation, Inc., suggested that FRA create a de minimis exception to the requirement that lines carrying PIH materials traffic (but not applicable passenger traffic) be equipped with PTC systems.

The final rule, published on January 15, 2010, included a de minimis exception, since FRA believed that it contained significant merit and that it fell within the scope of the issues set forth in the proposed rule. However, since none of the parties had an opportunity to comment on this specific exception as provided in the final rule, FRA sought further comments on the extent of the de minimis exception. The further comments responsive to this issue were largely favorable, although the Association of American Railroads (AAR) sought some further modification and clarification. In publishing its second PTC system final rule on September 27, 2010, FRA decided not to amend the de minimis exception any further based on the comments submitted. AAR, in its Petition dated April 22, 2011, requested that FRA initiate a rulemaking to expand the de minimis exception and otherwise amend the rules concerning the limited operations exception, en route failures of trains operating with PTC systems, and the discontinuance of signal systems once PTC systems were installed. AAR also requested

that FRA develop a new exception to allow unequipped trains to operate on PTC lines during certain yard operations. On October 21, 2011, FRA held a meeting in Washington, DC, with the PTC Working Group (WG) to the Railroad Safety Advisory Committee (RSAC) to seek input and guidance concerning the issues raised in AAR's Petition and other technical amendments. FRA facilitated a valuable group discussion relating to each of the proposed amendments.

Taking into account this input, FRA published an NPRM on December 11, 2012. With respect to the categorical de minimis exception at 49 CFR 236.1005(b)(4)(iii), FRA proposed to modify the categorical de minimis exception to raise the maximum number of freight cars containing PIH materials from fewer than 100 cars to fewer than 200 cars and revise the grade limitation to be more consistent with the definition of "heavy grade" present in 49 CFR Part 232. FRA also proposed to remove the traffic limitation of 15 million gross tons (MGT) from the general de minimis exception in paragraph (b)(4)(iii)(C), but not the categorical exception in paragraph (b)(4)(iii)(B). In response to AAR's suggestions for a yard move exception, FRA proposed to add a yard movement exception that would authorize movements by unequipped locomotives over PTC-equipped main line track segments for the purpose of switching service or transfer train movements. FRA did not propose to create an additional limited operations exemption, remove oversight from signal system discontinuances, or modify the default rules for resolving en route failures of a PTC system, though FRA requested comments on these elements of AAR's Petition. FRA also proposed a number of technical amendments to the signal and grade crossing regulations of 49 CFR Parts 234, 235, and 236. After learning that some viewed the scope of the NPRM as ambiguous, FRA published a notice of clarification on January 28, 2013, to ensure that commenters would have an adequate opportunity to address each element of AAR's Petition. After the close of the comment period, FRA held a meeting of the RSAC PTC WG on May 24, 2013, in order to gather more information relating to the comments and an additional meeting on July 9, 2013, to discuss draft rule text.

In sum, FRA's final rule primarily amends the regulations implementing a requirement of the Rail Safety Improvement Act of 2008 that certain passenger and freight railroads install positive train control (PTC) systems governing operations on certain main line tracks. This final rule revises an existing regulatory exception to the requirement to install a PTC system for track segments carrying freight only that present a de minimis safety risk. The final rule also adds a new exception for unequipped trains associated with certain yard operations to operate within PTC systems. The final rule also revises the provisions related to various failures of a PTC system, adds new provisions related to other failures of a PTC system, and amends the regulations on applications for approval of certain modifications of signal and train control systems. Last, this final rule makes technical amendments to FRA's other signal and train control regulations and FRA's regulations governing highway-rail grade crossing warning systems.

2. How, by whom, and for what purpose the information is to be used.

As described above, FRA has established new reporting requirements for railroads implementing PTC to comply with statutory mandates to collect information, to effectively track and report railroad progress, and to perform its role ensuring compliance through enforcement and industry oversight. See, e.g., 49 U.S.C. § 20157(c)(1)–(2).

The annual PTC progress report due March 31, 2016, and annually thereafter, is required by law. 49 U.S.C. § 20157(c)(1). However, FRA is providing a form industry must use to provide the annual reports to FRA and guidance explaining the type of information that railroads must provide under the PTCEI Act and that FRA is additionally requiring. See 49 U.S.C. § 20157(c)(1)(A)–(G). This will ensure consistency of the information the industry provides to FRA and its usefulness to FRA for assessing progress and compliance.

The purpose of collecting precise geographic information in the Annual PTC Progress Report (Form FRA F 6180.166) is to inform FRA of the exact stretches of railroad track (identified by milepost limits and/or control point limits, depending on the railroad's business practices) where a PTC system had been implemented and was operable by the end of the previous calendar year. FRA cannot function properly as a safety agency without knowing the actual milepost and/or control point limits of where PTC systems have been implemented and are operable. FRA has an internal GIS database containing various maps of PTC implementation across the country, and FRA needs to maintain the database and ensure it depicts the accurate and precise status of railroads' implementation progress. It would be unduly burdensome, and it would hinder effective, efficient investigations for FRA to contact the approximately 41 railroads implementing PTC on an individual basis, before inspections or after accidents occur or Congressional inquiries arise, to obtain this critical information about which railroad tracks in each installation/track segment (e.g., subdivision, district, territory, etc.) have been equipped with an operable PTC system.

Under the PTCEI Act, FRA is required to conduct reviews at least annually to ensure each railroad is complying with its revised PTC implementation plan (PTCIP). 49 U.S.C. § 20157(c)(2). Congress required each railroad to provide detailed information about implementation progress such as end-of-year milestones for hardware implementation, separated by each major hardware category, in its revised PTCIP. 49 U.S.C. § 20157(a)(2)(A)(iii)(III). PTC systems are required to be implemented on approximately 60,000 miles of the over 140,000-mile U.S. rail network, and FRA inspectors cannot feasibly inspect every mile at different points in time to know where the hardware of PTC systems has and has not been implemented. FRA needs to know between which mileposts or control points each railroad has implemented a PTC system, so FRA inspectors can, among other tasks, verify that the PTC system is implemented and is working as required on the track railroads report to FRA. Collecting specific geographic information about where a PTC system is operable will enable FRA to independently audit the self-reported

status of railroads' PTC implementation progress.

As with any submission to FRA, a railroad seeking confidential treatment of information must comply with the requirements under 49 CFR § 209.11, regarding redaction and submission of a supporting justification explaining why the particular information qualifies for protection by law. *See* 49 CFR § 209.11(c), (d). A mere graphical depiction of where a PTC system has been implemented is not sensitive security information (SSI), under 49 CFR §§ 15.5 or 1520.5, because release of that high-level information would not be detrimental to transportation safety or security. In addition, to qualify as SSI, the information must fall under one of the fifteen specific categories defined in 49 CFR §§ 15.5(b) and 1520.5(b), or must be specifically designated as SSI by the Secretary of the U.S. Department of Transportation, the FRA Administrator, or the Transportation Security Administration. This geographic information does not fall under one of those specific categories and has not been designated as SSI by an appropriate authority. Therefore, it also is not SSI under Departmental regulations or any other authority. The PTCEI Act requires FRA to post on its Web site each Annual PTC Progress Report, but authorizes FRA to exclude, as it determines appropriate, proprietary information and SSI; however, the railroad must make a showing that the particular information it submitted qualifies for protection by law, as stated above. *See* 49 CFR § 209.11(c), (d).

FRA uses the quarterly report to track railroads' progress toward, and compliance with, the core quantitative implementation elements and goals, some of which are included in each railroad's revised PTCIP. The quarterly frequency allows FRA to monitor railroads' progress and compliance with their revised PTCIPs, to identify potential trends, and to manage FRA's technical assistance and intervention to gain compliance. In response to stakeholder comments on the quarterly form, FRA has revised the Annual PTC Progress Report to make transfer of data from the Quarterly PTC Progress Report (Form FRA F 6180.165, OMB Control No. 2130-0553; OMB approval expires 6/30/2017) to the Annual PTC Progress Report easier and more convenient.

The information to be collected under section 235.6 of this rule is and will be used to simplify and expedite the process of submitting application requests to FRA by railroads seeking to modify existing signal systems associated with PTC implementation. Instead of submitting such application requests to the Associate Administrator for Safety/Chief Safety Officer at agency Headquarters, railroads would submit such applications to the appropriate FRA Regional Administrator having jurisdiction over the affected territory for modifications of the signal system by the installation, relocation, or removal of signals, interlocked switches, derails, movable point frogs, or electronic locks in an existing system where the modification is directly associated with the implementation of PTC systems. This decentralized approach to such application requests will allow them to be more quickly reviewed, processed, and acted on by appropriate FRA Regional staff instead of being added as the next one in line to a long national queue of signal system modification applications. If the Regional Administrator for the appropriate regional

office denies approval of the requested modification, the request would then be forwarded to the FRA Railroad Safety Board as an application for signal system modification.

Under section 235.6, copies of such modification application requests must be sent to railroad unions responsible for maintenance, inspection, and testing of signal systems under Part 236. This requirement allows union representatives the opportunity to review all railroad signal system modification requests/applications and enable them to send comments from the railroad workers perspective to the relevant FRA Regional Office regarding any issues or concerns that they may have with such signal system modifications. The appropriate FRA Regional Administrator will review these comments and factor them in to any decision to approve/deny such signal system modification applications associated with PTC implementation.

Section 236.15 requires automatic block, traffic control, train stop, train control, cab signal, and positive train control be designated in timetable instructions. This information is used by railroad employees as they go about carrying out their daily jobs and ensures that identified specific types of signal and train control systems in operation on a railroad are designated in the railroad's timetable as a matter of general knowledge and high importance

Under section 236.1005(b)(4)(iii)(B)(4), in lieu of temporal separation, railroads may employ – subject to FRA approval – an alternative means of similarly reducing the risk of PTC-preventable accidents and a release of PIH materials on specified train line segments. FRA reviews such requests for non-temporal alternative risk mitigation on those line segments to determine that a level of safety equivalent to or greater than temporal separation is provided by proposed risk mitigation measures to reduce the risk of PTC-preventable accidents and a release of PIH materials so that the risk is negligible. If satisfied that the proffered mitigations would be successful, FRA will approve the exception of the line segment.

FRA uses the information collected under Subpart H and the additional information collected under Subpart I for compliance purposes. FRA uses the information collected to ensure that new or novel signal and train control technologies, essentially electronic or processor-based systems, meet the proposed “performance standard” and work as intended in the U.S. rail environment. These new signal and train control technologies are known as “Positive Train Control” (PTC). The rule “performance standard” provides that any new signal and train control system would meet or exceed the safety performance of the existing system. In other words, new “PTC” products must not degrade railroad safety. Before introduction into revenue service, these new systems – as well as subsystems and components thereof – will be carefully evaluated by FRA to verify that they meet the proposed performance standard. FRA aims to use the information collected to facilitate safety improvements through accelerated introduction of new technology. FRA also plans to carefully review the information collected to ensure that new positive train control

(PTC) systems are compatible nationwide.

Railroads are required to furnish FRA with a variety of information regarding “positive train control” technology. Under Subpart A of Part 236, railroads are required to adopt a software management control plan to assure that software used in processor-based signal and train control equipment placed in service is the version intended by the railroad to be in service at each location. FRA uses this information as an audit trail to determine if the correct software is installed at the correct locations for all processor-based signal and train control systems on a railroad. FRA believes that these plans will enhance safety and provide other benefits to the railroad as well.

Under Subpart H, railroads are also required to develop a Railroad Safety Program Plan (RSPP) that serves as the railroad’s principal safety document for all safety-critical products. The RSPP must establish the minimum Product Safety Plan (PSP) requirements that will govern the development and implementation of all products subject to this Subpart. FRA requires railroads to submit their initial RSPPs for FRA review and approval prior to implementation of safety-critical products. FRA intends the RSPP to serve as a guide, as well as to be a formal step-by-step process, which covers the following: identification of all safety requirements that govern operation of a system; evaluation of the total system to identify known or potential safety hazards that may arise over the life cycle of the system; identification of all safety issues during the design phase of the process; elimination or reduction of risk posed by the hazards identified; resolution of safety issues presented; development of a process to track progress; and development of a program of testing and analysis to demonstrate that safety requirements are met. FRA reviews RSPPs and RSPP amendments, which can be made at any time and which involve the same approval procedures that apply with the initial approval of the RSPP, to ensure that all the necessary information is provided and that the proposed new or modified PTC system meets or exceeds the overall safety provided by the old system.

Also, under Subpart H, railroads must submit a Product Safety Plan (PSP). Each PSP must include a complete description of the product and must include system specifications that describe the overall product and identify each component and its physical relationship in the system. FRA examines each PSP to fully understand how various parts relate to one another within a system. In particular, FRA reviews safety-critical functions to determine whether they are designed on the fail-safe principle. Each PSP must also include a description of the operation where the product will be used. FRA uses this information to determine the type of operation on which the product will be used, and the suitability of the product for that type of operation.

Additionally, each PSP must include a concepts operations document containing a description of the product’s functional characteristics and how various components within the system are controlled. FRA uses this information to review the product for completeness of design for safety by comparing the functionalities with those contained in

standards for existing signal and train control systems. Furthermore, each PSP must include a safety requirements document that identifies and describes each safety-critical function of the product. FRA uses this information to determine that appropriate safety concepts have been incorporated into the proposed product. Each PSP must also include a hazard log. This log consists of a comprehensive description of all hazards to be addressed during the life cycle of the product, including the maximum threshold for each hazard. The hazard log addresses safety-relevant hazards, or incidents/failures which affect the safety and risk assumptions of the product. FRA uses this information to ensure that all possible safety-relevant hazards which would have a negative effect on the safety of the product are identified and that mitigating measures are taken to offset the negative effects of these hazards.

Each PSP must also address safety verification and validation procedures, and must include the results of the safety assessment process. FRA believes verification and validation for safety are vital parts of the development of products. The PSP needs to identify the test planning at each stage of development and the levels of rigor applied during the testing process. FRA uses this information to assure the adequacy and coverage of the tests are appropriate. FRA expects the safety assessment process to be clearly stated. FRA examines the safety assessment information for thoroughness, according to the complexity of the product. Furthermore, each railroad in its PSP must include a training, qualification, and designation program for workers who perform inspection, testing, and maintenance tasks involving the product. Overall, FRA uses the information provided in the PSP and PSP amendments to ensure that the product is safe; is properly installed, maintained, and tested by qualified personnel; and is functioning throughout the life cycle of the product as intended.

Railroads are also required to retain records. Railroads need to maintain documentation to demonstrate that the product PSP meets the safety requirements of the railroad's RSPP and applicable standards described in this Subpart, including the risk assessment. The risk assessment must contain all initial assumptions for the system that are listed in paragraph (i) of Appendix B, Risk Assessment Criteria. Railroads are required to develop and keep for the life cycle of the product an Operations Maintenance Manual (as specified in § 236.923). Railroads are also required to maintain records which designate persons who are qualified under the railroad's training program to perform safety-related inspection, testing, maintenance, repairing, dispatching, or operating tasks regarding the safety-critical product. After the product is placed in service, railroads are required to maintain a database of safety-relevant hazards on the product which arise or are discovered. All documents and records must be made available for FRA inspection and copying during normal business hours. FRA uses the information provided by these records to fully ensure that processor-based signal and train control systems are safe, and are properly installed, maintained, inspected, and tested by qualified personnel who have complete and current information concerning the product. Section 236.1005 of **Subpart I** provides flexibility to railroads by permitting requests for

temporary rerouting. FRA will review temporary rerouting requests of trains equipped with a PTC system (as required by this Part) onto a track not equipped with a PTC system and a train not equipped with a PTC system onto a track with a PTC system – whether due to emergencies (for periods of more than 14 days) or planned maintenance (requests must be made 10 days in advance) – to understand the context and details of the rerouting and to determine whether the requested rerouting is necessary and in the interest of public safety. For emergency requests, FRA will review the information collected to ensure that a higher level of safety is maintained during the period of the rerouting. For rerouting due to planned maintenance, FRA will review requests to determine whether a railroad should reroute at all. Whether the request is for emergency or planned maintenance purposes, FRA will review the information collected to ensure that the track segments upon which the train will be rerouted have an absolute block established in advance of each rerouted train movement and that each rerouted train movement does not exceed 59 miles per hour for passenger and 49 miles per hour for freight trains in order to protect both railroad workers and the public at large.

Section 236.1006 details the requirements for equipping locomotives operating in PTC territory. It also provides that movements in excess of 20 miles are authorized until December 31, 2020, subject to restrictions, including that the Class II or Class III railroad must report to FRA progress in equipping the necessary number of locomotives with PTC. FRA reviews these reports by Class II/Class III railroads to monitor their progress in complying with mandatory statutory deadlines for equipping their locomotives with Positive Train Control.

Section 236.1007 requires a PTC railroad that conducts freight or passenger operations at more than 125 miles per hour to have an approved PTC Safety Plan (PTCSP) accompanied by an “HSR-125” document. This speed is the maximum speed for Class 7 track under § 236.307. At these higher speeds, the consequences of a derailment or collision are significantly greater than at lower speeds due to the involved vehicle’s kinetic energy. FRA reviews “HSR-125” documents to ensure the additional safety analysis contained in this document provides suitable evidence to the agency that the PTC system can support a level of safety equivalent to, or better than, the best level of safety of comparable rail service in the United States or a foreign country (where railroads request to use foreign service data in their “HSR-125” document) over the five year period preceding the submission of the PTCSP. FRA also reviews and evaluates the “HSR-125” document to determine that it includes a method to ensure that these high speed lines have the capability to detect incursions, including such hazards as large motor vehicles falling on the track structure from highway bridges, from outside the right of way, as well as the capability of providing warning to trains. For a PTC railroad that conducts freight or passenger operations at more than 150 miles per hour, FRA will review the “HSR-125” document to confirm that it is part of an overall system safety plan approved by the Administrator and that a Rule of Part Applicability governs such extremely high speed operations.

Section 236.1009 spells out PTC procedural requirements and mandates each Class I carrier and each entity providing regularly scheduled intercity or commuter rail passenger transportation to develop and submit by April 16, 2010, a plan for implementing a PTC system by December 31, 2015. PTCIP content requirements are fully delineated in § 236.1011. FRA reviews these PTC Implementation Plans (PTCIPs) to see that the specified contents are included in each PTCIP and to ensure the implementation includes design, testing, potential Verification and Validation, installation, and operation over the PTC system's life cycle. PTCIPs are integral part of the FRA PTC System Certification process, along with a Type Approval number and PTC Safety Plan (PTCSP). FRA examines each PTCIP to confirm that it fully describes the technology that will be employed, how the PTC railroad intends to comply with § 236.1009, how the PTC system provides for interoperability of the system between host and all tenant railroads on the lines required to be equipped with PTC systems under this subpart, and how all the other requirements stipulated in § 236.1011 are met.

Section 236.1013 establishes that, for a PTC system to obtain a Type Approval from FRA, a PTC Development Plan (PTCDP) must be filed in accordance with § 236.1009. FRA reviews the PTCIP and PTCDP contemporaneously in order predetermine and share with the railroad an appropriate course of action to adequately address the various issues specific to the railroad and related to drafting a successful PTC Safety Plan (PTCSP). The PTCDP is the core document that provides the FRA Associate Administrator for Safety sufficient information to determine whether the PTC system proposed for installation by the railroad could meet the statutory requirements for PTC systems prescribed in the RSIA of 2008 and the regulatory requirements under new subpart I.

FRA reviews each PTCDP to ascertain that all requirements stipulated in section 236.1013 are included. Among them are the following: (1) a complete description of the PTC system, including a list of all PTC system components and their physical relationships in the subsystem or system; (2) a description of the railroad operation or categories of operations on which the PTC system is designed to be used, including train movement density (passenger, freight), operating speeds, track characteristics, and railroad operating rules; (3) an operational concepts document, including a list with complete descriptions of all functions which the PTC system will perform to enhance or preserve safety; (4) a document describing the manner in which the PTC architecture satisfies safety requirements; (5) a description of the safety assurance concepts that are to be used for system development, including an explanation of the design principles and assumptions; (6) a preliminary human factors analysis, including a complete description of all human-machine interfaces and the impact of interoperability requirements on the same; (7) an analysis of the applicability to the PTC system of the requirements of subparts A-G of this Part that may no longer apply or are satisfied by the PTC system using an alternative method, and a complete explanation of the manner in which those requirements are otherwise fulfilled; (8) a description of the necessary security measures for the system; (9)

a description of target safety levels (e.g., Mean Time To Hazardous Event (MTTHE) for major subsystems as defined in subpart H), including requirements for system availability and a description of all backup methods of operation and any critical assumptions associated with the target levels; (10) a complete description of how the PTC system will enforce authorities and signal indications; (11) a description of the deviation required under § 236.1029(c), if applicable; and (12) a complete description of how the PTC system will appropriately and timely enforce all integrated hazard detectors in accordance with § 236.1005(c)(3), if applicable.

Section 236.1015 sets forth PTC Safety Plan (PTCSP) content requirements and what each railroad must do to receive a PTC System Certification. FRA carefully scrutinizes each PTCSP to assure that the as-built PTC system fulfills the required statutory PTC functions and is in compliance with the requirements of this Subpart. Each PTCSP must address railroad-specific implementation issues associated with the PTC system identified by the submitted Type Approval. Each PTCSP must include a risk assessment. FRA uses this information as a basis to confirm compliance with the appropriate performance standard. Also, FRA reviews the risk assessment to see that it provides evidence that risks associated with the product have been carefully considered and that steps have been taken to eliminate or mitigate them. Additionally, each PTCSP must address safety Verification and Validation procedures as defined under this Part. FRA believes that Verification and Validation for safety are vital parts of the PTC development process. FRA uses this information to ensure the adequacy and coverage of the tests are appropriate. FRA will only issue a PTC System Certification if the PTCSP receives agency approval. Receipt of a PTC System Certification affirms that the PTC system has been reviewed and approved by FRA in accordance with this Part and meets all of its requirements.

Section 236.1017 requires that each PTCSP must be supported by an independent third party assessment when the Associate Administrator (for Safety) concludes that it is necessary based upon criteria spelled out in § 236.913(g)(2)(vii). If an independent assessment is required, the assessment may apply to the entire system or a designated portion of the system. FRA reviews any third party audits to verify that the minimum requirements outlined in Appendix F to this Part are met.

Section 236.1019 pertains exclusively to exceptions from the rule that trackage over which scheduled intercity and commuter passenger service is provided is considered main line track requiring installation of a PTC system. FRA proposes to consider requests for designation of track over which operations are conducted as “other than main line track” for passenger and commuter railroads, or freight railroads operating jointly with passenger or commuter railroads. Main line track addendums (MTEAs) may be filed as part of the railroad’s PTCIP. FRA reviews MTEAs to ascertain that each one clearly identifies and defines physical boundaries, use, and characterization of the trackage for which exclusion is requested and that a compelling justification, in accordance with paragraphs (b) or (c) of this section, is provided for each particular segment of track identified.

Section 236.1021 references discontinuances, material modifications, and amendments. In this section, FRA requires agency approval prior to certain PTC system changes. Amendments can add, remove, or update parts of the railroad's PTCIP, PTCDP, or PTCSP. FRA reviews these requests for amendment (RFAs) to ensure that all necessary information is provided to the agency to determine whether agency approval should be granted, including the following: (i) the information listed in § 235.10 of this chapter and any additional information to evaluate the application; (ii) the proposed modifications; (iii) the reasons for each modification; (iv) the changes to the PTCIP, PTCDP, or PTCSP, as applicable; (v) each modification's effect on PTC system safety; (vi) an approximate timetable for filing of the PTCDP, PTCSP, or both, if the amendment pertains to a PTCIP; and (vii) an explanation of whether each change to the PTCSP is planned or unplanned. In making an approval determination, FRA will consider all impacts on public safety prior to approval or disapproval of any request for discontinuance, modification, or amendment.

Section 236.1023 requires PTC product vendors and railroads to notify FRA when any PTC system, subsystem, component, product, or process fails, malfunctions, or otherwise experiences a defect that decreases or eliminates any safety functionality. FRA reviews these notifications to make certain that the cause of such failures, malfunctions, or defects are identified and that corrective actions are taken without undue delay. Until repairs are made, railroads and vendors will be required to take appropriate measures to assure the safety of train movements, roadway workers, and on-track equipment.

Section 236.1029 requires communication of a report to a designated railroad officer when a PTC on-board device on a lead locomotive that is operating in or is to be operated within a PTC system fails or is otherwise cut-out. These reports are used by railroads to ensure necessary safety measures are taken, in particular that the necessary alternative protection of absolute block is established. FRA monitors these reports to verify that appropriate records are kept relating to the occurrence of en route failures.

Section 236.1035 stipulates required information that railroads must provide to FRA before any field testing of an uncertified PTC system, or a product of an uncertified PTC system, or any regression testing of a certified PTC system is conducted. FRA reviews these documents/plans to make informed decisions regarding the safety of testing operations. FRA carefully scrutinizes the data submitted and, based on the results of its review, may impose special conditions on the execution of the testing up to and including the appointment of an FRA test monitor to provide additional oversight to assure the safety of rail operations.

Section 236.1037 specifies records retention requirements. Each railroad with a PTC system required to be installed under this Subpart must maintain at a designated office on the railroad: (1) a current copy of each FRA approved Type Approval, if any, PTCDP, and PTCSP that it holds; (2) adequate documentation to demonstrate that the PTCSP and

PTCDP meet the safety requirements of this Subpart, including the risk assessment; (3) an Operations and Maintenance Manual, pursuant to § 236.1039; and (4) training and testing records pursuant to § 236.1043(b). FRA reviews these records for compliance with a performance standard and with the requirements of this new Subpart.

Section 236.1039 requires railroads to catalog and maintain all documents as specified in the PTCDP and PTCSP for the installation, maintenance, repair, modification, inspection, and testing of the PTC system and have them in one Operations and Maintenance Manual. This manual serves as a central reference source and will be used by railroad personnel to safely and smoothly run, maintain, repair, modify, test, and inspect their railroad's PTC system. It will also be used for purposes of inspection by FRA and FRA-certified State inspectors.

Section 236.1041 requires railroads and contractors to establish and implement training and qualifications programs for PTC systems subject to this Subpart. These programs must meet the minimum requirements spelled out in the PTCDP and PCTSP in §§ 236.1039-236.1045, as appropriate, for the following personnel: (1) Persons whose duties include installing, maintaining, repairing, modifying, inspecting, and testing safety-critical elements of the railroad's PTC systems, including central office, wayside, or onboard subsystems; (2) Persons who dispatch train operations (issue or communicate any mandatory directive that is executed or enforced, or is intended to be executed or enforced, by a train control system subject to this subpart); (3) Persons who operate trains or serve as a train or engine crew member subject to instruction and testing under Part 217 of this Chapter, on a train operating in territory where a train control system subject to this subpart is in use; (4) Roadway workers whose duties require them to know and understand how a train control system affects their safety and how to avoid interfering with its proper functioning; and (5) The direct supervisors of persons listed in paragraphs (a)(1) through (a)(4) of this section. FRA inspectors monitor these programs to ensure that all railroad PTC railroad personnel are properly trained to keep their PTC system running safely and smoothly. FRA seeks to prevent under-trained and unqualified people from performing safety critical functions related to a PTC system. The railroad industry's workforce generally does not have thorough knowledge of the operation of PTC equipment and appropriate practices for its operation and maintenance. FRA believes employee training and qualifications on how to properly and safely perform assigned duties are crucial to maintaining safe railroad equipment and a safe rail work environment.

Section 236.1043 requires regular and periodic evaluations of railroads/contractors PTC training programs and retention of training records. Railroads/contractors use this information as an audit to determine if their PTC training program materials and curriculum are effective and are imparting the specific knowledge, skills, and abilities to accomplish the stated goals of the training program. Railroads/contractors also use this information to determine if the stated goals of the training program reflect the correct and current products and operations. FRA reviews training records to verify that required

personnel are properly trained and that new designations of qualified personnel are recorded, as appropriate.

Finally, section 236.1045, section 236.1047, and section 236.1049 set forth the training requirements for office personnel, locomotive engineers and other operating personnel, and roadway workers, respectively. Again, FRA seeks to prevent under-trained and unqualified people from performing safety critical functions related to a PTC system and to ensure that all railroad PTC railroad personnel are properly trained to safely perform assigned duties that are crucial to maintaining safe PTC systems and a safe rail work environment.

In sum, FRA uses the information collected under Subpart H and the information collected under Subpart I to ensure that new or novel Positive Train Control technologies are, at a minimum, as safe as the systems they would replace. This collection of information is a vital means that enables FRA to accomplish its main mission of promoting, enforcing, and enhancing safe rail transportation in this country.

3. Extent of automated information collection.

This information collection will require the use of automated, electronic, mechanical, or other technological collection techniques. The railroad must submit the annual and quarterly PTC progress report forms using FRA's Secure Information Repository (SIR) at <https://sir.fra.dot.gov>. Many railroads have used the SIR website to submit their PTCIPs, revised PTCIPs, and monthly progress reports (approved under OMB No. 2130-0553). FRA will assist any railroad that has not created an account on the SIR website to help the railroad obtain access efficiently. To expedite the collection and dissemination of information by the railroad, FRA is providing railroads with a specific form for both the annual report (FRA F 6180.166) and the quarterly report (FRA F 6180.165).

In keeping with past agency practice and the requirements of the Government Paperwork Elimination Act (GPEA), FRA highly encourages and strongly supports the use of advanced information technology, wherever possible, to reduce burden. In Subpart H of this rule, FRA provides for electronic recordkeeping, or automated tracking systems. Specifically, the results of tests made in compliance with 49 CFR §§ 236.102-236.109; 236.376-236.387; 236.576-236.577; 236.586-236.589; and the records required to be retained under § 236.917(a) may be kept electronically, subject to approval by FRA. Also, the training records required under § 236.923-236.929 may be kept electronically. Furthermore, the hazard log or database of all safety-relevant hazards affecting positive train control/processor-based signal and train control systems may be kept electronically. FRA believes that electronic records are not only convenient but also help to reduce the time and cost burdens experienced by railroads in gathering necessary information.

Also, because railroads have expressed concern that 15 days is not enough time to report an inconsistency of safety-relevant hazards – exceeding the threshold set forth in the

Product Safety Plan – to FRA, especially when traditional postal service is used to deliver the report, FRA has decided to allow railroads to fax or e-mail the report required under §236.917(b).

Electronic recordkeeping is also permitted under **Subpart I** under the same terms as in Subpart H. Under 49 CFR § 236.1011, railroads are permitted to submit much of the PTCIP information electronically. FRA expects each PTCIP to include various highly specific and descriptive elements relating to each railroad’s infrastructure and operations. FRA recognizes manual assembly of each piece of data into a PTCIP may be exceptionally onerous and time consuming and may make the PTCIP prone to errors. In light of the foregoing, and due to the statutory requirement that Congress be apprised on the progress of the railroad carriers in implementing their PTC systems, FRA believes that electronic submission of much of this information may be warranted and preferred. To facilitate collection of this data, FRA is accepting the submission of this data in electronic format.

In particular, FRA believes that the preferred, least costly, and least error-prone method to comply with § 236.1011 is for railroads to submit an electronic geographic digital system map containing the segment attribute information in shape file format, which is a data format structure compatible with most Geographic Information System (GIS) software packages. Using a GIS format provides an efficient means for organizing basic transportation-related geographic data to facilitate the input, analysis, and display of transport networks. Railways around the world rely on GIS to manage key information for rail operations, maintenance, asset management, and decision support systems. FRA believes that the railroads may have already identified track segments, and their physical and operational characteristics, in shape file format.

Additionally, the report required under § 236.1029(b)(1) may be made electronically and the records required to be retained under § 236.1037(a) and § 236.1037(c), which pertain to the results of inspections and tests specified in each railroad’s PTCSP and PTCDP, may be kept electronically, subject to approval by FRA. Finally, the training records required under § 236.1043-236.1049 may be kept electronically.

To date, FRA’s PTC expert estimates that approximately 95 percent of required Subpart I documents have been submitted electronically to the agency. Overall then, approximately 95 percent of the estimated responses are submitted/kept electronically by railroads under this rule.

4. Efforts to identify duplication.

The information being requested in the annual PTC progress report and in the quarterly PTC progress report aligns with the milestones railroads provided to FRA in railroads revised PTCIPs and the new annual reporting requirement established by the PTCEI Act, and will help FRA perform its duty to assess compliance with these goals. It will also provide FRA with much more detailed progress data to more accurately capture each railroad's actual progress to date.

Overall, the information collection requirements concern the introduction of the latest signal and train control systems in this country and facilitate agency fulfillment of a congressional mandate.

To our knowledge, these information collection requirements are not duplicated anywhere else.

Similar data are not available from any other source.

5. Efforts to minimize the burden on small businesses.

Respondents will be individual railroads mandated to provide this information under 49 U.S.C. § 20157. While some of those railroads are smaller, short-line railroads that may qualify as small businesses, most are larger freight or passenger railroads that do not qualify as small businesses. Therefore, the burden to small businesses should be negligible. Furthermore, requiring submission on the quarterly and annual forms may reduce the burden for smaller entities, which would otherwise need to create some mechanism to catalog this information on their own.

Background for the PTC Rule Published on January 15, 2010

The “universe” of the entities under consideration includes only those small entities that can reasonably be expected to be directly affected by the provisions of this rule. In this case, the “universe” will be Class III freight railroads that operate on rail lines that are currently required to have PTC systems installed. Such lines are owned by railroads not considered to be small.

The U.S. Small Business Administration (SBA) stipulates in its “Size Standards” that the largest a railroad business firm that is “for-profit” may be, and still be classified as a “small entity,” is 1,500 employees for “Line Haul Operating Railroads” and 500 employees for “Switching and Terminal Establishments.” “Small entity” is defined in the Act as a small business that is independently owned and operated, and is not dominant in its field of operation. Additionally, section 601(5) defines “small entities” as governments of cities, counties, towns, townships, villages, school districts, or special districts with populations less than 50,000.

Federal agencies may adopt their own size standards for small entities in consultation with SBA and in conjunction with public comment. Pursuant to that authority, FRA has published a final policy that formally establishes “small entities” as railroads which meet the line haulage revenue requirements of a Class III railroad and passenger railroads that serve populations less than 50,000.¹ The revenue requirements are currently \$20 million or less in annual operating revenue. The \$20 million limit (which is adjusted by applying the railroad revenue deflator adjustment)² is based on the Surface Transportation Board’s (STB) threshold for a Class III railroad carrier. FRA is using the STB’s threshold in its definition of “small entities” for this rule.

FRA believes that portions of the rule revising the requirements regarding at § 236.2 regarding grounds and § 236.567 regarding en route failures are technical in nature, and do not create any economic impacts on any regulated entities, large or small.

Provisions regarding failures of new systems were not in FRA’s prior PTC rules, but FRA acknowledges that it is unlikely that railroads would have been held to an impossible standard, and that some accommodation would have to have been made for system failures that were inevitable. Therefore, the modified rule text at § 236.1029(b), (c), and (g) would not impose any additional costs or create any new benefits on any railroads, including railroads that are small entities.

The changes to the *de minimis* provisions in the final rule (i.e., § 236.1005(b)(4)(iii)) will impact Class III freight railroads that operate on lines of other railroads currently required to have PTC systems installed. To the extent that such host railroads receive relief from such a requirement along certain lines, Class III railroads that operate over those lines will not have to equip their locomotives with PTC system components. FRA believes that small railroads operating over the affected lines are already allowed to avoid equipping locomotives under existing §236.1006(b)(4), or are otherwise equipping their locomotives to operate over other track segments equipped with PTC systems. Further, some Class III freight railroads host passenger operations, but FRA does not believe any of those Class III freight railroads have any switching operations that would be affected by the final rule (i.e., the yard movements exception at 236.1006(b)(5)). To the extent that any Class III freight railroads are affected in circumstances of which FRA is unaware, the effect would be a benefit, in that the Class III freight railroads would be able to avoid installing PTC systems on some locomotives. FRA believes that no small entities will be affected by changes to the *de minimis* provisions and the yard movements exception, and that, therefore, the number of small entities affected is not substantial, and that the impact on them is not significant.

¹ See 68 FR 24891 (May 9, 2003); 49 CFR part 209, app. C.

² For further information on the calculation of the specific dollar limit, please see 49 CFR part 1201.

Five small railroads are required to file a PTCIP and will be affected by the changes in the reporting requirements in § 236.1009. The reporting requirements will require the railroad to report its progress in installing PTC, in April 2013, 2014 and 2015, in order to comply with the statutory deadlines. FRA believes that all railroads implementing PTC will track this information and compile the information as part of internal management activities at least as frequently for what is likely to be a relatively large capital project on every affected railroad. FRA believes the incremental reporting regulatory burden is negligible, on the order of forwarding to FRA an e-mail already generated within a railroad. FRA believes this is not a significant burden upon the railroads affected. Thus, FRA believes the reporting requirements will not have a significant impact on a substantial number of small entities.

Pursuant to the Regulatory Flexibility Act, 5 U.S.C. 605(b), the FRA Administrator certifies that this rule will not have a significant economic impact on a substantial number of small entities.

6. Impact of less frequent collection of information.

This information collection activity is essential to effectuate FRA oversight of railroads' implementation of PTC under 49 U.S.C. § 20157. Under the PTCEI Act, railroads will have the burden of collecting, cataloging, and presenting this information in some form, including the required annual report and information required by FRA to perform compliance reviews, regardless of whether or not a form is provided. See 49 U.S.C. §§ 20107, 20157(c)(1)–(2); 49 CFR §§ 236.1006(b)(2), 236.1009(h), 236.1011(f). In addition, FRA must submit a report to Congress on each railroad's progress toward implementing PTC by July 1, 2018, under the PTCEI Act, and FRA intends to report to Congress at least once before that date. See 49 U.S.C. § 20157(d). Current and detailed information from the industry will be essential to preparing accurate and robust reports for Congress.

If the information required under Subpart H and Subpart I were not collected, or collected less frequently, FRA believes its ability to maintain rail safety in the United States might be seriously jeopardized. New, more cost-effective (processor-based) signal and train control systems, which can increase current safety levels, are now emerging. These new systems can also improve train travel times and make rail transportation more attractive for greater numbers of people, as well as reduce the time required to ship goods. In order to fulfill its primary mission as well as the statutory mandate under 49 U.S.C. § 20157, FRA needs to be able to make accurate and informed determinations that proposed "Positive Train Control (PTC)" systems meet a crucial high-level performance standard before carriers design and deploy these systems. It is essential, therefore, that FRA obtain extensive documentation of the safety of "PTC" systems, as well as subsystems and components thereof, before any "PTC" system is actually placed in revenue service in order to confirm that rail carriers meet this high-level performance standard. FRA

demands that such systems provide for positive train separation and be compatible nationwide. The required information, particularly the risk assessment data, can be used by FRA as a basis to measure and identify the likelihood of a hazardous event and the potential for the system to function as intended, as well as to confirm compliance with the performance standard.

If FRA were unable to collect the required information or to collect it less frequently than stipulated, there might be more incidents of train-to-train collisions like the ones in Graniteville, South Carolina, and Chatsworth, California, with multiple accompanying injuries and fatalities. In the case of a high speed accident between two trains, the results could be catastrophic. Scores of people, including train crews, passengers, and bystanders, could be killed or injured. In the case of a train(s) carrying hazardous materials, there could also be severe damage to the environment and substantial harm to surrounding communities. Moreover, if FRA were unable to collect the required information and carefully review it, "PTC" systems might be put into place or installed at unauthorized/improper locations. This could result in other accidents/incidents, including train derailments, with corresponding casualties that could have been prevented.

Without the required information, FRA could not be assured that railroads establish and implement a PTC training program. Also, if FRA were unable to collect this information, FRA would have no way to know that essential personnel responsible for installing, operating, maintaining, modifying, inspecting, repairing, and testing safety-critical elements of systems were properly trained to carry out their assigned duties regarding vital PTC systems. Without the ability to oversee the adoption and implementation of each railroad's required PTC training program and the proper training of its personnel, there would most likely be increased numbers of accidents/incidents, such as those mentioned above, with even greater numbers of injuries and fatalities to train crews, roadway and other rail (signal) workers, and members of the traveling public. The core part of FRA's safety program is to reduce, to the greatest extent possible, the annual number of rail collisions and derailments that cause loss of life and serious injuries, severe damage to rail equipment, and damage to the natural environment and to surrounding communities whenever a rail accident/incident occurs.

In sum, the collection of information serves to meet the congressional mandate enunciated in 49 U.S.C. § 20157 and advances the goal of enhancing rail safety nationwide. In this, it assists both DOT and FRA in fulfilling the top Departmental/agency goal.

7. **Special circumstances.**

Under § 236.917(b), railroads may have to report information to FRA more often than

quarterly if the frequency of the safety-relevant hazards exceeds the threshold set forth in the Product Safety Plan (PSP). Once the product is placed in service, railroads must report the inconsistency to the FRA Director, Office of Safety Assurance and Compliance, at agency headquarters within 15 days of discovery. Railroads are also required to provide a final report to the FRA Director, Office of Safety Assurance and Compliance, on the results of the analysis and countermeasures taken to reduce the frequency of the safety-relevant hazard(s) below the threshold set forth in the PSP when the problem is resolved.

Additionally, under § 236.917(a), railroads must retain at a designated office, for the life cycle of the product (about 25 years), the following: (i) Adequate documentation to demonstrate that the PSP meets the safety requirements of the Railroad's Safety Program Plan (RSPP) and applicable standards in this subpart, including the risk assessment; (ii) An Operations and Maintenance Manual, pursuant to § 236.919; and (iii) training records pursuant to § 236.923(b).

Furthermore, under § 236.1005(g)(1)(i) of Subpart I, written or telephonic notification to the applicable FRA Regional Administrator of temporary emergency rerouting of trains equipped with a PTC system onto a track not equipped with a PTC system and of trains not equipped with a PTC system onto a track equipped with a PTC system must be made within one business day of the beginning of the rerouting. Also, under section 236.1005(g)(2)(ii), rerouting requests of trains equipped with a PTC system onto a track not equipped with a PTC system and of trains not equipped with a PTC system onto a track equipped with a PTC system due to planned maintenance must be filed with the applicable FRA Regional Administrator no less than 10 days prior to the planned rerouting. Both requirements are to ensure rail safety and prevent avoidable collisions and derailments.

Moreover, under § 236.1037(d), if the frequency of safety-relevant hazards exceeds the threshold set forth in either the PTCDP or PTCSP, reports of the inconsistency must be made in writing by mail, facsimile, e-mail, or hand delivery to the FRA Director of Safety Assurance and Compliance within 15 days of discovery. Again, this is to ensure rail safety.

Finally, under § 236.1043(b), employers must retain training records of those employees who are qualified under this section until new designations are recorded, or for at least one year after such persons leave applicable service. These records are necessary so that FRA inspectors can verify that employees are properly trained and qualified to perform their duties related to the installation, repair, modification, inspection, and testing of PTC systems and safety-critical elements of the railroad's PTC system. These records are also essential for FRA/NTSB investigators in the event of a rail accident/incident. All other reporting and recordkeeping requirements are in compliance with this section.

8. Compliance with 5 CFR 1320.8.

As required by the Paperwork Reduction Act of 1995, FRA published a notice in the Federal Register on **May 10, 2018**, soliciting comment on this particular information collection. See 83 FR 21815.

FRA received no comments in response to this notice.

9. Payments or gifts to respondents.

No payment or gifts will be made to respondents.

10. Assurance of confidentiality.

Regarding the proposed collection of information, FRA fully complies with all laws pertaining to confidentiality, including the Privacy Act of 1974. Under 49 CFR §§ 209.11 and 236.1009(e)(3), a railroad may request confidentiality. However, if FRA does not believe the information is confidential, or if another party seeks such information under § 209.11 (invoking the Freedom of Information Act), FRA will perform a review to determine whether it should be disclosed. Until such time, to the extent required by law, FRA will honor each railroad's request for confidentiality, especially if it is performed judiciously and is justified (e.g., trade secret). If the information, however, is somehow changed to reduce or eliminate its connection to a single source (e.g., aggregating numbers across all railroads to develop a national or regional total), it is likely no longer protected as confidential.

While FRA continues to believe that there is no need at this time to substantially revise [§ 209.11](#), FRA has proposed in Subpart I to require an additional document to assist FRA in efficiently and correctly reviewing confidential information. Under § 209.11, a redacted and an un-redacted copy of the same document must be submitted. When FRA review is required to determine whether confidentiality should be afforded, FRA personnel must painstakingly compare side-by-side the two versions to determine what information has been redacted. This process may result in information for which exemption from disclosure is being requested to be misidentified. To reduce this burden and to ensure that the intellectual property of the railroad and their suppliers is appropriately guarded, FRA requires that any material submitted for confidential treatment under Subpart I and § 209.11 include a third version that would indicate, without fully obscuring, the redacted portions for which protection is requested. For instance, to indicate without obscuring the plan's redacted portions, the railroad may use the highlighting, underlining, or strikethrough functions of its word processing program. This document will also be treated as confidential under § 209.11. FRA could amend § 209.11 to include this requirement. However, FRA does not believe it to be necessary at this time.

FRA is allowing the submission of an adequate GIS shapefile to fulfill some of the PTCIP content requirements under § 236.1011. However, with respect to requesting confidential treatment of specific information contained in a GIS shapefile, which includes primarily map data, FRA recognizes that visually blocking out the information would defeat the purpose. For instance, a black dot over a particular map location, or a black line over a particular route, would actually reveal the location. Thus, FRA expects that a railroad seeking confidential treatment for portions of a GIS shapefile will submit three versions of the shapefile to comply with paragraph (e). Alternatively, a single shapefile can include three separate layers each representing the three levels of confidentiality, with specific instructions indicating which elements are being displayed and how to handle the file for confidentiality purposes. FRA also expects that the version for public consumption would not include the information for which the railroad is seeking confidential treatment.

As noted in the previous final rule information collection submission, NICTD strongly urged FRA to only accept PTCIPs that provided full public disclosure of all the information needed to obtain components from multiple suppliers, including message interface standards, functional allocation for each subsystem, and safety allocation for each subsystem (e.g. identifying which hazards and safety-critical assumptions are made for each subsystem). NICTD asserted that it was not requesting proprietary information for any subsystems, but merely the ability to utilize alternative sources to fulfill the subsystem requirements within the overall PTC system. According to NICTD, this would substantially improve the likelihood of commuter railroads being able to obtain components from the multiple suppliers that are currently more than willing to develop components that will safely operate with other systems. Moreover, NICTD stated that this would facilitate compliance with interoperability requirements, as the knowledge gained would simplify development of interoperable systems and reduce procurement delays. Amtrak agreed on the need for full public disclosure and asserted that it should be able to review and comment on the PTCIPs of the Class I railroads. FRA understands these positions, and plans to address them in the near future.

11. Justification for any questions of a sensitive nature.

The information sought relates only to PTC implementation statutory compliance and is authorized by statute and regulation. Thus, there are no questions of personal or sensitive nature.

12. Estimate of burden hours for information collected.

Note: FRA estimates the respondent universe is 41 railroads for both the Quarterly PTC Progress Report (new Form FRA F 6180.165) and the Annual PTC Progress Report (approved Form FRA F 6180.166). Respondent universe for Subpart I is estimated at 38 railroads.

Per OMB's request, FRA is including the annual dollar cost equivalent of the requested burden hours below. FRA derives this estimate from the 2017 AAR publication Railroad Facts (p. 57), and uses the average annual wages for each employee group as follows: For Executives, Officials, and Staff Assistants, this cost amounts to \$110 per hour. For Professional/Administrative staff, this cost amounts to \$73 per hour. For Maintenance of Way and Structure employees, this cost amounts to \$66 per hour. For Maintenance of Equipment and Stores employees, this cost amounts to \$59 per hour. For Transportation other than Train and Engine employees, this cost amounts to \$72 per hour. For Transportation Train and Engine employees, this cost amounts to \$74 per hour. All cost estimates include 75% overhead.

Annual PTC Progress Report (Form FRA F 6180.166)

Category	Class I/Large Passenger Railroads	Class II/Medium Passenger Railroads	Class III/Terminal/Small Passenger Railroads
Annual Report Burden	60 + 2.5 hours	40 + 1.25 hours	25 + .5 hours
Number of Respondents	11	11	19
Total Annual Burden	687.50 hours	453.75 hours	484.50 hours
Average Industry Burden			39.65 hrs./year

FRA estimates that one report/form per railroad per year will be completed under the above requirement. Thus, a total of 41 annual reports/forms will be completed per year. FRA estimates it will take approximately 39.65 hours per railroad to complete each annual report/form. Total annual burden is 1,626 hours.

Respondent Universe: 41 railroads

Burden time per response: 39.65 hours

Frequency of Response: On occasion

Annual number of Responses: 41 reports/forms
 Annual Burden: 1,626 hours
 Annual Cost: \$148,298 (See table below for calculation)

Calculation: 41 reports/forms x 39.65 hrs. = 1,626 hours

Specific Burden Estimate and Assumptions for Collecting Precise Geographic Information in the Annual PTC Progress Report

FRA calculated the burden, for Class I and large passenger railroads, is on average approximately **2.5 hours** to provide the geographic information about where a PTC system had been implemented and was operable at the end of the previous calendar year, as required in the Annual PTC Progress Report. For Class II and medium passenger railroads, the burden is on average approximately **1.25 hour**. For Class III and small passenger railroads, the burden is on average approximately **.5 hour**. FRA accounted for these burden hours of Section 12 when it originally calculated that the burden for the annual report would be, in total, **62.5 hours** for Class I railroads and large passenger railroads, **41.25 hours** for Class II and medium passenger railroads, and **25.5 hours** for Class III and small passenger railroads. See 83 Fed. Reg. 21815–20, 21818 (May 10, 2018).

As background, even though the first proposed version of the Annual PTC Progress Report referred only to “rail segments” when describing the geographic information requirements (i.e., it did not explicitly reference “route miles,” “mileposts,” or “control points” as referenced in a subsequent annual form), FRA’s understanding was that the geographic information provided in a GIS shapefile or another format would contain milepost or control point-level specificity of all route miles where PTC was implemented and operable. Accordingly, the 2-hour burden estimate has not changed.

The burden estimate for Section 12 was based on several factors:

- (a) Each railroad must already be keeping track of the exact stretches of railroad track (identified by milepost limits or control point limits, depending on the railroad’s business practices) where its PTC system has been implemented and is operable because it must program its onboard equipment to communicate information to, and receive commands from, the wayside devices and back office servers for the PTC technology to function. For example, the PTC system has to be programmed to recognize the exact milepost or control point where speed must be decreased so the system can slow the train down to the speed limit if the engineer does not. This is information the railroad would have readily available, and it would not need to be considerably analyzed or manipulated beyond how the railroad already maintains and uses it, but just gathered and reported;
- (b) In Section 4 of the form, the railroad is already identifying the *overall* status of each installation/track segment as a whole (be it a subdivision, district, territory, etc.)—the status options to select are “Not Started,” “Installing,” “Testing,” or “Operational/Complete.” Section 12 (or another column added to Section 4) would only require the railroad to also report the milepost or control point limits where the PTC system is operational—meaning that the railroad would need to provide this geographic information for just *some* of its installation/track segments;

(c) If a railroad identifies the milepost or control limits for two of its installation/track segments for the annual report due March 31, 2017, because only those segments containing stretches of track where PTC is operable would be reported, that data will already be saved in the form and could be used in the next annual report. Thus, the railroad would only have to identify the milepost or control point limits of any new stretches of track where PTC is operable in its next annual report; and

(d) As of January 2017, the majority of railroads implementing PTC systems do not have *any* track where PTC is implemented and operable, so they will be reporting nothing in Section 12 or, alternatively, in the column added to Section 4. Also, many small passenger railroads have only one installation/track segment, and when their PTC systems are implemented and operable, they likely will report geographic information as simple as MP 0 to MP 100 to FRA. Even for Class Is and large passenger railroads, the burden is approximately 2 hours on average for reporting this geographic information because it is readily known by and available to the railroads, as, indeed, it must be for them to manage and operate their PTC system technology.

BURDEN HOURS IN EQUIVALENT DOLLARS

Craft/Position	Total Annual Burden Hours	Total Compensation/Hour	Total Yearly Cost
Railroad Data Manager	800	\$110	\$88,000
Railroad Data Analysts	826	\$73	\$60,298
	1626	Yearly Total	\$148,298

Quarterly PTC Progress Report (Form FRA F 6180.165)

FRA estimates that railroads will complete one report/form per railroad per quarter under the above requirement. Thus, a total of 164 quarterly reports/forms will be completed per year. FRA estimates it will take approximately 22.84 hours per railroad to complete each report/form. Total annual burden is 3,746 hours.

Category	Class I/Large Passenger Railroads	Class II/Medium Passenger Railroads	Class III/Terminal/Small Passenger Railroads
Quarterly Reporting Burden	40.5 + 2.5 hours	27.5 + 1.25 hours	7.25 + .5 hours
Number of Respondents	11	11	19
Total Annual Burden	1,892 hours	1,265 hours	589 hours
Average Industry Burden			22.84 hrs./report

Respondent Universe:	41 railroads
Burden time per response:	22.84 hours
Frequency of Response:	On occasion
Annual number of Responses:	164 reports/forms
Annual Burden:	3,746 hours
Annual Cost:	\$341,629 (\$110 x 1,843 + \$73 x 1,903 hrs.)

Calculation: 164 reports/forms x 22.84 hrs. = 3,746 hours

Total annual burden for this proposed revised form is 3,746 hours.

§ 229.135 – Event Recorders

(b) *Equipment requirements.* Event recorders must monitor and record data elements required under this paragraph with at least the accuracy required of the indicators displaying any of the required elements to the engineer.

(3) A lead locomotive, a lead manned helper locomotive, and a controlling remotely distributed power locomotive, other than a DMU or MU locomotive, originally ordered on or after October 1, 2006 or placed in service on or after October 1, 2009, shall be equipped with an event recorder with a certified crashworthy event recorder memory module that meets the requirements of Appendix D of this part. The certified event recorder memory module shall be mounted for its maximum protection. (Although other mounting standards may meet this standard, an event recorder memory module mounted behind and below the top of the collision posts and above the platform level is deemed to be mounted "for its maximum protection.") The event recorder shall record, and the certified crashworthy event recorder memory module shall retain, the following data elements: * * *

(xxv) Safety-critical control data routed to the locomotive engineer's display with which the engineer is required to comply, specifically including text messages conveying mandatory directives, and maximum authorized speed. The format, content, and proposed duration for retention of such data must be specified in the Product Safety Plan or PTC Safety Plan (PTCSP) submitted for the train control system under subparts H or I, respectively, of Part 236 of this chapter, subject to FRA approval under this paragraph. If

it can be calibrated against other data required by this Part, such control data may, at the election of the railroad, be retained in a separate certified crashworthy memory module.

(4) A DMU locomotive and an MU locomotive originally ordered on or after October 1, 2006 or placed in service on or after October 1, 2009, shall be equipped with an event recorder with a certified crashworthy event recorder memory module that meets the requirements of Appendix D of this part. The certified event recorder memory module shall be mounted for its maximum protection. (Although other mounting standards may meet this standard, an event recorder memory module mounted behind the collision posts and above the platform level is deemed to be mounted "for its maximum protection.") The event recorder shall record, and the certified crashworthy event recorder memory module shall retain, the following data elements: * * *

(xxi) Safety-critical train control data routed to the locomotive engineer's display with which the engineer is required to comply, specifically including text messages conveying mandatory directives, and maximum authorized speed. The format, content, and proposed duration for retention of such data shall be specified in the product safety plan or PTC Safety Plan submitted for the train control system under subparts H or I, respectively, of part 236 of this chapter, subject to FRA approval under this paragraph. If it can be calibrated against other data required by this part, such train control data may, at the election of the railroad, be retained in a separate certified crashworthy memory module.

The burden for these provisions are included under that of § 236.907 relating to the Product Safety Plan (PSP) and under § 236.1015 relating to the PTC Safety Plan. Consequently, there is no additional burden associated with these requirements.

§ 234.207 Adjustment, repair, or replacement of component.

(a) When any essential component of a highway-rail grade crossing warning system fails to perform its intended function, including but not limited to failures resulting in an activation failure, partial activation, or false activation, the cause shall be determined and the faulty component adjusted, repaired, or replaced without undue delay.

(b) If the failure of an essential component results in an activation failure, partial activation, or false activation, as defined in § 234.5, a railroad shall take appropriate action under § 234.105, Activation failure, § 234.106, Partial activation, or § 234.107, False activation, until adjustment, repair, or replacement of the essential component is completed.

The burden for § 234.207(b) above is included under OMB No. 2130-0534. Consequently, there is no additional burden associated with this requirement.

§ 234.275 - Processor-based systems

The Product Safety Plan in accordance with 49 CFR § 236.907—or a PTC Development Plan and PTC Safety Plan required to be filed in accordance with 49 CFR §§ 236.1013 and 236.1015—must explain how the performance objective sought to be addressed by each of the particular requirements of this subpart is met by the product, why the objective is not relevant to the product’s design, or how the safety requirements are satisfied using alternative means. Deviation from those particular requirements is authorized if an adequate explanation is provided, making reference to relevant elements of the applicable plan, and if the product satisfies the performance standard set forth in §236.909 of this chapter.

The burden for the first part of this requirement regarding the Product Safety Plan (PSP) is included under that of § 236.907. The burden for PTCDPs and PTCSPs are included under that of § 236.1013 and § 236.1015, respectively. Consequently, there is no additional burden associated with it.

Regarding the second part of the above requirement, FRA estimates that approximately 25 letters explaining deviations of a product from the requirements of this subpart will be received by the agency. It is estimated that it will take approximately four (4) hours to compose each letter, making reference to the relevant elements of the PSP. Total annual burden for this requirement is 100 hours.

Respondent Universe:	20 railroads	
Burden time per response:		4 hours

Frequency of Response:		On occasion
Annual number of Responses:	25 letters	
Annual Burden:		100 hours
Annual Cost:		\$7,300 (\$73 x 100 hrs.)

Calculation: 25 letters x 4 hrs. = 100 hours

Deviation from the requirement of § 234.203 (Control circuits) that circuits be designed on a fail-safe principle must be separately justified at the component, subsystem, and system level using the criteria of § 236.909 of this chapter.

The burden for this requirement is included under § 236.907. Consequently, there is no additional burden associated with it.

Any processor-based system, subsystem, or component subject to this part, which is not

subject to the requirements of part 236, subpart H or I, of this chapter but which provides safety-critical data to a signal or train control system must be included in the software management control plan requirements as specified in § 236.18 of this chapter.

The burden for this requirement is included under § 236.18. Consequently, there is no additional burden associated with it.

Total annual burden for this entire requirement is 100 hours.

§ 235.6 Expedited application for approval of certain changes.

(a) Qualifying changes. A railroad may seek approval under this section, instead of under §§ 235.5 and 235.9-235.20 for the following changes:

(1) Modification of a signal system consisting of the installation, relocation, or removal of one or more signals, interlocked switches, derails, movable-point frogs, or electric locks in an existing system directly associated with the implementation of positive train control pursuant to Subpart I of Part 236, if the modification does not include the discontinuance or decrease of limits of a signal or train control system.

(2) [Reserved]

(b) Procedure of expedited application.

(1) To seek approval under this section, a railroad shall provide a notice and profile plan for the proposed modification to the FRA Regional Administrator having jurisdiction over the affected territory.

(2) Simultaneously with its filing with the FRA Regional Administrator, the railroad shall serve, either by hard copy or electronically, a copy of the notice and profile plan to representatives of employees responsible for maintenance, inspection, and testing of the affected signal system under part 236 of this chapter, as well as representatives of employees responsible for operating trains or locomotives in the affected territory.

(3) The railroad shall include in its submission to the FRA Regional Administrator a statement affirming that the railroad has complied with the requirements of paragraph (b)(2) of this section, together with a list of the names and addresses of the persons served.

(4) In response to receipt of a notice and profile plan under paragraph (b)(1) of this section, the Regional Administrator shall in writing deny or approve, in full or in part, and with or without conditions, the request for signal system modification. For any portion of the request that is denied, the Regional Administrator shall refer the issue to the Railroad Safety Board as an application to modify the signal system.

(5) A railroad may rescind its application to the Regional Administrator and submit an application under §§ 235.5 and 235.9–235.20 at any time prior to the decision of the Regional Administrator.

(c) The resultant arrangement of any change under this section shall comply with part 236 of this chapter.

FRA estimates that approximately 500 expedited applications for approval of certain signal system changes that include the required notice, profile plan, and statement will be sent to FRA Regional Administrators under the above requirement. It is estimated that it will take approximately five (5) hours to complete each expedited application with the necessary information. Total annual burden for this requirement is 2,500 hours.

Respondent Universe:	38 railroads	
Burden time per response:		5 hours

Frequency of Response:		On occasion
Annual number of Responses:	500 expedited applications	
Annual Burden:	2,500 hours	
Annual Cost:	\$182,500 (\$73 x 2,500 hrs.)	

Calculation: 500 expedited applications x 5 hrs. = 2,500 hours

Additionally, FRA estimates that one (1) copy of each of the 500 expedited application requests (with the necessary notice and profile plan) will be provided to the Headquarters of the Railroad Signalmen’s Union or BRS (Brotherhood of Railroad Signalmen). It is estimated that it will take approximately 30 minutes to complete each modification request copy. Total annual burden for this requirement is 250 hours.

Respondent Universe:		38 railroads
Burden time per response:		30 minutes

Frequency of Response:		On occasion
Annual number of Responses:	500 expedited applications request copies	
Annual Burden:		250 hours
Annual Cost:		\$18,250 (\$73 x 250 hrs.)

Calculation: 500 PTC related modification request copies x 30 min. = 250 hours

Further, FRA estimates that approximately 25 letters rescinding their requests for expedited application of certain signal system changes (5 % of total number) will be made by railroads and sent to FRA Regional Administrators under the above requirement. It is estimated that it will take approximately six (6) hours to complete each rescindment letter. Total annual burden for this requirement is 150 hours.

Respondent Universe:	38 railroads	
Burden time per response:		6 hours

Frequency of Response:		On occasion
Annual number of Responses:	25 rescindment letters	
Annual Burden:		150 hours
Annual Cost:		\$10,950 (\$73 x 150 hrs.)

Calculation: 25 rescindment letters x 6 hrs. = 150 hours

Moreover, FRA estimates that approximately 13 revised applications for approval of certain signal system changes that include the required notice, profile plan, and statement will be sent to FRA Regional Administrators under §§ 235.5 and 235.9–235.20. It is estimated that it will take approximately five (5) hours to complete each revised application with the necessary information. Total annual burden for this requirement is 65 hours.

Respondent Universe:	38 railroads	
Burden time per response:		5 hours

Frequency of Response:		On occasion
Annual number of Responses:	13 revised applications	
Annual Burden:	65 hours	
Annual Cost:	\$4,745 (\$73 x 65 hrs.)	
Calculation:	13 expedited applications x 5 hrs. = 65 hours	

Finally, FRA estimates that one (1) copy of each of the 13 revised application requests (with the necessary notice and profile plan) will be provided to the Headquarters of the Railroad Signalmen’s Union or BRS (Brotherhood of Railroad Signalmen). It is estimated that it will take approximately 30 minutes to complete each modification request copy. Total annual burden for this requirement is seven (7) hours.

Respondent Universe:		38
		railroads

Burden time per response:		30
		minutes

Frequency of Response:		On occasion
Annual number of Responses:	13 revised application request copies	
Annual Burden:	7 hours	
Annual Cost:	\$511 (\$73 x 7 hrs.)	

Calculation: 13 revised application request copies x 30 min. = 7 hours

Total annual burden for this entire requirement is 2,972 hours (2,500 + 250 + 150 + 65 + 7).

§ 236.0 - Applicability, minimum requirements, and penalties.

(c)(2) On and after [insert date 24 months from publication of the final rule in the **Federal Register**], where a passenger train is permitted to operate at a speed of 60 or more miles per hour, or a freight train is permitted to operate at a speed of 50 or more miles per hour, a block signal system complying with the provisions of this part shall be installed, unless an FRA approved PTC system meeting the requirements of this part for the subject speed and other operating conditions is installed.

The burden for this requirement is included under that of § 236.1009. Consequently, there

is no additional burden associated with this requirement.

(d)(1) Prior to December 31, 2015, where any train is permitted to operate at a speed of 80 or more miles per hour, an automatic cab signal, automatic train stop, or automatic train control system complying with the provisions of this part shall be installed, unless an FRA approved PTC system meeting the requirements of this part for the subject speed and other operating conditions is installed.

The burden for this requirement is included under that of § 236.1009. Consequently, there is no additional burden associated with this requirement

(e) Nothing in this section authorizes the discontinuance of a block signal system, interlocking, traffic control system, automatic cab signal, automatic train stop or automatic train control system, cab signal system, or PTC system, without approval by the FRA under part 235 of this title. However, a railroad may apply for approval of discontinuance or material modification of a signal or train control system in connection with a request for approval of a Positive Train Control Development Plan (PTCDP) or Positive Train Control Safety Plan (PTCSP) as provided in subpart I of this part.

The burden for this requirement is included under that of § 236.1009. Consequently, there is no additional burden associated with this requirement.

§ 236.15 – Timetable instructions

Automatic block, traffic control, train stop, train control, cab signal, and positive train control territory shall be designated in timetable instructions.

This requirement affects 38 railroads, and is a one-time requirement. Thus, FRA estimates that approximately 13 timetable instructions will be designated with the stipulated information under the above requirement. It is estimated that it will take approximately 60 minutes to complete each timetable instruction. Total annual burden for this requirement is 13 hours.

Respondent Universe:

38
railroads

Burden time per response:

60
minutes

Frequency of Response:	One-time
Annual number of Responses:	13 timetable instructions
Annual Burden:	13 hours
Annual Cost:	\$949 (\$73 x 13 hrs.)

Calculation: 13 timetable instructions x 60 min. = 13 hours

§ 236.18 - Software management control plan

Within six (6) months of June 6, 2005, each railroad must develop and adopt a software management control plan for its signal and train control systems. A railroad commencing operations after June 6, 2005, must adopt a software management control plan for its signal and train control systems prior to commencing operations. Within 30 months of the completion of the software management control plan, each railroad must have fully implemented such plan.

For purposes of this section, “software management control plan” means a plan designed to ensure that the proper and intended software version for each specific site and location is documented (mapped) and maintained through the life cycle of the system. The plan must further describe how the proper software configuration is to be identified and confirmed in the event of replacement, modification, or disarrangement of any part of the system.

FRA estimates that the Class II railroads and Class III railroads affected by the above requirement have prepared and adopted a software management control plan. Therefore, only new or existing Class II and Class III railroads that become subject to this requirement would be affected. Consequently, it is estimated that approximately one (1) railroad per year will be affected and that will need to prepare and adopt software management control plans. It is estimated that it will take each railroad approximately 2,150 hours to develop and complete its software management control plan. This includes the time to prepare the plan (approximately 40 hours for each railroad), develop procedures (approximately 160 hours for each railroad), and conduct the necessary site inventory (a total of 2,080 sites that will take approximately three (3) hours each). However, since this is a one-time burden and since OMB approvals are normally for three years, the average burden time of 6,440 hours per plan must be divided by three to calculate the annual burden of 2,150 hours per plan (2,146 hours rounded off). Total annual burden then for this requirement is 2,150 hours.

Respondent Universe:

5
railroads

Burden time per response:

2,150
hours

Frequency of Response:

One-time

Annual number of Responses: 1 plan

Annual Burden: 2,150 hours

Annual Cost: \$156,950 (\$73 x 2,150 hrs.)

Calculation: 1 plan x 2,150 hours = 2,150 hours

Subsequent Years

Whenever necessary, railroads will update their software management control plans. Approximately half of the original 184 railroads or approximately 90 railroads will fall into this category. Of these 90, approximately 20 railroads will revise their software management control plans each year and submit them to FRA. It is estimated that these revisions will not be major and that each updated software management control plan will take approximately 1.50 hours to complete and send to FRA. Total annual burden then for this requirement is 30 hours.

Respondent Universe: 90 railroads

Burden time per response:

1.50
hours

Frequency of Response:

Annually

Annual number of Responses: 20 updated plans

Annual Burden: 30 hours

Annual Cost: \$2,190 (\$73 x 30 hrs.)

Calculation: 20 updated plans x 1.50 hours = 30 hours

Total annual burden then for this entire requirement is 2,180 hours (2,150 + 30).

§ 236.110 - Results of tests

Results of tests made in compliance with §§ 236.102 to 236.109, inclusive; 236.376 to 236.387, inclusive; 236.576; 236.577; 236.586 to 236.589, inclusive; and 236.917(a) must be recorded on pre-printed forms provided by the railroad or by electronic means, subject to approval by the FRA Associate Administrator for Safety. These records must show the name of the railroad, place, and date, equipment tested, results of tests, repairs, replacements, adjustments made, and condition in which the apparatus was left. Each record must be: (1) signed by the employee making the test, or electronically coded or identified by the number of the automated test equipment (where applicable); (2) unless otherwise noted, filed in the office of a supervisory official having jurisdiction; and (3) available for inspection and replication by FRA and FRA certified-State inspectors. Results of tests made in compliance with § 236.587 must be retained for 92 days. Results of tests made in compliance with § 236.917(a) must be retained as follows: (1) Results of tests that pertain to installation or modification must be retained for the life cycle of the equipment tested and may be kept in any office designated by the railroad; and (2) Results of periodic tests required for maintenance or repair of the equipment tested must be retained until the next record is filed but in no case less than one year. Results of all other tests listed in this section must be retained until the next record is filed but in no case less than one year.

Electronic or automated tracking systems used to meet the requirements contained in paragraph (a) of this section must be capable of being reviewed and monitored by FRA at any time to ensure the integrity of the system. FRA's Associate Administrator for Safety may prohibit or revoke a railroad's authority to utilize an electronic or automated tracking system in lieu of pre-printed forms if FRA finds that the electronic or automated tracking system is not properly secured; is inaccessible to FRA, FRA certified-State inspectors or railroad employees requiring access to discharge their assigned duties; or fails to adequately track and monitor the equipment. The Associate Administrator for Safety will provide the affected railroad with a written statement of the basis for his or her decision prohibiting or revoking the railroad from utilizing an electronic or automated tracking system.

The burden for this requirement is included under OMB No. 2130-0006. Consequently, there is no additional burden associated with this requirement.

§ 236.567 – Restrictions imposed when device failed and/or is cut out en route

Except as provided in subparts H or I of this part, where an automatic train stop, train control, or cab signal device fails and/or is cut out en route, the train on which the device

is inoperative may proceed to the next available point of communication, where report must be made to a designated officer, at speeds not exceed the following: (1) If no block signal system is in operation, restricted speed; or (2) If a block signal system is in operation, according to signal indication but not to exceed 40 miles per hour.

This is the usual and customary procedure for railroads and their employees regarding the required report. Consequently, there is no additional burden associated with this requirement.

Subpart H - Safety of Processor-Based Signal and Control Systems

§ 236.901 - Purpose and scope

This subpart does not exempt a railroad from compliance with the requirements of subparts A through G of this part, except to the extent a Product Safety Plan (PSP) explains to the FRA Associate Administrator for Safety's satisfaction the following: (i) How the objectives of any such requirements are met by the product; (ii) Why the objectives of any such requirements are not relevant to the product; or (iii) How the requirement is satisfied using alternative means.

The burden for this requirement is included under § 236.907. Consequently, there is no additional burden associated with this requirement.

§ 236.905 - Railroad Safety Program Plan (RSPP)

- A. A railroad subject to this subpart shall develop a Railroad Safety Program Plan (RSPP), subject to FRA approval, that serves as its principal safety document for all safety-critical products. The RSPP must establish the minimum Product Safety Plan (PSP) requirements that will govern the development and implementation of all products subject to this subpart, consistent with the provisions contained in § 236.907.

The railroad's RSPP must address, at a minimum, the following subject areas:

(1) *Requirements and concepts.* The RSPP must require a description of the preliminary hazard analysis, including: (i) A complete description of methods used to evaluate a system's behavioral characteristics; (ii) A complete description of risk assessment procedures; (iii) The system safety precedence followed; and (iv) The identification of the safety assessment process.

(2) *Design for verification and validation.* The RSPP must require the identification of validation and verification methods for the preliminary safety analysis, initial development process, and future incremental changes, including standards to be used in the validation and verification process, consistent with Appendix C to this part. The RSPP must require

that references to any non-published standards be included in the PSP.

(3) *Design for human factors.* The RSPP must require a description of the process used during product development to identify human factors issues and develop design requirements which address those issues.

(4) *Configuration management control plan.* The RSPP must specify requirements for configuration management for all products to which this subpart applies.

Each railroad must submit a petition for approval of a RSPP in triplicate to the Associate Administrator for Safety, FRA, 1200 New Jersey Avenue, S.E., Mail Stop 25, Washington, DC 20590. The petition must contain a copy of the proposed RSPP and the name, title, address, and telephone number of the railroad's primary contact person for review of the petition.

This is a one-time requirement. FRA estimates that – at this point – all railroads affected by the above requirement have completed their plan. But, a new or existing Class II or Class III railroad may be subject to the requirement., and FRA estimates one (1) per year. It is estimated that each RSPP will be approximately 50 pages long. It is estimated that it will take approximately 400 hours (8 hours per page) to meet all the above requirements and for the assigned railroad person to write the petition, and complete the RSPP. However, since this is a one-time burden and since OMB approvals are normally for three years, the average burden time of 400 hours per RSPP must be divided by three to calculate the annual burden of 135 hours per plan (133 hours rounded off). Total annual burden for this requirement is 135 hours.

Respondent Universe:

5
railroads

Burden time per response:

135
hours

Frequency of Response:

One-time

Annual number of Responses:

1 plan/RSPP

Annual Burden:

135 hours

Annual Cost:

\$14,850 (\$110 x 135

hrs.)

Calculation: 1plan/RSPP x 135 hours = 135 hours

(i) Normally within 180 days of receipt of a petition for approval of an RSPP, FRA:

(i) Grants the petition, if FRA finds that the petition complies with applicable requirements of this subpart, attaching any special conditions to the approval of the petition as necessary to carry out the requirements of this subpart; (ii) Denies the petition, setting forth the reasons for denial; or (iii) Requests additional information.

FRA estimates that additional information will be requested by the agency in approximately one (1) case per year. Thus, it is estimated that it will take each railroad approximately 133 hours to complete the required document and send it to FRA. Total annual burden for this requirement is 133 hours.

Respondent Universe:

78
railroads

Burden time per response:

133
hours

Frequency of Response:

On occasion

Annual number of Responses:

1 document

Annual Burden:

133 hours

Annual Cost:

\$9,709 (\$73 x 133 hrs.)

Calculation: 1 document x 133 hours = 133 hours

- B. Railroads must obtain FRA approval for any modification to their RSPP which affects a safety-critical requirement of a PSP. Other modifications do not require FRA approval.

Petitions for FRA approval of RSPP modifications are subject to the same procedures as petitions for initial RSPP approval, as specified in paragraph (c) of this section (236.905). In addition, such petitions must identify the proposed modifications to be made, the reason for the modification(s), and the effect of the modification(s) on safety.

FRA estimates that approximately one (1) request for modification to a Railroad Safety

Program Plan (RSPP) will be made by railroads each year under the above requirement. Again, it is estimated that the RSPP modified document will be approximately 50 pages long and that it will take approximately eight (8) hours to gather the necessary information and complete each RSPP modification request/amendment. Thus, it is estimated that it will take each railroad approximately 400 hours to complete each RSPP amendment and send it to FRA. Total annual burden for this requirement is 400 hours.

Respondent Universe: 78 railroads

Burden time per response: 400 hours

Frequency of Response: On occasion

Annual number of Responses: 1 RSPP modification request/amendment
 Annual Burden: 400 hours
 Annual Cost: \$44,000 (\$110 x 400 hrs.)

Calculation: 1 RSPP modification request/amendment x 400 hours = 400 hours

The total burden for this entire requirement is 668 hours (135 + 133 + 400).

§ 236.907 - Product Safety Plan (PSP)

The Product Safety Plan must include the following: (1) A complete description of the product, including a list of all product components and their physical relationship in the subsystem or system; (2) A description of the railroad operation or categories of operations on which the product is designed to be used, including train movement density, gross tonnage, passenger train movement density, hazardous materials volume, railroad operating rules, and operating speeds; (3) An operational concepts document, including a complete description of the product functionality and information flows; (4) A safety requirements document, including a list with complete descriptions of all functions which the product performs to enhance or preserve safety; (5) A document describing the manner in which product architecture satisfies safety requirements; (6) A hazard log consisting of a comprehensive description of all safety-relevant hazards to be addressed during the life cycle of the product, including maximum threshold limits for each hazard (for unidentified

hazards, the threshold shall be exceeded at one occurrence); (7) A risk assessment, as prescribed in § 236.909 and Appendix B to this part; (8) A hazard mitigation analysis, including a complete and comprehensive description of all hazards to be addressed in the system design and development, mitigation techniques used, and system safety precedence followed, as prescribed by the applicable RSPP; (9) A complete description of the safety assessment and validation and verification processes applied to the product and the results of these processes, describing how subject areas covered in Appendix C to this part are either: addressed directly, addressed using other safety criteria, or are not applicable; (10) A complete description of the safety assurance concepts used in the product design, including an explanation of the design principles and assumptions; (11) A human factors analysis, including a complete description of all human-machine interfaces, a complete description of all functions performed by humans in connection with the product to enhance or preserve safety, and an analysis in accordance with Appendix E to this part or in accordance with other criteria if demonstrated to the satisfaction of the Associate Administrator for Safety to be equally suitable; (12) A complete description of the specific training of railroad and contractor employees and supervisors necessary to ensure the safe and proper installation, implementation, operation, maintenance, repair, inspection, testing, and modification of the product; (13) A complete description of the specific procedures and test equipment necessary to ensure the safe and proper installation, implementation, operation, maintenance, repair, inspection, testing, and modification of the product. These procedures, including calibration requirements, must be consistent with or explain deviations from the equipment manufacturer's recommendations; (14) An analysis of the applicability of the requirements of subparts A-G of this part to the product that may no longer apply or are satisfied by the product using an alternative method, and a complete explanation of the manner in which those requirements are otherwise fulfilled (see § 234.275 of this chapter, and § 236.901(c)); (15) A complete description of the necessary security measures for the product over its life-cycle; (16) A complete description of each warning to be placed in the Operations and Maintenance Manual identified in § 236.919 and of all warning labels required to be placed on equipment as necessary to ensure safety; (17) A complete description of all initial implementation testing procedures necessary to establish that safety-functional requirements are met and safety-critical hazards are appropriately mitigated; (18) A complete description of: (i) All post-implementation testing (validation) and monitoring procedures, including the intervals necessary to establish that safety-functional requirements, safety-critical hazard mitigation processes, and safety-critical tolerances are not compromised over time, through use, or after maintenance (repair, replacement, adjustment) is performed; and (ii) Each record necessary to ensure the safety of the system that is associated with periodic maintenance, inspections, tests, repairs, replacements, adjustments, and the system's resulting conditions, including records of component failures resulting in safety-relevant hazards (see § 236.917(e)(3)); (19) A complete description of any safety-critical assumptions regarding availability of the product, and a complete description of all backup methods of operation; and (20) A complete description of all incremental and pre-defined changes (see paragraphs (b) and (c) of this section).

Predefined changes are not considered design modifications requiring an entirely new safety verification process, a revised PSP, and informational filing or petition for approval in accordance with § 236.915. However, the risk assessment for the product must demonstrate that operation of the product, as modified by any predefined change, satisfies the minimum performance standard.

The PSP must identify configuration/revision control measures designed to ensure that safety-functional requirements and safety-critical hazard mitigation processes are not compromised as a result of any such change.

Incremental changes are planned product version changes described in the initial PSP where slightly different specifications are used to allow the gradual enhancement of the product's capabilities. Incremental changes shall require verification and validation to the extent the changes involve safety-critical functions. Changes classified as maintenance require validation.

The PSP must specify all contractual arrangements with hardware and software suppliers for immediate notification of any and all safety critical software upgrades, patches, or revisions for their processor-based system, sub-system, or component, and the reasons for such changes from the suppliers, whether or not the railroad has experienced a failure of that safety critical system, sub-system, or component.

The PSP must specify the railroad's procedures for action upon notification of a safety critical upgrade, patch, or revision for this processor-based system, sub-system, or component, and until the upgrade, patch, or revision has been installed; and such action shall be consistent with the criterion set forth in §236.915(d) as if the failure had occurred on that railroad.

The PSP must identify configuration/revision control measures designed to ensure that safety-functional requirements and safety-critical hazard mitigation processes are not compromised as a result of any such change, and that such change can be audited.

Product suppliers entering into contractual arrangements for product support described in a PSP must promptly report any safety-relevant failures and previously unidentified hazards to each railroad using the product.

FRA estimates that approximately five (5) Product Safety Plans (PSPs) will be developed by railroads/suppliers to meet the above requirement. FRA estimates that each PSP will amount to approximately 1,200 pages. On average, FRA estimates that it will take approximately 19,200 hours (16 hours per page) to develop each PSP and take appropriate action in notifying FRA. However, since this is a one-time burden and since OMB approvals are normally for three years, the average burden time of 19,200 hours per PSP

must be divided by three to calculate the annual burden of 6,400 hours per plan. Total annual burden for this requirement is 32,000 hours.

Respondent Universe:

5
r
a
i
l
r
o
a
d
s
/
P
T
C
S
u
p
p
l
i
e
r
s

Burden time per response:

6,400
hours

Frequency of Response:

One-time

Annual number of Responses:

5 plans (PSPs)

Annual Burden:	32,000 hours
Annual Cost:	\$3,520,000 (\$110 x 32,000 hrs.)

Calculation: 5 plans x 6,400 hours = 32,000 hours

§ 236.909 - Minimum Performance Standard

(a) The safety analysis included in the railroad’s PSP must establish with a high degree of confidence that introduction of the product will not result in risk that exceeds the previous condition. The railroad shall determine, prior to filing its petition for approval or informational filing, that this standard has been met and shall make available the necessary analyses and documentation as provided in this subpart.

The burden for this requirement is included under § 236.907 above. Consequently, there is no additional burden associated with this requirement.

(b) With respect to any FRA review of a PSP, the Associate Administrator for Safety independently determines whether the railroad’s safety case establishes with a high degree of confidence that introduction of the product will not result in risk that exceeds the previous condition. In evaluating the sufficiency of the railroad’s case for the product, the Associate Administrator for Safety considers, as applicable, the factors pertinent to evaluation of risk assessments, listed in § 236.913(g)(2).

FRA estimates that approximately two (2) petitions for review and approval of product safety plans (PSPs) will be submitted by the railroads to the agency under the above requirement. It is estimated that it will take approximately 19,200 hours to prepare each petition/PSP and mail them to FRA. Again, each document will be approximately 1,200 pages and will take approximately 16 hours per page to complete. Total annual burden for this requirement is 38,400 hours.

Respondent Universe:	5 railroads
----------------------	----------------

Burden time per response:	19,200 hours
---------------------------	-----------------

Frequency of Response:	On occasion
------------------------	-------------

Annual number of Responses:	2 petitions/PSPs
Annual Burden:	38,400 hours
Annual Cost:	\$4,224,000 (\$110 x 38,400 hrs.)

Calculation: 2 petitions/PSPs x 19,200 hrs. = 38,400 hours

(c) A full risk assessment performed under this subpart must address the safety risks affected by the introduction, modification, replacement, or enhancement of a product. This includes risks associated with the previous condition which are no longer present as a result of the change, new risks not present in the previous condition, and risks neither newly created nor eliminated whose nature (probability of occurrence or severity) is nonetheless affected by the change.

The burden for this requirement is included under § 236.907 and that of § 236.909(b) above. Consequently, there is no additional burden associated with this requirement.

(d) An abbreviated risk assessment may be used in lieu of a full risk assessment to show compliance with the performance standard if: (i) No new hazards are introduced as a result of the change; (ii) Severity of each hazard associated with the previous condition does not increase from the previous condition; and (iii) Exposure to such hazards does not change from the previous condition.

An abbreviated risk assessment supports the finding required by paragraph (a) of this section if it establishes that the resulting Mean Time To Hazardous Event (MTTHE) for the proposed product is greater than or equal to the MTTHE for the system, component or method performing the same function in the previous condition. This determination must be supported by credible safety analysis sufficient to persuade the Associate Administrator for Safety that the likelihood of the new product's MTTHE being less than the MTTHE for the system, component, or method performing the same function in the previous condition is very small.

Alternatively, an abbreviated risk assessment supports the finding required by paragraph (a) of this section if: (i) The probability of failure for each hazard of the product is equal to or less than the corresponding recommended Specific Quantitative Hazard Probability Ratings classified as more favorable than "undesirable" by AREMA Manual Part 17.3.5 (Recommended Procedure for Hazard Identification and Management of Vital Electronic/Software-Based Equipment Used in Signal and Train Control Applications) or, in the case of a hazard classified as undesirable, the Associate Administrator for Safety concurs that mitigation of the hazard within the framework of the electronic system is not practical and the railroad proposes reasonable steps to undertake other mitigation. The Director of the Federal Register approves the incorporation by reference of the entire

AREMA Communications and Signal Manual, Volume 4, Section 17, Quality Principles (2005) in this section in accordance with 5 U.S.C. 552(a) and 1 CFR part 51.; (ii) The product is developed in accordance with: (A) AREMA Manual Part 17.3.1 (Communications and Signal Manual of Recommended Practices, Recommended Safety Assurance Program for Electronic/Software Based Products Used in Vital Signal Applications); (B) AREMA Manual Part 17.3.3 (Communications and Signal Manual of Recommended Practices, Recommended Practice for Hardware Analysis for Vital Electronic/Software-Based Equipment Used in Signal and Train Control Applications); (C) AREMA Manual Part 17.3.5 (Communications and Signal Manual of Recommended Practices, Recommended Practice for Hazard Identification and Management of Vital Electronic/Software-Based Equipment Used in Signal and Train Control Applications); (D) Appendix C of this subpart; and (iii) Analysis supporting the PSP suggests no credible reason for believing that the product will be less safe than the previous condition.

The burden for this requirement is included under § 236.907 and that of § 236.909(b) above. Consequently, there is no additional burden associated with this requirement.

(e) Risk assessment techniques, including both qualitative and quantitative methods, are recognized as providing credible and useful results for purposes of this section if they apply to the following:

(1) The total risk assessment must have a supporting sensitivity analysis. The analysis must confirm that the risk metrics of the system are not negatively affected by sensitivity analysis input parameters including, for example, component failure rates, human factor error rates, and variations in train traffic affecting exposure. In this context, “negatively affected” means that the final residual risk metric does not exceed that of the base case or that which has been otherwise established through MTTHE target. The sensitivity analysis must document the sensitivity to worst case failure scenarios.

FRA estimates that approximately five (5) sensitivity analyses will be completed under the above requirement. FRA estimates that each sensitivity analysis will amount to approximately 20 pages and that it will take approximately eight (8) hours to gather the necessary information and complete each page. Thus, it is estimated that each sensitivity analysis will take approximately 160 hours to complete. Total annual burden for this requirement is 800 hours.

Respondent Universe:

5

r
a
i

50

Burden time per response:

160
hours

Frequency of Response:		On occasion
Annual number of Responses:	5 sensitivity analyses	
Annual Burden:	800 hours	
Annual Cost:		\$58,400 (\$73 x 800 hrs.)

Calculation: 5 sensitivity analyses x 160 hours = 800 hours

(e)(2) For the previous condition and for the life-cycle of the product, risk levels must be expressed in units of consequences per unit of exposure. (i) In all cases exposure must be expressed as total train miles traveled per year over the relevant railroad infrastructure. Consequences must identify the total cost, including fatalities, injuries, property damage, and other incidental costs, such as potential consequences of hazardous materials involvement, resulting from preventable accidents associated with the function(s) performed by the system. (ii) In those cases where there is passenger traffic, a second risk metric must be calculated, using passenger-miles traveled per year as the exposure, and total societal costs of passenger injuries and fatalities, resulting from preventable accidents associated with the function(s) performed by the system, as the consequences.

The burden for this requirement is incorporated in the risk assessment in each PSP and thus included in the burden for § 236.907 and that of § 236.909(b) above. Consequently, there is no additional burden associated with this requirement.

(e)(3) If the description of railroad operations for the product required by § 236.907(a)(2) involves changes to the physical or operating conditions on the railroad prior to or within the expected life cycle of the product subject to review under this subpart, the previous condition must be adjusted to reflect the lower risk associated with systems needed to

maintain safety and performance at higher speeds or traffic volumes. In particular, the previous condition must be adjusted for assumed implementation of systems necessary to support higher train speeds as specified in §236.0, as well as other changes required to support projected increases in train operations. The following specific requirements apply:

(i) If the current method of operation would not be adequate under §236.0 for the proposed operations, then the adjusted previous condition must include a system as required under §236.0, applied as follows:

(A) The minimum system where a passenger train is operated at a speed of 60 or more miles per hour, or a freight train is operated at a speed of 50 or more miles per hour, shall be a traffic control system; (B) The minimum system where a train is operated at a speed of 80 or more miles per hour, but not more than 110 miles per hour, shall be an automatic cab signal system with automatic train control; and (C) The minimum system where a train is operated at a speed of more than 110 miles per hour shall be a system determined by the Associate Administrator for Safety to provide an equivalent level of safety to systems required or authorized by FRA for comparable operations.

(ii) If the current method of operation would be adequate under §236.0 for the proposed operations, but the current system is not at least as safe as a traffic control system, then the adjusted previous condition must include a traffic control system in the event of any change that results in: (A) An annual average daily train density of more than twelve trains per day; or (B) An increase in the annual average daily density of passenger trains of more than four trains per day.

(iii) Paragraph (e)(3)(ii)(A) above shall apply in all situations where train volume will exceed more than 20 trains per day but shall not apply to situations where train volume will exceed 12 trains per day but not exceed 20 trains per day, if in its Product Safety Plan (PSP) the railroad makes a showing sufficient to establish, in the judgment of the Associate Administrator for Safety, that the current method of operation is adequate for a specified volume of traffic in excess of twelve trains per day, but not more than 20 trains per day, without material delay in the movement of trains over the territory and without unreasonable expenditures to expedite those movements when compared with the expense of installing and maintaining a traffic control system.

(e)(4) In the case review of a PSP that has been consolidated with a proceeding pursuant to part 235 of this subchapter (*see* section 236.911(b) of this part), the base case shall be determined as follows:

(i) If FRA determines that discontinuance or modification of the system should be

granted without regard to whether the product is installed on the territory, then the base case shall be the conditions that would obtain on the territory following the discontinuance or modification. (NOTE: This is an instance in which the base case is posited as greater risk than the actual (unadjusted) previous condition because the railroad would have obtained relief from the requirement to maintain the existing signal or train control system even if no new product had been proffered.)

(ii) If FRA determines that discontinuance or modification of the system should be denied without regard to whether the product is installed on the territory, then the base case shall remain the previous condition (unadjusted).

(iii) If, after consideration of the application and review of the PSP, FRA determines that neither paragraph (e)(4)(i) nor paragraph (e)(4)(ii) should apply, FRA will establish a base case that is consistent with safety and in the public interest.

The burden for this requirement is included in § 236.907 and § 236.909(b) above. Consequently, there is no additional burden associated with this requirement.

The burden for this entire requirement is 39,200 hours (38,400 + 800).

§ 236.911 - Exclusions

(a) Products designed in accordance with subparts A through G of this part which are not in service but are developed or are in the developmental stage prior to March 7, 2005, may be excluded upon notification to FRA by June 6, 2005, if placed in service by March 7, 2008. Railroads may continue to implement and use these products and components from these existing products.

*Since it has been more than three years since the final rule related to Subpart H was published in the **Federal Register**, railroads can no longer submit exclusion notifications to FRA. Consequently, there is no burden associated with this requirement.*

A railroad may at any time elect to have products that are excluded made subject to this subpart by submitting a PSP as prescribed in § 236.913 and otherwise complying with this subpart.

The requirements of this subpart do not apply to existing office systems and future deployments of existing office system technology. However, a subsystem or component of an office system must comply with the requirements of this subpart if it performs safety-critical functions within, or affects the safety performance of, a new or next-generation train control system. For purposes of this section, “office system” means a centralized computer-aided train-dispatching system or centralized traffic control board.

Changes or modifications to products otherwise excluded from the requirements of this subpart by this section are not excluded from the requirements of this subpart if they result in a degradation of safety or a material increase in safety-critical functionality. Products excluded by this section from the requirements of this subpart remain subject to subparts A through G of this part as applicable.

Since the above requirement is voluntary and railroads are loath to impose burdens on themselves, FRA estimates that it will receive zero (0) PSPs under the above provision. Consequently, there is no additional burden associated with this requirement.

§ 236.913 - Filing and Approval of PSPs.

(a) A PSP must be prepared for each product covered by this subpart. A joint PSP must be prepared when: (1) The territory on which a product covered by this subpart is normally subject to joint operations, or is operated upon by more than one railroad; and (2) The PSP involves a change in method of operation.

Out of the total number of PSPs submitted to the agency, FRA estimates that it will receive approximately one (1) Joint PSP with the accompanying notification. It is estimated that each Joint PSP will be approximately 1,600 pages long and that it will take approximately 16 hours to gather the necessary information and complete each page. Thus, it is estimated that it will take approximately 25,600 hours to complete each joint PSP and accompanying notification. Total annual burden for this requirement is 25,600 hours.

Respondent Universe:

6
railroads

Burden time per response:	25,600 hours
Frequency of Response:	On occasion
Annual number of Responses:	1 Joint PSP/notification
Annual Burden:	25,600 hours
Annual Cost:	\$2,816,000 (\$110 x 25,600 hrs.)

Calculation: 1 Joint PSP/notification x 25,600 hrs. =
25,600 hours

(b) Depending on the nature of the proposed product or change, the railroad must submit either an informational filing or a petition for approval. Submission of a petition for approval is required for PSPs or PSP amendments concerning installation of new or next-generation train control systems.

All other actions that result in the creation of a PSP or PSP amendment require an informational filing and are handled according to the procedures outlined in paragraph (c) of this section. Applications for discontinuance and material modification of signal and train control systems remain governed by parts 235 and 211 of this chapter; and petitions subject to this section may be consolidated with any relevant application for administrative handling.

FRA estimates that it will receive approximately six (6) informational filings/petitions for approval under the above requirement. It is estimated that it will take approximately eight (8) hours to complete each cover letter and that each modification to the PSP will be approximately 240 pages long and take approximately eight (8) hours per page to gather the required information and complete. Thus, it is estimated that it will take approximately 1,928 hours to complete each informational filing/approval petition and mail it to FRA. Total annual burden for this requirement is 11,568 hours.

Respondent Universe:

6
railroads

Burden time per response:

1,928
hours

Frequency of Response:

On occasion

Annual number of Responses:

6 filings/approval petitions

Annual Burden:

11,568 hours

Annual Cost:

\$844,464 (\$73 x

11,568 hrs.)

Calculation: 6 filings/approval petitions x 1,928 hrs. = 11,568 hours

(c) The following procedures apply to PSPs and PSP amendments which do not require submission of a petition for approval, but rather require an informational filing: (1) Not less than 180 days prior to planned use of the product in revenue service as described in the PSP or PSP amendment, the railroad must submit an informational filing to the Associate Administrator for Safety, FRA, 1200 New Jersey Avenue, S.E., Mail Stop 25, Washington, D.C. 20590. The informational filing must provide a summary description of the PSP or PSP amendment, including the intended use of the product, and specify the location where the documentation as described in § 236.917(e)(1) is maintained.

The burden for this requirement is included under § 236.913(b) above. Consequently, there is no additional burden associated with this requirement.

(2) Within 60 days of receipt of the informational filing, FRA: (i) Acknowledges receipt of the filing; (ii) Acknowledges receipt of the informational filing and requests further information; or (iii) Acknowledges receipt of the filing and notifies the railroad, for good cause, that the filing will be considered as a petition for approval as set forth in paragraph (d) of this section, and requests such further information as may be required to initiate action on the petition. Examples of good cause, any one of which is sufficient, include: the PSP describes a product with unique architectural concepts; the PSP describes a prod

uct that uses design or safety assurance concepts considered outside existing accepted practices (*see* Appendix C); and the PSP describes a locomotive-borne product that commingles safety-critical train control processing functions with locomotive operational functions. In addition, good cause would include any instance where the PSP or PSP amendment does not appear to support its safety claim of satisfaction of the performance standard, after FRA has requested further information as provided in (c)(2)(ii) of this section.

FRA estimates that it will request further information in approximately two (2) instances under the above requirement. It is estimated that each additional document will be approximately 100 pages long and that it will take approximately eight (8) hours to gather the necessary information and complete each page. Thus, it is estimated that it will take approximately 800 hours to complete the additional document and send it to FRA. Total annual burden for this requirement is 1,600 hours.

Respondent Universe:

6
railroads

Burden time per response:

800
hours

Frequency of Response:

On occasion

Annual number of Responses:

2 data calls/additional documents

Annual Burden:

1,600 hours

Annual Cost:

\$116,800 (\$73 x 1,600

hrs.)

Calculation: 2 data calls x 800 hrs. = 1,600 hours

(d) The following procedures apply to PSPs and PSP amendments which require submission of a petition for approval: (1) *Petitions for approval involving prior FRA consultation.* (i) The railroad may file a Notice of Product Development with the Associate Administrator for Safety not less than 30 days prior to the end of the system design review phase of product development and 180 days prior to planned implementation, inviting FRA to participate in the design review process and receive periodic briefings and updates as needed to follow the course of product development. At a minimum, the Notice of Product Development must contain a summary description of the product to be developed and a brief description of goals for improved safety.

The burden for this requirement is included under § 236.913(b) above. Consequently, there is no additional burden associated with it.

(ii) Within 15 days of receipt of the Notice of Product Development, the Associate Administrator for Safety either acknowledges receipt, or acknowledges and requests more information.

FRA estimates that it will request more information in approximately six (6) cases under the above requirement. It is estimated that each additional document will be approximately two (2) pages long and that it will take approximately eight (8) hours to gather all the necessary information and complete each page. Thus, it will take approximately 16 hours to complete the additional documents and sent them to FRA. Total annual burden for this requirement is 96 hours.

Respondent Universe:

6
railroads

Burden time per response:

16
hours

Frequency of Response:

On occasion

Annual number of Responses:

6 data calls/additional documents

Annual Burden:

96 hours

Annual Cost:

\$7,008 (\$73 x 96 hrs.)

Calculation: 6 data calls x 16 hrs. = 96 hours

(iii) If FRA concludes the Notice of Product Development contains sufficient information, the Associate Administrator for Safety determines the extent and nature of the assessment and review necessary for final product approval. FRA may convene a technical consultation as necessary to discuss issues related to the design and planned development of the product.

FRA estimates that it will convene approximately six (6) technical consultations under this requirement where information will be communicated verbally by railroad representatives. FRA will most likely meet with railroad signal supervisors and product consultants. It is estimated each consultation will take approximately 120 hours. Total annual burden for this requirement is 720 hours.

Respondent Universe:

6
railroads

Burden time per response:

120
hours

Frequency of Response:

On occasion

Annual number of Responses:

6 consultations

Annual Burden:

720 hours

Annual Cost:

\$52,560 (\$73 x 720

hrs.)

Calculation: 6 consultations x 120 hrs. = 720 hours

(iv) Not less than 60 days prior to use of the product in revenue service, the railroad must file with the Associate Administrator for Safety a petition for final approval.

FRA estimates that it will receive approximately six (6) petitions for final approval under this requirement. It is estimated that each final approval petition will be approximately two (2) pages long and that it will take approximately eight (8) hours to gather the necessary information and complete each page. Thus, it will take approximately 16 hours to complete each petition for final approval and send it to FRA. Total annual burden for this requirement is 96 hours.

Respondent Universe:

6
railroads

Burden time per response:

16
hours

Frequency of Response:	On occasion
Annual number of Responses:	6 final approval petitions
Annual Burden:	96 hours
Annual Cost:	\$7,008 (\$73 x 96 hrs.)

Calculation: 6 final approval petitions x 16 hrs. = 96 hours

(v) Within 30 days of receipt of the petition for final approval, the Associate Administrator for Safety either acknowledges receipt or acknowledges receipt and requests more information.

The burden for this requirement is included under that of § 236.913(d)(ii) above. Consequently, there is no additional burden associated with this requirement.

(vi) Whenever possible, FRA acts on the petition for final approval within 60 days of its filing by either granting it or denying it. If FRA neither grants nor denies the petition for approval within 60 days, FRA advises the petitioner of the projected time for decision and conducts any further consultations or inquiries necessary to decide the matter.

The burden for this requirement is included under that of § 236.913(d)(iii) above. Consequently, there is no additional burden associated with this requirement.

(2) *Other petitions for approval.* The following procedures apply to petitions for approval of PSPs which do not involve prior FRA consultation as described in paragraph (d)(1) of this section: (i) Not less than 180 days prior to use of a product in revenue service, the railroad must file with the Associate Administrator for Safety a petition for approval.

FRA estimates that it will receive zero (0) petitions for special approval under the above requirement. Consequently, there is no additional burden associated with this requirement.

(ii) Within 60 days of receipt of the petition for approval, FRA either acknowledges receipt, or acknowledges receipt and requests more information.

Since FRA estimates that it will receive zero (0) petitions for special approval under the above requirement, there will be no need for the agency to request any additional information. Consequently, there is no additional burden associated with this requirement.

(e) Interested parties may submit to FRA information and views pertinent to FRA’s consideration of an informational filing or petition for approval. FRA considers comments to the extent practicable within the periods set forth in this section. In a proceeding consolidated with a proceeding under part 235 of this title, FRA considers all comments received.

FRA estimates that it will receive approximately seven (7) comments pertaining to informational filings and petitions for approval. The comments will most likely be written and take the form of a letter and document. It is estimated that each comment will be approximately 30 pages long and that it will take approximately eight (8) hours to gather the necessary information and complete each page. Thus, it is estimated that it will take approximately 240 hours to complete each comment and send it to FRA. Total annual burden for this requirement is 1,680 hours.

Respondent Universe:

Public/r
ailroad
commu
nity

Burden time per response:

240
hours

Frequency of Response:

On occasion

Annual number of Responses:

7 comments/letters

Annual Burden:

1,680 hours

Annual Cost:

\$122,640 (\$73 x 1,680

hrs.)

Calculation: 7 comments/letters x 240 hrs. = 1,680 hours

(f) A railroad may file a petition for approval prior to completion of field testing of the

product. The petition for approval should additionally include information sufficient for FRA to arrange monitoring of the tests. The Associate Administrator for Safety may approve a petition for approval contingent upon successful completion of the test program contained in the PSP or hold the petition for approval pending completion of the tests.

The burden for this requirement is included in §236.913(b) above. Consequently, there is no additional burden associated with it.

(h) The PSP must be supported by an independent third party assessment of the product when FRA concludes it is necessary based on consideration of the following factors:

(i) Those factors listed in subparagraphs (g)(2)(i) through (g)(2)(vii) of this section;

(ii) The sufficiency of the assessment or audit previously conducted at the election of a supplier or railroad; and (iii) whether applicable requirements of subparts A through G of this Part are satisfied.

As used in this section, “independent third party” means a technically competent entity responsible to and compensated by the railroad (or an association on behalf of one or more railroads) that is independent of the supplier of the product. An entity that is owned or controlled by the supplier, that is under common ownership or control with the supplier, or that is otherwise involved in the development of the product is not considered “independent” within the meaning of this section. FRA may maintain a roster of recognized technically competent entities as a service to railroads selecting reviewers under this section; however, a railroad is not limited to entities currently listed on any such roster.

The third party assessment must, at a minimum, consist of the activities and result in the production of documentation meeting the requirements of Appendix D to this part. However, when requiring an assessment pursuant to this section, FRA specifies any requirements in Appendix D to this part, which the agency has determined are not relevant to its concerns and, therefore, need not be included in the assessment. The railroad must make the final assessment report available to FRA upon request.

FRA estimates that approximately one (1) third party assessment will be completed under this requirement. It is estimated that each third party assessment will be approximately 100 pages long and that it will take a five (5) person team approximately 1,040 hours (208 hours each x 5 persons) to complete each page of the assessment. Thus, it is estimated that it will take approximately 104,000 hours to complete the assessment and produce the necessary report. Total annual burden for this requirement is 104,000 hours.

Respondent Universe:

6

railroads

Burden time per response:

104,000
hours

Frequency of Response:	One-time
Annual number of Responses:	1 third party final assessment report
Annual Burden:	104,000 hours
Annual Cost:	\$11,440,000 (\$110 x 104,000 hrs.)

Calculation: 1 third party assessment report x 104,000 hrs. = 104,000 hours

(i) A railroad may submit an amendment to a PSP at any time in the same manner as the initial PSP. Notwithstanding the otherwise applicable requirements found in this section and § 236.915, changes affecting the safety-critical functionality of a product may be made prior to the submission and approval of the PSP amendment as necessary in order to mitigate risk.

FRA estimates that approximately 15 amendments will be submitted under the above requirement. It is estimated that each amendment will be approximately 20 pages long and that it will take approximately eight (8) hours per page to gather the necessary information, complete the amendment, and submit it to FRA (20 pp. x 8 hrs = 160 hours). Total annual burden for this requirement is 2,400 hours.

Respondent Universe:

6
railroads

Burden time per response:

160
hours

Frequency of Response:	On occasion
Annual number of Responses:	15 amendments
Annual Burden:	2,400 hours

Annual Cost: \$175,200 (\$73 x 2,400 hrs.)

Calculation: 15 amendments x 160 hrs. = 2,400 hours

(j) Field testing of a product may be conducted prior to approval of a PSP by the submission of an informational filing by a railroad. The FRA will arrange to monitor the tests based on the information provided in the filing, which must include: (i) A complete description of the product; (ii) An operational concepts document; (iii) A complete description of the specific test procedures, including the measures that will be taken to protect trains and on-track equipment; (iv) An analysis of the applicability of the requirements of subparts A-G of this part to the product that will not apply during testing;

(v) The date testing will begin; (vi) The location of the testing; and (vii) A description of any effect the testing will have on the current method of operation. FRA may impose such additional conditions on this testing as may be necessary for the safety of train operations. Exemptions from regulations other than those contained in this part must be requested through waiver procedures in part 211 of this chapter.

FRA estimates that approximately six (6) field testing documents/informational filings will be submitted under the above requirement. It is estimated that each field testing/information filing document will be approximately 400 pages long and that it will take approximately eight (8) hours per page to gather the necessary information and complete the field testing document. Thus, it will take approximately 3,200 hours to complete each field testing document, and submit it to FRA. Total annual burden for this requirement is 19,200 hours.

Respondent Universe: 6 railroads

Burden time per response: 3,200 hours

Frequency of Response: On occasion
Annual number of Responses: 6 field testing/informational filing docs.
Annual Burden: 19,200 hours
Annual Cost: \$1,401,600 (\$73 x

19,200 hrs.)

Calculation: 6 field testing/informational filing docs. x 3,200 hrs. = 19,200 hours

The burden for this entire requirement is 166,960 hours (25,600 + 11,568 + 1,600 + 96 + 720 + 96 + 1,680 + 104,000 + 2,400 + 19,200).

§ 236.917 - Retention of records.

(a) The railroad must maintain at a designated office on the railroad: (i) For the life cycle of the product, adequate documentation to demonstrate that the PSP meets the safety requirements of the railroad's RSPP and applicable standards in this subpart, including the risk assessment; (ii) An Operations and Maintenance Manual, pursuant to § 236.919; and (iii) Training records pursuant to § 236.923(b). Results of inspections and tests specified in the PSP must be recorded as prescribed in § 236.110. Contractors of the railroad must maintain at a designated office training records pursuant to §236.923(b).

The burden for the first part of this requirement is included under that of § 236.905 and that of § 236.907. Consequently, there is no additional burden associated with this part of the above requirement.

The burden for the second part of this requirement is included under that of § 236.919. Consequently, there is no additional burden associated with this part of the above requirement.

Regarding the results of inspections and test specified in the PSP and that must be recorded as prescribed in § 236.110, FRA estimates that three documents or records will be kept by railroads/contractors under this part of the above requirement. The first document/record will involve testing approximately 5,000 locomotives four times a year, which will then take eight (8) hours to complete. Thus, the first document will take approximately 160,000 hours to complete (5,000 locomotives x 4 times p/yr. x 8 hours). The second document will involve testing approximately 5,000 locomotives two times a year, which will take approximately 16 hours to complete. Thus, the second document will also take approximately 160,000 hours to complete (5,000 locomotives x 2 times p/yr. x 16 hours). The third document will involve 500 miles of track and 10-way devices that will take eight (8) hours to test/record. Thus, the third document will take approximately 40,000 hours to complete (500 track miles x 10 way devices x 8 hours). Total annual burden for this requirement is 360,000 hours.

Respondent
Universe:

6
railroads

Burden time per response:

		160,000 hours/1 60,000 hours/4 0,000 hours
Frequency of Response:		On occasion
Annual number of Responses:	3 documents/records	
Annual Burden:		360,000 hours
Annual Cost:		\$26,280,000 (\$73 x 360,000 hrs.)

Calculation: 1 document/record x 160,000 hrs. + 1 document/record x 160,000 hrs. + 1 document/record x 40,000 hrs. = 360,000 hours

(b) After the product is placed in service, the railroad must maintain a database of all safety-relevant hazards as set forth in the PSP and those that had not been previously identified in the PSP. If the frequency of the safety-relevant hazards exceeds the threshold set forth in the PSP (see § 236.907(a)(6)), then the railroad must: (1) Report the inconsistency in writing (by mail, facsimile, e-mail, or hand delivery to the Director, Office of Safety Assurance and Compliance, Federal Railroad Administration, 1200 New Jersey Ave., SE, Mail Stop 25, Washington, DC 20590), within 15 days of discovery. Documents that are hand-delivered must not be enclosed in an envelope; (2) Take prompt countermeasures to reduce the frequency of the safety-relevant hazard(s) below the threshold set forth in the PSP; and (3) Provide a final report to the FRA Director, Office of Safety Assurance and Compliance, on the results of the analysis and countermeasures taken to reduce the frequency of the safety-relevant hazard(s) below the threshold set forth in the PSP when the problem is resolved.

FRA estimates that it will receive approximately one (1) report under the above requirement. It is estimated that it will take approximately eight (8) hours to prepare the initial report, another eight (8) hours to take prompt mitigating countermeasures, another 80 hours to fix the problems/eliminate the safety-relevant hazards, and eight (8) more hours to prepare the final report. Total annual burden for this requirement is 104 hours.

Respondent Universe:

6
railroads

Burden time per response:

104
hours

Frequency of Response:		On occasion
Annual number of Responses:	1 report	
Annual Burden:		104 hours
Annual Cost:		\$7,592 (\$73 x 104 hrs.)

Calculation: 1 report x 104 hrs. = 104 hours

The burden for this entire requirement is 360,104 hours (360,000 + 104).

§ 236.919 - Operations and Maintenance Manual

(a) The railroad must catalog and maintain all documents as specified in the PSP for the installation, maintenance, repair, modification, inspection, and testing of the product and have them in one Operations and Maintenance Manual, readily available to persons required to perform such tasks and for inspection by FRA and FRA certified state inspectors.

The required Operations and Maintenance Manual (OMM) will initially be included in the PSP. However, FRA estimates that six (6) OMM updates will be completed each year and that it will take approximately 40 hours to gather the necessary information and complete each update. Total annual burden for this part of the requirement is 240 hours.

Respondent
Universe:

6
railroads

Burden time per response:

40
hours

Frequency of Response:		On occasion
Annual number of Responses:	6 OMM updates	
Annual Burden:		240 hours
Annual Cost:		\$17,520 (\$73 x 240 hrs.)

Calculation: 6 OMM updates x 40 hrs. = 240 hours

(b) Plans required for proper maintenance, repair, inspection, and testing of safety-critical products must be adequate in detail and must be made available for inspection by FRA and FRA certified state inspectors where such products are deployed or maintained. They must identify all software versions, revisions, and revision dates. Plans must be legible and correct.

This is a one-time requirement that involves another set of tests. FRA estimates that approximately six (6) plans for proper maintenance, repair, inspection, and testing of safety-critical products will be completed under the above requirement. Each plan will involve testing 5,000 locomotives four times a year, which will take approximately eight (8) hours to complete each test. Thus, it will take approximately 160,000 hours to gather the necessary information and complete each plan (5,000 locomotives x 4 times p/yr. x 8 hours). However, since this is a one-time requirement and since OMB approvals are usually for three years, the burden of 160,000 hours must be divided by three to be an accurate annual burden. Thus, it is estimated that it will take railroads approximately 53,335 hours (rounded off) complete each plan. Total annual burden for this requirement is 320,010 hours.

Respondent Universe:		6 railroads
----------------------	--	-------------

Burden time per response:		53,335 hours
---------------------------	--	--------------

Frequency of Response:		On occasion
Annual number of Responses:	6 plans	
Annual Burden:		320,010 hours
Annual Cost:		\$23,360,730 (\$73 x 320,010 hrs.)

320,010 hrs.)

Calculation: 6 plans x 53,335 hrs. = 320,010 hours

(c) Hardware, software, and firmware revisions must be documented in the Operations and Maintenance Manual according to the railroad's configuration management control plan and any additional configuration/revision control measures specified in the PSP.

FRA estimates that approximately six (6) hardware, software, and firmware revisions/modifications will be documented in the Operation and Maintenance Manual under the above requirement. It is estimated that it will take each railroad approximately 6,440 hours to prepare and document each hardware, software, and firmware revision. Total annual burden for this requirement is 38,640 hours.

Respondent Universe:

6
railroads

Burden time per response:

6,440
hours

Frequency of Response:	On occasion
Annual number of Responses:	6 revisions (hardware/software/firmware)
Annual Burden:	38,640 hours
Annual Cost:	\$2,820,720 (\$73 x 38,640 hrs.)

Calculation: 6 revisions x 6,440 hrs. = 38,640 hours

(d) Safety-critical components, including spare equipment, must be positively identified, handled, replaced, and repaired in accordance with the procedures specified in the PSP.

The burden for this requirement is included under that of § 236.919(c) above. Consequently, there is no additional burden associated with this requirement.

The burden for this entire requirement is 358,890 hours (240 + 320,010 + 38,640).

TRAINING

§ 236.921-Training and qualification program, general

(a) Employers must establish and implement training and qualification programs for products subject to this subpart. These programs must meet the minimum requirements set forth in the PSP and in §§ 236.923 through 236.929 as appropriate, for the following personnel: (1) Persons whose duties include installing, maintaining, repairing, modifying, inspecting, and testing safety-critical elements of the railroad's products, including central office, wayside, or onboard subsystems; (2) Persons who dispatch train operations (issue or communicate any mandatory directive that is executed or enforced, or is intended to be executed or enforced, by a train control system subject to this subpart); (3) Persons who operate trains or serve as a train or engine crew member subject to instruction and testing under part 217 of this chapter, on a train operating in territory where a train control system subject to this subpart is in use; (4) Roadway workers whose duties require them to know and understand how a train control system affects their safety and how to avoid interfering with its proper functioning; and (5) The direct supervisors of persons listed in paragraphs (a)(1) through (a)(4) of this section.

FRA estimates that approximately six (6) railroads will establish and implement training and qualifications programs for products subject to this part. It is estimated that it will take approximately 400 hours to establish and implement training programs under this provision. Total annual burden for this requirement is 2,400 hours.

Respondent Universe:

6
r
a
i
l
r
o
a
d
s

Burden time per response:

400
hours

Frequency of Response:		On occasion
Annual number of Responses:	6 training programs	
Annual Burden:		2,400 hours
Annual Cost:		\$175,200 (\$73 x 2,400 hrs.)

Calculation: 6 training programs x 400 hrs. = 2,400 hours

(b) The employer’s program must provide training for persons who perform the functions described in paragraph (a) of this section to ensure that they have the necessary knowledge and skills to effectively complete their duties related to processor-based signal and train control equipment.

The burden for roadway workers training program is included in OMB No. 2130-0539. Consequently, there is no additional burden associated with this part of the requirement.

Railroad signalmen and dispatchers will also have to be trained. FRA estimates that there are approximately 300 signalmen and 20 dispatchers who will be trained under this requirement. It is estimated that these employees will be trained in groups or classes and that there will be approximately 20 railroad employees in each training session/class. Consequently, there will be approximately 15 training sessions/classes for signalmen and one (1) training session/class for dispatchers. Each class will be conducted or lead by a consultant. FRA further estimates that each training session/class for signalmen will last approximately 40 hours and that each training session/class for dispatchers will last approximately 20 hours. Total annual burden for this requirement is 12,400 hours.

Respondent Universe:

6
r
a
i
l
r
o
a
d
s

Burden time per response:

4
0

h
o
u
r
s
/
2
0

h
o
u
r
s

Frequency of Response:	On occasion
Annual number of Responses:	300 trained signalmen + 20 trained dispatchers
Annual Burden:	12,400 hours
Annual Cost:	\$905,200 (\$73 x 12,400 hrs.)

Calculation: 300 trained signalmen x 40 hrs. + 20 trained dispatchers' x 20 hrs. = 12,400 hours

The burden for this entire requirement is 14,800 hours (2,400 + 12,400).

§ 236.923 - Task Analysis and basic requirements

- (a) As part of the program required by § 236.921, the railroad must, at a minimum:
- (1) Identify the specific goals of the training program with regard to the target population (craft, experience level, scope of work, etc.), task(s) and desired success rate;
 - (2) Based on a formal task analysis, identify the installation, maintenance, repair, modification,

inspection, testing, and operating tasks that must be performed on the railroad's products. This includes the development of failure scenarios and the actions expected under such scenarios; (3) Develop written procedures for the performance of the tasks identified; (4) Identify the additional knowledge, skills, and abilities above those required for basic job performance necessary to perform each task; (5) Develop a training curriculum that includes classroom, simulator, computer-based, hands-on, or other formally structured training designed to impart the knowledge, skills, and abilities identified as necessary to perform each task; (6) Prior to assignment of related tasks, require all persons mentioned in § 236.921(a) to successfully complete a training curriculum and pass an examination that covers the product and appropriate rules and tasks for which they are responsible (however, such persons may perform such tasks under the direct on-site supervision of a qualified person prior to completing such training and passing the examination); (7) Require periodic refresher training at intervals specified in the PSP that includes classroom, simulator, computer-based, hands-on, or other formally structured training and testing, except with respect to basic skills for which proficiency is known to remain high as a result of frequent repetition of the task; and (8) Conduct regular and periodic evaluations of the effectiveness of the training program specified in § 236.923(a)(1) verifying the adequacy of the training material and its validity with respect to current railroads products and operations.

FRA estimates that approximately six (6) documents will be completed that meet all the above requirements. It is estimated that each document will take approximately 720 hours to complete. Total annual burden for this requirement is 4,320 hours.

Respondent Universe:

6
r
a
i
l
r
o
a
d
s

Burden time per response:

Frequency of Response:		On occasion
Annual number of Responses:	6 documents	
Annual Burden:		4,320 hours
Annual Cost:		\$315,360 (\$73 x 4,320 hrs.)

Calculation: 6 documents x 720 hrs. = 4,320 hours

(b) Employer's must retain records which designate persons who are qualified under this section until new designations are recorded or for at least one year after such persons leave applicable service. These records must be kept in a designated location and available for inspection and replication by FRA and FRA-certified State inspectors.

The burden for this requirement regarding roadway workers is also included in OMB No. 2130-0539. Consequently, there is no additional burden associated with this part of the requirement.

FRA estimates that approximately 350 records designating other qualified persons (30 managers + 300 signalmen + 20 dispatchers) will be kept under this requirement. It is estimated that it will take approximately 10 minutes to prepare each record. Total annual burden for this requirement is 58 hours.

Respondent Universe:

Burden time per response:

10
minutes

Frequency of Response:		On occasion
Annual number of Responses:	350 records	
Annual Burden:		58 hours
Annual Cost:	\$4,234 (\$73 x 58 hrs.)	

Calculation: 350 records x 10 min. = 58 hours

The burden for this entire requirement is 4,378 hours (4,320 + 58).

§ 236.925 - Training specific to control office personnel

Any person responsible for issuing or communicating mandatory directives in territory where products are or will be in use must be trained in the following areas, as applicable: (a) Instructions concerning the interface between the computer-aided dispatching system and the train control system, with respect to the safe movement of trains and other on-track equipment; (b) Railroad operating rules applicable to the train control system, including provision for movement and protection of roadway workers, unequipped trains, trains with failed or cut out train control onboard systems, and other on-track equipment; and (c) Instructions concerning control of trains and other on-track equipment in case the train control system fails, including periodic practical exercises or simulations and operational testing under part 217 of this chapter to ensure the continued capability of the personnel to provide for safe operations under the alternative method of operation.

The burden for this requirement, which refers to dispatchers, is included under § 236.921(b) above. Consequently, there is no additional burden associated with this

requirement.

§ 236.927- Training specific to locomotive engineers and other operating personnel

Training provided under this subpart for any locomotive engineer or other person who participates in the operation of a train in train control territory must be defined in the PSP and the following elements must be addressed: (1) Familiarization with train control equipment onboard the locomotive and the functioning of that equipment as part of the system and in relation to other onboard systems under that person's control; (2) Any actions required of the onboard personnel to enable, or enter data to, the system, such as consist data, and the role of that function in the safe operation of the train; (3) Sequencing of interventions by the system, including pre-enforcement notification, enforcement notification, penalty application initiation, and post-penalty application procedures; (4) Railroad operating rules applicable to the train control system, including provisions for movement and protection of any unequipped trains, or trains with failed or cut out train control onboard systems and other on-track equipment; (5) Means to detect deviations from proper functioning of onboard train control equipment and instructions regarding the actions to be taken with respect to control of the train and notification of designated railroad personnel; and (6) Information needed to prevent unintentional interference with the proper functioning of onboard train control equipment.

The burden for this requirement is included under OMB No. 2130-0533, Qualifications for Locomotive Engineers. Consequently, there is no additional burden associated with this requirement.

(b) Training required under this subpart for a locomotive engineer, together with required records, must be integrated into the program of training required by part 240 of this chapter.

The burden for this requirement is included under OMB No. 2130-0533. Consequently, there is no additional burden associated with this requirement.

(c) The following special requirements apply in the event a train control system is used to effect full automatic operation of the train: (1) The PSP must identify all safety hazards to be mitigated by the locomotive engineer. (2) The PSP must address and describe the training required with provisions for the maintenance of skills proficiency. As a minimum, the training program must: (i) As described in § 236.923(a)(2), develop failure scenarios which incorporate the safety hazards identified in the PSP, including the return of train operations to a fully manual mode; (ii) Provide training, consistent with § 236.923(a), for safe train operations under all failure scenarios and identified safety hazards that affect train operations; (iii) Provide training, consistent with § 236.923(a), for safe train operations under manual control; and (iv) Consistent with § 236.923(a), ensure maintenance of manual train operating skills by requiring manual starting and stopping of

the train for an appropriate number of trips and by one or more of the following methods: (A) Manual operation of a train for a 4-hour work period; (B) Simulated manual operation of a train for a minimum of four (4) hours in a Type I simulator as required; or (C) Other means as determined following consultation between the railroad and designated representatives of the affected employees and approved by the FRA. The PSP must designate the appropriate frequency when manual operation, starting, and stopping must be conducted, and the appropriate frequency of simulated manual operation.

The burden for this requirement is included under § 236.907 above. Consequently, there is no additional burden associated with this requirement.

§ 236.929 - Training specific to roadway workers

(a) Training required under this subpart for a roadway worker must be integrated into the program of instruction required under part 214, Subpart C of this chapter (“Roadway Worker Protection”), consistent with the task analysis requirements of § 236.923. This training must provide instruction for roadway workers who provide protection for themselves or roadway work groups.

(b)(1) Instruction for roadway workers must ensure an understanding of the role of processor-based signal and train control equipment in establishing protection for roadway workers and their equipment; (2) Instruction for roadway workers must ensure recognition of processor-based signal and train control equipment on the wayside and an understanding of how to avoid interference with its proper functioning; (3) Instructions concerning the recognition of system failures and the provision of alternative methods of on-track safety in the case the train control system fails, including periodic practical exercises or simulations and operational testing under part 217 of this chapter to ensure the continued capability of roadway workers to be free from the danger of being struck by a moving train or other on-track equipment.

The burden for this requirement is included under OMB No. 2130-0539, Roadway Worker Protection. Consequently, there is no additional burden associated with this requirement.

The total burden for Part 234 and for Subparts A and H of Part 236 is 1,376,657 hours.

Subpart I – Positive Train Control Systems

§ 236.1001 - Purpose and scope.

(a) This subpart prescribes minimum, performance-based safety standards for PTC systems required by 49 U.S.C. § 20157, this subpart, or an FRA order, including requirements to ensure that the development, functionality, architecture, installation, implementation, inspection, testing, operation, maintenance, repair, and modification of

those PTC systems will achieve and maintain an acceptable level of safety. This subpart also prescribes standards to ensure that personnel working with, and affected by, safety-critical PTC system related products receive appropriate training and testing.

(b) Each railroad may prescribe additional or more stringent rules, and other special instructions, that are not inconsistent with this subpart.

FRA estimates that approximately three (3) railroads will develop additional or more stringent rules under the above requirement. It is estimated that it will take each railroad approximately 80 hours to develop and complete the additional or more stringent rules document. Total annual burden for this requirement is 240 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

80
hours

Frequency of Response:

On occasion

Annual number of Responses:

3 rules

Annual Burden:

240 hours

Annual Cost:

\$26,400 (\$110 x 240

hrs.)

Calculation: 3 additional or more stringent rules x 80 hrs. = 240 hours

(c) This subpart does not exempt a railroad from compliance with any requirement of subpart A through H of this part or parts 233, 234, and 235 of this chapter, unless: (1) it is otherwise explicitly excepted by this subpart; or (2) the applicable PTCSP, as defined under § 236.1003 and approved by FRA under § 236.1015, provides for such an exception per § 236.1013.

The burden for exceptions under the PTCSP is included under that § 236.1015. Consequently, there is no additional burden associated with this requirement.

Total burden for this entire requirement is 240 hours.

§ 236.1005 – Requirements for Positive Train Control Systems

(a) PTC system requirements. Each PTC system required to be installed under this subpart shall:

(1) Reliably and functionally prevent: (i) train-to-train collisions—including collisions between trains operating over rail-to-rail at-grade crossings in accordance with the risk-based table specified in this section (§ 236.1005 (a)(1)(i)) or alternative arrangements providing an equivalent level of safety as specified in an FRA approved PTCSP; (ii) Overspeed derailments, including derailments related to railroad civil engineering speed restrictions, slow orders, and excessive speeds over switches and through turnouts; (iii) Incursions into established work zone limits without first receiving appropriate authority and verification from the dispatcher or roadway worker in charge, as applicable and in accordance with part 214 of this chapter; and (iv) The movement of a train through a main line switch in the improper position as further described in paragraph (e) of this section.

(2) Include safety-critical integration of all authorities and indications of a wayside or cab signal system, or other similar appliance, method, device, or system of equivalent safety, in a manner by which the PTC system shall provide associated warning and enforcement to the extent, and except as, described and justified in the FRA approved PTCSP or PTCSP, as applicable;

(3) As applicable, perform the additional functions specified in this subpart;

(4) Provide an appropriate warning or enforcement when: (i) A derail or switch protecting access to the main line required by § 236.1007, or otherwise provided for in the applicable PTCSP, is not in its derailing or protecting position, respectively; (ii) A mandatory directive is issued associated with a highway-rail grade crossing warning system malfunction as required by §§ 234.105, 234.106, or 234.107; (iii) An after-arrival

mandatory directive has been issued and the train or trains to be waited on has not yet passed the location of the receiving train; (iv) Any movable bridge within the route ahead is not in a position to allow permissive indication for a train movement pursuant to § 236.312; and (v) A hazard detector integrated into the PTC system that is required by paragraph (c) of this section, or otherwise provided for in the applicable PTCSP, detects an unsafe condition or transmits an alarm; and

(5) Limit the speed of passenger and freight trains to 59 miles per hour and 49 miles per hour, respectively, in areas without broken rail detection or equivalent safeguards.

The burden associated with the PTCDP and the PTCSP is included under that of § 236.1013 and that of § 236.1015, respectively. Consequently, there is no additional burden associated with this requirement.

(b) PTC system installation. (1) Lines required to be equipped. Except as otherwise provided in this subpart, each Class I railroad and each railroad providing or hosting intercity or commuter passenger service shall progressively equip its lines as provided in its approved PTCIP such that, on and after December 31, 2015, a PTC system certified under § 236.1015 is installed and operated by the host railroad on each:

(i) Main line over which is transported any quantity of material poisonous by inhalation (PIH), including anhydrous ammonia, as defined in §§ 171.8, 173.115 and 173.132 of this title;

(ii) Main line used for regularly provided intercity or commuter passenger service, except as provided in § 236.1019; and

(iii) Additional line of railroad as required by the applicable FRA approved PTCIP, this subpart, or an FRA order requiring installation of a PTC system by that date.

(2) Initial baseline identification of lines. For the purposes of paragraph (b)(1)(i) of this section, the baseline information necessary to determine whether a Class I railroad's track segment shall be equipped with a PTC system shall be determined and reported as follows:

(i) The traffic density threshold of five (5) million gross tons shall be based upon calendar year 2008 gross tonnage, except to the extent that traffic may fall below five (5) million gross tons for two consecutive calendar years and a PTCIP or an RFA reflecting this change is filed and approved under paragraph (b)(4) of this section and, if applicable, § 236.1021.

(ii) The presence or absence of any quantity of Poisonous-by-Inhalation (PIH) hazardous materials shall be determined by whether one or more cars containing such product(s) was

transported over the track segment in calendar year 2008 or prior to the filing of the PTCIP, except to the extent that the PTCIP or RFA justifies, under paragraph (b)(4) of this section, removal of the subject track segment from the PTCIP listing of lines to be equipped.

The burden associated with the PTCIP is included under that of § 236.1009. The burden associated with RFAs is included under that of § 236.1021. Consequently, there is no additional burden associated with these requirements.

(3) Addition of track segments. To the extent increases in freight rail traffic occur subsequent to calendar year 2008 that might affect the requirement to install a PTC system on any line not yet equipped, the railroad shall seek to amend its PTCIP by promptly filing a Request for Amendment (RFA) in accordance with § 236.1021. The following criteria apply:

(i) If rail traffic exceeds five (5) million gross tons in any year after 2008, the tonnage shall be calculated for the preceding two calendar years and if the total tonnage for those two calendar years exceeds 10 million gross tons, a PTCIP or its amendment is required.

(ii) If PIH traffic is carried on a track segment as a result of a request for rail service or rerouting warranted under part 172 of this title, and if the line carries in excess of five (5) million gross tons of rail traffic as determined under this paragraph, a PTCIP or its amendment is required. This does not apply when temporary rerouting is authorized in accordance with paragraph (g) of this section.

(iii) Once a railroad is notified by FRA that its RFA filed in accordance with this paragraph has been approved, the railroad shall equip the line with the applicable PTC system by December 31, 2015, or within 24 months, whichever is later.

The burden associated with amendments to the PTCIP is included under that of § 236.1021. Consequently, there is no additional burden associated with this requirement.

(4) Exclusion or removal of track segments from PTC baseline. (i) Routing changes. In a PTCIP or RFA, a railroad may request review of the requirement to install PTC on a track segment where a PTC system is otherwise required by this section, but has not yet been installed, based upon changes in rail traffic such as reductions in total traffic volume below five (5) million gross tons annually or cessation of passenger service or PIH materials traffic. Any such request shall be accompanied by estimated traffic projections for the next five (5) years (e.g., as a result of planned rerouting, coordinations, or location of new business on the line). (ii) FRA will approve the exclusion requested pursuant to paragraph (b)(4)(i) of this section if the railroad established that, as of December 31, 2015:

(A) No passenger service will be present on the involved track segment or the passenger service will be subject to an MTEA approved in accordance with 49 CFR 236.1019; and

(B) No PIH traffic will be present on the involved track segment or the gross tonnage on the involved track segment will decline below 5 million gross tons annually as computed over a two-year period.

(iii) Freight lines with de minimis risk not used for regularly provided intercity or commuter passenger service. (A) In a PTCIP or RFA, a railroad may request review of the requirement to install PTC system on a track segment where a PTC system is otherwise required by this section, but has not yet been installed, based upon the presence of a minimal quantity of PIH materials traffic. Any such request shall be accompanied by estimated traffic projections for the next five (5) years (e.g., as a result of planned rerouting, coordination, or location of new business on the line). Where the request involves prior or planned rerouting of PIH materials traffic, the railroad must provide the information and analysis identified in paragraph (b)(4)(i) of this section. The submission must also include a full description of potential safety hazards on the segment of track and fully describe train operations over the line. This paragraph (b)(4)(iii)(A) does not apply to line segments used for commuter rail or intercity passenger service. (B) Absent special circumstances related to specific hazards presented by operations on the line segment, FRA will approve a request for relief under this paragraph (b)(4)(iii)(B) for a rail line segment that meets all of the following criteria: (1) That carries less than 15 million gross tons annually; (2) That does not have a heavy grade as “heavy grade” is defined in § 232.407 of this chapter for any train operating over the track segment; (3) Where the railroad adopts and complies with an operating rule requiring the crew of any train approaching working limits established under Part 214 of this chapter to notify the roadway worker in charge of the train’s approach at least 2 miles in advance of the working limits or, if the train crew does not have advance knowledge of the working limits, as soon as practical; (4) That carries fewer than 100 cars containing PIH materials per year, excluding those cars containing only a residue, as defined in § 171.8 of this title, of PIH materials; (5) That carries 2 or fewer trains per day carrying any quantity of PIH materials; (6) Where trains carrying any quantity of PIH materials operate at speeds not to exceed 40 miles per hour; and (7) Where any train transporting a car containing any quantity of PIH materials is operated with a vacant block ahead of and behind the train. (C) FRA will also consider, and may approve, requests for relief under this paragraph for additional line segments where it is established to the satisfaction of the Associate Administrator that risk mitigations will be applied that will ensure that the risk of PTC-preventable accidents and a release of PIH materials is negligible. (D) Failure to submit sufficient information will result in the denial of any request under this paragraph (b)(4)(ii). If the request is granted, on and after the date the line would have otherwise been required to be equipped under the schedule contained in the PTCIP and approved by FRA, operations on the line shall be conducted in accordance with any conditions attached to the grant, including implementation of proposed mitigations as applicable.

The burden associated with the PTCIP is included under that of § 236.1009, and the burden for Requests for Amendments (RFAs) is included under that § 236.1021. Consequently, there is no additional burden associated with this requirement.

Regarding section 236.1005(b)(4)(iii)(B) above, eight (8) railroads out of the total respondent universe would be ineligible to participate because they are passenger railroads that carry no TIH traffic. Of the remaining 30 railroads, FRA estimates that approximately 90 percent or 27 railroads will apply for requests for relief under the above criteria and amazingly have already been received. Thus, three (3) will apply for requests for relief under the above criteria. It is estimated that it will take each railroad approximately 64 hours to develop and complete each request with the necessary documentation. Total annual burden for this requirement is 192 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

64
hours

Frequency of Response:

Annual number of Responses:

Annual Burden:

Annual Cost:

3 relief requests

One-time

192 hours

\$14,016 (\$73 x 192

hrs.)

Calculation: 3 relief requests x 64 hrs. = 192 hours

(5) Line sales. FRA does not approve removal of a line from the PTCIP exclusively based upon a representation that a track segment will be abandoned or sold to another railroad. In the event a track segment is approved for abandonment or transfer by the Surface Transportation Board, FRA will review at the request of the transferring and acquiring railroads whether the requirement to install PTC on the line should be removed given all of the circumstances, including expected traffic and hazardous materials levels, reservation of trackage or haulage rights by the transferring railroad, routing analysis under part 172 of this chapter, commercial and real property arrangements affecting the transferring and acquiring railroads post-transfer, and such other factors as may be relevant to continue safe operations on the line. If FRA denies the request, the acquiring railroad shall install the PTC system on the schedule provided in the transferring railroad's PTCIP, without regard to whether it is a Class I railroad.

The burden associated with the PTCIP is included under that of § 236.1009, and the burden for Requests for Amendments (RFAs) is included under that § 236.1021. Consequently, there is no additional burden associated with this requirement.

(6) New passenger rail service. No new intercity or commuter rail passenger service shall commence after December 31, 2015, until a PTC system certified under this subpart has been installed and made operative.

(c) Hazard detectors. (1) All hazard detectors integrated into a signal or train control system on or after October 16, 2008, must be integrated into PTC systems required by this subpart; and their warnings shall be appropriately and timely enforced as described in the applicable PTCSP.

(2) The applicable PTCSP must provide for receipt and presentation to the locomotive engineer and other train crew of warnings from any additional hazard detectors using the PTC data network, onboard displays, and audible alerts. If the PTCSP so provides, the action to be taken by the system and by the crew members shall be specified.

(3) The PTCDP (as applicable) and PTCSP for any new service described in § 236.1007 to be conducted above 90 miles per hour shall include a hazard analysis describing the hazards relevant to the specific route(s) in question (e.g., potential for track obstruction due to events such as falling rock or undermining of the track structure due to high water or displacement of a bridge over navigable waters), the basis for decisions concerning hazard detectors provided, and the manner in which such additional hazard detectors will be interfaced with the PTC system.

The burden associated with the PTCDP is included under that of § 236.1013, and the burden associated with the PTCSP is included under that of § 236.1015. Consequently, there is no additional burden associated with this requirement.

(d) Event Recorders. (1) Each lead or controlling locomotive, as defined in part 229, of a train equipped and operating with a PTC system required by this subpart must be equipped with an operative event recorder, which shall:

(i) Record safety-critical train control data routed to the locomotive engineer's display that the engineer is required to comply with;

(ii) Specifically include text messages conveying mandatory directives and maximum authorized speeds, PTC system brake warnings, PTC system brake enforcements, and the state of the PTC system (e.g., cut in, cut out, active, or failed); and

(iii) Include examples of how the captured data will be displayed during playback along with the format, content, and data retention duration requirements specified in the PTC Safety Plan (PTCSP) submitted and approved pursuant to this paragraph. If such train control data can be calibrated against other data required by this part, it may, at the election of the railroad, be retained in a separate memory module.

The burden associated with the PTCSP is included under that of § 236.1015. Consequently, there is no additional burden associated with this requirement.

(e) Switch Position. The following requirements apply with respect to determining proper switch position under this section. When a main line switch position is unknown or improperly aligned for a train's route in advance of the train's movement, the PTC system will provide warning of the condition associated with the following enforcement:

(1) A PTC system must enforce restricted speed over any switch: (i) Where train movements are made with the benefit of the indications of a wayside or cab signal system or other similar appliance, method, device, or system of equivalent safety proposed to FRA and approved by the Associate Administrator in accordance with this part; and (ii) Where wayside or cab signal system or other similar appliance, method, device, or system of equivalent safety requires the train to be operated at restricted speed.

(2) A PTC system must enforce a positive stop short of any main line switch, and any switch on a siding where the allowable speed is in excess of 20 miles per hour, if movement of the train over the switch: (i) is made without the benefit of the indications of a wayside or cab signal system or other similar appliance, method, device, or system of equivalent safety proposed to FRA and approved by the Associate Administrator in accordance with this part; or (ii) would create an unacceptable risk. Unacceptable risk includes conditions when traversing the switch, even at low speeds, could result in direct

conflict with the movement of another train (including hand-operated crossover between main tracks and an adjoining siding or auxiliary track, or a hand-operated switch providing access to another subdivision or branch line, etc.)

(3) A PTC system required by this subpart shall be designed, installed, and maintained to perform the switch position detection and enforcement described in paragraphs (e)(1) and (e)(2) of this section, except as provided for and justified in the applicable, FRA approved PTCDP or PTCSP.

(4) The control circuit or electronic equivalent for all movement authorities over any switches, movable-point frogs, or derails shall be selected through circuit controller or functionally equivalent device operated directly by switch points, derail, or by switch locking mechanism, or through relay or electronic device controlled by such circuit controller or functionally equivalent device, for each switch, movable-point frog, or derail in the route governed. Circuits or electronic equivalent shall be arranged so that any movement authorities less restrictive than those prescribed in paragraphs (e)(1) and (e)(2) of this section can only be provided when each switch, movable-point frog, or derail in the route governed is in proper position, and shall be in accordance with subparts A through G of this part, unless it is otherwise provided in a PTCSP approved under this subpart.

The burden associated with wayside or cab signal systems or other similar appliances, methods, devices, or systems of equivalent safety proposed to FRA and approved by FRA is included under OMB No. 2130-0006. The burden associated with the PTCSP is included below under that of § 236.1015. Consequently, there is no additional burden associated with this requirement.

(g) Temporary rerouting. A train equipped with a PTC system as required by this subpart may be temporarily rerouted onto a track not equipped with a PTC system and a train not equipped with a PTC system may be temporarily rerouted onto a track equipped with a PTC system as required by this subpart in the following circumstances:

(1) Emergencies. In the event of an emergency—including conditions such as derailment, flood, fire, tornado, hurricane, or other similar circumstance outside of the railroad's control—that would prevent usage of the regularly used track if: (i) the rerouting is applicable only until the emergency condition ceases to exist and for no more than 14 consecutive calendar days, unless otherwise extended by approval of the Associate Administrator.

FRA estimates that there will be approximately 1,000 reroutes a year and that approximately 47 of these reroutes will fall into the circumstance listed above. Thus, FRA estimates that it will receive approximately 47 requests to extend temporarily rerouted trains equipped with PTC systems on to a track not equipped with a PTC system or train not equipped with a PTC system temporarily rerouted onto a track equipped with a PTC

system for more than 14 consecutive calendar days. It is estimated that it will take approximately eight (8) hours to gather the necessary information and complete the extension request and send it to FRA. Total annual burden for this requirement is 376 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

8 hours

Frequency of Response:	On occasion
Annual number of Responses:	47 extension requests
Annual Burden:	376 hours
Annual Cost:	\$27,448 (\$73 x 376 hrs.)

Calculation: 47 extension requests x 8 hrs. = 376 hours

(ii) the railroad provides written or telephonic notification to the applicable Regional Administrator of the information listed in paragraph (i) within one business day of the beginning of the rerouting made in accordance with this paragraph; and (iii) the conditions under paragraph (j) of this section are followed.

FRA estimates that approximately 47 written or telephonic notifications to the applicable

Regional Administrator of the information listed in paragraph (i) will be made under the above requirement. It is estimated that it will take approximately two (2) hours to complete each written or telephonic notification. Total annual burden for this requirement is 94 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

2 hours

Frequency of Response:	On occasion
Annual number of Responses:	47 written or telephonic notifications
Annual Burden:	94 hours
Annual Cost:	\$6,862 (\$73 x 94 hrs.)

Calculation: 47 written or telephonic notifications x 2 hrs. = 94 hours

(2) Planned Maintenance. In the event planned maintenance that would prevent usage of the regularly used track if: (i) the maintenance period does not to exceed 30 days; (ii) a request is filed with the applicable Regional Administrator in accordance with paragraph (i) of this section no less than 10 days prior to the planned rerouting; and (iii) the conditions contained in paragraph (j) of this section are followed.

FRA estimates that approximately 90 temporary rerouting requests will be filed with each of the eight applicable Regional Administrators in accordance with paragraph (i) of this section. These will generally be in the form of written notifications. Thus, a total of 720

requests (8 regions x 90 requests) will be filed. It is estimated that it will take approximately eight (8) hours to gather the necessary information and complete each rerouting request. Total annual burden for this requirement is 5,760 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

8 hours

Frequency of Response:	On occasion
Annual number of Responses:	720 rerouting requests
Annual Burden:	5,760 hours
Annual Cost:	\$420,480 (\$73 x 5,760 hrs.)

Calculation: 720 rerouting requests x 8 hrs. = 5,760 hours

(h) Rerouting requests. (1) For the purposes of paragraph (g)(2) of this section, the rerouting request shall be self-executing unless the applicable Regional Administrator responds with a notice disapproving of the rerouting or providing instructions to allow rerouting. Such instructions may include providing additional information to the Regional Administrator or Associate Administrator prior to the commencement of rerouting. Once the Regional Administrator responds with a notice under this paragraph, no rerouting may occur until the Regional Administrator or Associate Administrator provides his or her approval.

The burden for this requirement is included in that of § 236.1005(g)(1) above. Consequently, there is no additional burden associated with this requirement.

(2) In the event the temporary rerouting described in paragraph (g)(2) of this section is to exceed 30 consecutive calendar days: (i) The railroad shall provide a request in accordance with paragraphs (i) and (j) of this section with the Associate Administrator no less than 10 business days prior to the planned rerouting; and (ii) The rerouting shall not commence until receipt of approval from the Associate Administrator.

FRA estimates that approximately 361 rerouting requests will be filed with the Associate Administrator no less than 10 business days prior to the planned rerouting. It is estimated that it will take approximately eight (8) hours to gather the necessary information and complete each rerouting request. Total annual burden for this requirement is 2,888 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

8 hours

Frequency of Response:	On occasion
Annual number of Responses:	361 rerouting requests
Annual Burden:	2,888 hours
Annual Cost:	\$210,824 (\$73 x 2,888 hrs.)

Calculation: 361 rerouting requests x 8 hrs. = 2,888 hours

(i) Content of rerouting request. Each notice or request referenced in paragraphs (g) and (h) of this section must indicate: (1) the dates that such temporary rerouting will occur; (2) the number and types of trains that will be rerouted; (3) the location of the affected tracks; and (4) a description of the necessity for the temporary rerouting.

(j) Rerouting conditions. Rerouting of operations under paragraph (g) of this section may occur under the following conditions: (1) Where a train not equipped with a PTC system is rerouted on track equipped with a PTC system, or a train not equipped with a PTC system that is compatible and functionally responsive to the PTC system utilized on the line to which the train is being routed, the train shall be operated in accordance with § 236.1029; or (2) Where any train is rerouted onto a track not equipped with a PTC system, the train shall be operated in accordance with the operating rules applicable to the line on which the train is routed.

The burden for this requirement is included under that of 236.1005(g) above. Consequently, there is no additional burden associated with this requirement.

The total burden for this entire requirement is 9,310 hours (192 + 376 + 94 + 5,760 + 2,888).

§ 236.1006 – Equipping Locomotives Operating in PTC Territory

(a) General. Except as provided in paragraph (b) of this section, each locomotive, locomotive consist, or train on any track segment equipped with a PTC system shall be controlled by a locomotive equipped with onboard PTC apparatus that is fully operative and functioning in accordance with the applicable PTCSP approved under this Subpart. *The burden associated with the PTCSP is included below under that of § 236.1015. Consequently, there is no additional burden associated with this requirement.*

(b) Exceptions. (1) Each railroad required to install PTC must include in its PTCIP specific goals for progressive implementation of onboard systems and deployment of PTC-equipped locomotives such that the safety benefits of PTC are achieved through incremental growth in the percentage of controlling locomotives operating on PTC lines that are equipped with operative PTC onboard equipment. The PTCIP shall include a brief but sufficient explanation of how those goals will be achieved, including assignment of responsibilities within the organization. The goals shall be expressed as the percentage of trains operating on PTC-equipped lines that are equipped with operative on-board PTC apparatus responsive to the wayside, expressed as an annualized (calendar year) percentage for the railroad as a whole.

The burden associated with the PTCIP is included below under that of § 236.1009. Consequently, there is no additional burden associated with this requirement.

(2) Each railroad shall adhere to its PTCIP.

(3) A train controlled by a locomotive with an onboard PTC apparatus that has failed en route is permitted to operate in accordance with § 236.1029.

(4) A train operated by a Class II or Class III railroad, including a tourist or excursion railroad, and controlled by a locomotive not equipped with an onboard PTC apparatus is permitted to operate on a PTC operated track segment: (i) That either: (A) Has no regularly scheduled intercity or commuter passenger rail traffic; or (B) Has regularly scheduled intercity or commuter passenger rail traffic and the applicable PTCIP permits the operation of a train operated by a Class II or III railroad and controlled by a locomotive not equipped with an onboard PTC apparatus;

The burden associated with the PTCIP is included below under that of § 236.1009. Consequently, there is no additional burden associated with this requirement.

(ii) Where operations are restricted to less than four such unequipped trains per day, whereas a train conducting a “turn” operation (e.g., moving to a point of interchange to drop off or pick up cars and returning to the track owned by a Class II or III railroad) is considered two trains for this purpose; and

(iii) Where each movement shall either: (A) Not exceed 20 miles in length; or (B) To the extent any movement exceeds 20 miles in length, such movement is not permitted without the controlling locomotive being equipped with an onboard PTC system after December 31, 2023, and each applicable Class II or III railroad shall report to FRA its progress in equipping each necessary locomotive with an onboard PTC apparatus to facilitate continuation of the movement. The progress reports shall be filed not later than December 31, 2020 and, if all necessary locomotives are not yet equipped, on December 31, 2022.

Over the next three years, FRA estimates that it will receive approximately 35 reports each year under the above requirement. It is estimated that it will take approximately 16 hours to gather the necessary information and to complete each report. Total annual burden for this requirement is 560 hours.

Respondent Universe:

3
8

r
a

91

Burden time per response:

16
hours

Frequency of Response:		On occasion
Annual number of Responses:	35 reports	
Annual Burden:		560 hours
Annual Cost:		\$40,880 (\$73 x 560 hrs.)

Calculation: 35 reports x 16 hrs. = 560 hours

(5) Freight yard movements. For purpose of switching service or transfer train service, a locomotive, locomotive consist, or train may operate without onboard PTC apparatus installed or operational where an onboard PTC apparatus is otherwise required by this Part only if all of the following six requirements and conditions are met:

(i) The locomotive, locomotive consist, or train must be engaged in switching service or transfer train service, including yard, local, industrial, and hostling service, movements in connection with assembling or disassembling of trains and work trains:

(ii) The movement must originate either:

(A) In a yard; or

(B) Within 20 miles of a yard with the yard as the final destination point:

(iii) The locomotive, locomotive consist, or train shall not travel to a point in excess of 20 miles from its point of entry onto the PTC-equipped main line track;

(iv) The speed of the locomotive, locomotive consist, or train shall not exceed restricted speed, except if:

(A) No other locomotive, locomotive consist, or train is operating on any part of the route without an operational onboard PTC apparatus;

(B) No working limits are established under Part 214 of this chapter on any part of the route;

(C) Either an air brake test under Part 232 is performed, in which case the locomotive, locomotive consist, or train may proceed at a speed not to exceed 30 miles per hour; or an air brake test under Part 232 of this chapter is not performed, in which case the locomotive, locomotive consist, or train may proceed at a speed not to exceed 20 miles per hour;

(v) The speed of the locomotive, locomotive consist, or train shall not exceed restricted speed on PTC-equipped track where the route terminates; and

(vi) The route of the locomotive or train is protected against conflicting operations by the PTC system and sufficient operating rules to protect against train-to-train collisions, as specified in the PTCSP;

(vii) FRA may, in its discretion, approve yard movement procedures other than the yard movement procedures in paragraphs (b)(5)(i) through (b)(5)(vi) of this section in a PTCSP or an RFA that provide an equivalent or greater level of safety as the requirements of paragraphs (b)(5)(i) through (b)(5)(vi) of this section, where such procedures are similar to those of paragraphs (b)(5)(i) through (b)(5)(vi) of this section.

(viii) A locomotive, locomotive consist, or train with an operative onboard PTC apparatus may assist a locomotive, locomotive consist, or train operating without an operative onboard PTC for purposes such as locomotive malfunction, rescue of locomotive or cars, or to add or remove power, provided that such a movement is at restricted speed.

The burden for this requirement is included under that of § 236.1015 and § 236.1021. Consequently, there is no additional burden associated with this requirement.

(c) When a train movement is conducted under the exceptions described in paragraph (b) (4) of this section, that movement shall be made in accordance with § 236.1029. *Any burden associated with the above is included below under that of § 236.1029. Consequently, there is no additional burden associated with this requirement.*

(d) Onboard PTC apparatus. (1) The onboard PTC apparatus shall be so arranged that each member of the crew assigned to perform duties in the locomotive can receive the same PTC information displayed in the same manner and execute any functions necessary to that crew member's duties. The locomotive engineer shall not be required to perform

functions related to the PTC system while the train is moving that have the potential to distract the locomotive engineer from performance of other safety-critical duties.

(2) The onboard PTC apparatus may be distributed among multiple locomotives if such functionality is included with the applicable PTCSP approved under this subpart. The controlling locomotive shall be equipped with a fully operative interface that complies with paragraph (d)(1) of this section and is consistent with appendix E of this part.

The burden associated with the PTCSP is included below under that of § 236.1015. Consequently, there is no additional burden associated with this requirement.

Total annual burden for this entire requirement is 560 hours.

§ 236.1007 – Additional Requirements for High-Speed Service

(a) A PTC railroad that conducts a passenger operation at or greater than 60 miles per hour or freight operations at or greater than 50 miles per hour shall have installed a PTC system including or working in concert with technology that includes all of the safety-critical functional attributes of a block signal system meeting the requirements of this part, including appropriate fouling circuits and broken rail detection (or equivalent safeguards).

(b) In addition to the requirements of paragraph (a) of this section, a host railroad that conducts a freight or passenger operation at more than 90 miles per hour shall: (1) have an approved PTCSP establishing that the system was designed and will be operated to meet the failsafe operation criteria described in Appendix C to this part; and (2) prevent unauthorized or unintended entry onto the main line from any track not equipped with a PTC system compliant with this subpart by placement of split-point derails or equivalent means integrated into the PTC system; and (3) comply with § 236.1029(c).

The burden associated with the PTCSP is included below under that of § 236.1015. Consequently, there is no additional burden associated with this requirement.

(c) In addition to the requirements of paragraphs (a) and (b) of this section, a host railroad that conducts a freight or passenger operation at more than 125 miles per hour shall have an approved PTCSP accompanied by a document (“HSR-125”) establishing that the system: (1) will be operated at a level of safety comparable to that achieved over the five (5) year period prior to the submission of the PTCSP by other train control systems that perform PTC functions required by this subpart, and which have been utilized on high-speed rail systems with similar technical and operational characteristics in the United States or in foreign service, provided that the use of foreign service data must be approved by the Associate Administrator before submittal of the PTCSP; and (2) has been designed to detect incursions into the right-of-way, including incidents involving motor vehicles diverting from adjacent roads and bridges, where conditions warrant.

FRA estimates that approximately three (3) approved PTCSPs will be accompanied by “HSR-125” documents under the above requirement. It is estimated that each document will be approximately 200 pages long and that it will take approximately 16 hours to gather the necessary information and complete each page. Thus, it is estimated that it will take approximately 3,200 hours to complete each “HSR-125” document. Total annual burden for this requirement is 9,600 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

3,200
hours

Frequency of Response:

On occasion

Annual number of Responses:

3 HSR-125 documents

Annual Burden:

9,600 hours

Annual Cost:

\$1,056,000 (\$110 x

9,600 hrs.)

Calculation:

3 HSR-125 documents x 3,200 hrs. = 9,600
hours

Additionally, FRA estimates that approximately two (2) requests to use foreign service data before submittal of the PTCSP will be made under the above requirement. It is

estimated that each document will be approximately 1,000 pages long, and that it will take approximately eight (8) hours to gather the necessary information and complete each page. Thus, it is estimated that it will take approximately 8,000 hours to gather the foreign service data and complete each request. Total annual burden for this requirement is 16,000 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

		8,000 hours
Frequency of Response:		On occasion
Annual number of Responses:	2 data requests	
Annual Burden:		16,000 hours
Annual Cost:		\$1,168,000 (\$73 x 16,000 hrs.)

Calculation: 2 data requests x 8,000 hrs. = 16,000 hours

(d) In addition to the requirements of paragraphs (a) through (c) of this section, a host railroad that conducts a freight or passenger operation at more than 150 miles per hour, which is governed by a Rule of Particular Applicability, shall have an approved PTCSP accompanied by a HSR-125 developed as part of an overall system safety plan approved by the Associate Administrator.

FRA estimates that approximately three (3) PTCSPs be accompanied by “HSR-125”

documents will be submitted under the above requirement. It is estimated that each document will be approximately 200 pages long and that it will take approximately 16 hours to gather the necessary information and complete each page of the PTCSP and accompanying “HSR-125 document.” Thus, it is estimated that it will take approximately 3,200 hours to complete each PTCSP and accompanying “HSR-125 document.” Total annual burden for this requirement is 9,600 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

3,200
hours

Frequency of Response:	On occasion
Annual number of Responses:	3 PTCSPs w/HSR-125 documents
Annual Burden:	9,600 hours
Annual Cost:	\$1,056,000 (\$110 x 9,600 hrs.)

Calculation: 3 PTCSPs w/HSR-125 documents x 3,200 hrs. = 9,600 hours

(e) A railroad providing existing high speed passenger service may request in its PTCSP that the Associate Administrator excuse compliance with one or requirements of this section upon a showing that the subject service has been conducted with a high level of service.

FRA estimates that it will receive approximately one (1) request each year under the

above requirement. This request will most likely come from Amtrak. It is estimated that each request will be approximately 125 pages long and that it will take approximately eight (8) hours to gather the necessary information and complete each page. Thus, it will take approximately 1,000 hours to complete each request. Total annual burden for this requirement is 1,000 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

1,000
hours

Frequency of Response:

On occasion

Annual number of Responses: 1 request

Annual Burden: 1,000 hours

Annual Cost: \$110,000 (\$110 x 1,000 hrs.)

Calculation: 1 request x 1,000 hrs. = 1,000 hours

Total annual burden for this entire requirement is 36,200 hours (9,600 + 16,000 + 9,600 + 1,000).

§ 236.1009 – Procedural Requirements

(a) PTC Implementation Plan (PTCIP). (1) By April 16, 2010, each host railroad that is required to implement and operate a PTC system in accordance with § 236.1005(b) shall

develop and submit in accordance with § 236.1011(a) a PTCIP for implementing a PTC system required under § 236.1005. Filing of the PTCIP shall not exempt the required filings of an NPI, PTCSP, PTCDP, or Type Approval.

The deadline for this requirement has now expired and FRA has now received all the PTCIPs of affected railroads. Consequently, there is no additional burden associated this requirement.

The burden associated with the NPIs is included below under that of § 236.1009(c). The burden associated with PTCSP is included below under that of § 236.1015. The burden associated with the PTCDP and Type Approval is included under that of § 236.1013. Consequently, there is no additional burden associated with this requirement.

(2) After April 16, 2010, a host railroad shall file: (i) a PTCIP if it becomes a host railroad of a main line track segment for which it required to implement and operate a PTC system in accordance with § 236.1005(b); or (ii) a request for amendment (“RFA”) of its current and approved PTCIP in accordance with § 236.1021 if it intends to: (A) initiate a new category of service (i.e., passenger or freight); or (B) add, subtract, or otherwise materially modify one or more lines of railroad for which installation of a PTC system is required.

FRA estimates that there will be approximately one (1) new rail start each year that will require a PTCIP and that approximately 20 requests for amendments (RFAs) will be submitted under the above requirement. It is estimated that the PTCIP will be approximately 100 pages long and that it will take a total of approximately 16 hours to gather the necessary information and complete the PTCIP. It is also estimated that each RFA will be approximately 20 pages long and that it will take approximately 16 hours to gather the necessary information and complete each RFA page. Thus, it is estimated that it will take approximately 1,600 hours to complete the PTCIP and 320 hours to complete each RFA. However, again the PTCIP is a one-time requirement and since OMB approvals are normally for three years, the 1,600 hours estimate needs to be divided by three, to accurately calculate the annual burden (535 hours rounded off). Total annual burden for this requirement is 6,935 hours.

Respondent Universe:

3
8

r
a
i
l

Burden time per response:

535
hours;
320
hours

Frequency of Response:

One-time; on occasion

Annual number of Responses:

1 PTCIP + 20 RFAs

Annual Burden:

6,935 hours

Annual Cost:

\$762,850 (\$110 x

6,935 hrs.)

Calculation: 1 PTCIP x 535 hrs. + 20 RFAs x 320 hrs. = 6,935 hours

(3) The host and tenant railroad(s) shall jointly file PTCIP that addresses shared track: (i) if the host railroad is required to install and operate a PTC system on a segment of its track; and (ii) if the tenant railroad that shares the same track segment would have been required to install a PTC system if the host railroad had not otherwise been required to do so.

FRA estimates that approximately five (5) joint PTCIPs will be submitted under the above requirement. It is estimated that each joint PTCIP will be approximately 100 pages long and that it will take approximately eight (8) hours to gather the necessary information and complete each page of the PTCIP. Thus, it is estimated that it will take approximately 800 hours to complete each PTCIP. However, since this is a one-time requirement and since OMB approvals are for three years, this number needs to be divided by three to accurately calculate the annual burden (800 hours divided by three = 267 hours). Total annual burden for this requirement is 1,335 hours.

Respondent Universe:

Burden time per response:

267
hours

Frequency of Response:		One-time
Annual number of Responses:	5 Joint PTCIPs	
Annual Burden:		1,335 hours
Annual Cost:		\$146,850 (\$110 x
	1,335 hrs.)	

Calculation: 5 Joint PTCIPs x 267 hrs. = 1,335 hours

(4) If railroads required to file a joint PTCIP are unable to jointly file a PTCIP in accordance with paragraphs (a)(1) and (a)(3) of this section, then each railroad must:
(i) Separately file a PTCIP in accordance with paragraph (a)(1).

Since jointly filing a PTCIP will not be a problem, FRA estimates that there will be zero (0) PTCIPs filed under the above requirement. Consequently, there is no additional burden associated with this requirement.

(ii) Notify the Associate Administrator that the subject railroads were unable to agree on a PTCIP to be jointly filed.

FRA estimates that approximately one (1) notification to the Associate Administrator will be sent under the above requirement. It is estimated that each notification will be approximately two (2) pages long and that it will take approximately 16 hours to gather the necessary information and complete each page of the notification. Thus, it is estimated that it will take approximately 32 hours to complete each notification. Total annual burden for this requirement is 32 hours.

Respondent Universe:

Burden time per response:

		32 hours
Frequency of Response:		On occasion
Annual number of Responses:	1 notification	
Annual Burden:		32 hours
Annual Cost:		\$2,336 (\$73 x 32 hrs.)

Calculation: 1 notification x 32 hrs. = 32 hours

(iii) Provide the Associate Administrator with a comprehensive list of all issues not in agreement between the railroads that would prevent the subject railroads from jointly filing the PTCIP.

FRA estimates that approximately one (1) comprehensive list of issues will be provided to the Associate Administrator under the above requirement. It is estimated that each list will be approximately five (5) pages long and that it will take approximately 16 hours to gather the necessary information and complete each page of the list. Thus, it is estimated that it will take approximately 80 hours to complete each list. Total annual burden for this requirement is 80 hours.

Respondent Universe:

Burden time per response:

80
hours

Frequency of Response:

On occasion

Annual number of Responses:

1 comprehensive list

Annual Burden:

80 hours

Annual Cost:

\$5,840 (\$73 x 80 hrs.)

Calculation:

1 comprehensive list x 80 hrs. = 80 hours

(iv) Confer with the Associate Administrator to develop and submit a PTCIP mutually acceptable to all subject railroads.

FRA estimates that approximately one (1) conference call with the Associate Administrator will be take place under the above requirement. It is estimated that each conference call will involve a group of 10 railroads and that each call will take approximately 30 minutes to complete. Total annual burden for this requirement is one (1) hour.

Respondent Universe:

3
8

r
a
i
l
r

Burden time per response:

60
minutes

Frequency of Response:	On occasion
Annual number of Responses:	1 conference call
Annual Burden:	1 hour
Annual Cost:	\$73 (\$73 x 1)

Calculation: 1 conference call x 60 min. = 1 hour

(5) Each railroad filing a PTCIP shall report annually, on the anniversary of its original PTCIP submission, and until its PTC system implementation is complete, its progress towards fulfilling the goals outlined in its PTCIP under this Part, including progress towards PTC system installation pursuant to § 236.1005 and onboard PTC apparatus installation and use in PTC-equipped track segments pursuant to § 236.1006, as well as impediments to completion of each of the goals. **(Requirement formerly in § 236.1006)**

Over this three-year period, the entire respondent universe will report twice per year to FRA. Thus, FRA estimates that it will receive approximately 76 reports each year under the above requirement. It is estimated that 46 or half of these reports will involve little work and take approximately eight (8) hours to complete and that the other half or 46 of these reports will involve much more work and take approximately 60 hours to complete. Total annual burden for this requirement is 2,584 hours.

Respondent Universe:

Burden time per response:

		8 hours
		+ 60
		hours
Frequency of Response:		On occasion
Annual number of Responses:	76 reports	
Annual Burden:		2,584 hours
Annual Cost:		\$188,632 (\$73 x
	2,584)	

Calculation: 38 reports x 8 hrs. + 38 reports x 60 hrs. = 2,584 hours

(b) Type Approval. Each host railroad, individually or jointly with others such as a tenant railroad or system supplier, shall file prior to or simultaneously with the filing made in accordance with paragraph (a) of this section:

(1) An unmodified Type Approval previously issued by the Associate Administrator in accordance with § 236.1013 or § 236.1031(b) with its associated docket number.

FRA estimates that approximately two (2) railroads will be affected and thus two (2) unmodified previously issued Type Approvals will be filed with FRA under the above requirement. It is estimated that each Type Approval will be approximately one (1) page long and that it will take approximately eight (8) hours to gather the necessary information and complete the document. Total annual burden for this requirement is 16 hours.

Respondent Universe:	38 railroads	
Burden time per response:	8 hours	
Frequency of Response:		On occasion
Annual number of Responses:	2 Type Approval documents	
Annual Burden:		16 hours
Annual Cost:		\$1,168 (\$73 x 16 hrs.)

Calculation: 2 Type Approval documents x 8 hrs. = 16 hours

(2) A PTCDP requesting a Type Approval for: (i) a PTC system that does not have a Type Approval; or (ii) a PTC system with a previously issued Type Approval that requires one or more variances.

FRA estimates that approximately 20 cover letters accompanying 20 modified Type Approvals and two (2) PTCDPs will be completed under the above requirement. It is estimated that each cover letter will be approximately one (1) page long and take approximately eight (8) hours to complete each page; that each modified Type Approval will be approximately 100 pages long and take approximately 16 hours to complete each page; and that each PTCDP will be approximately 400 pages long and that it will take approximately 16 hours to complete each page. Thus, it is estimated that it will take approximately eight (8) hours; 1,600 hours; and 6,400 hours, respectively, to complete each document. Total annual burden for this requirement is 44,960 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

8 hours
+ 1,600
hours +
6,400
hours

Frequency of Response:	On occasion
Annual number of Responses:	20 cover letters + 20 modified Type Approvals + 2 PTCDPs
Annual Burden:	44,960 hours
Annual Cost:	\$3,282,080 (\$73 x 44,960 hrs.)

Calculation: 20 cover letters x 8 hrs. + 20 modified Type Approvals x 1,600 hrs.
+ 2 PTCDPs x 6,400 hrs. = 44,960 hours

(3) A PTCSP subject to the conditions set forth in paragraph (c) of this section, with or without a Type Approval; or

(4) A document attesting that a Type Approval is not necessary since the host railroad has no territory for which a PTC system is required under this subpart.

(c) Notice of Product Intent (NPI). A railroad may, in lieu of submitting a PTCDP, or referencing an already issued Type Approval, submit an NPI describing the functions of the proposed PTC system. If a railroad elects to file an NPI in lieu of a PTCDP or referencing an existing Type Approval with the PTCIP, and the PTCIP is otherwise acceptable to the Associate Administrator, the Associate Administrator may grant provisional approval of the PTCIP.

FRA estimates that approximately three (3) NPIs and one (1) PTCIP will be submitted under the above requirement. It is estimated that each NPI will be approximately 200 pages long and take approximately 16 hours to gather the necessary information and complete the NPI. Thus, each NPI will take approximately 3,200 hours to complete. Further, it is estimated that each PTCIP will be approximately 100 gages long and take approximately 16 hours to gather the necessary information and complete each page of the document. Thus, each PTCIP will take approximately 1,600 hours to complete. However, since this is a one-time requirement and since OMB approvals are for three years, these two numbers need to be divided by three to accurately calculate the annual burden (3,200 hours divided by three = 1,070 hours (rounded off) and 1,600 hours divided by three = 535 hours (rounded off)). Total annual burden for this requirement is 3,745 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

1,070
hours +
535
hours

Frequency of Response:

One-time

Annual number of Responses:

3 NPIs + 1 PTCIP

Annual Burden:

3,745 hours

Annual Cost:

\$273,385 (\$73 x 3,745

hrs.)

Calculation: 3 NPIs x 1,070 hrs. + 1 PTCIPs x 535 hrs. = 3,745 hours

Additionally, FRA estimates that approximately one (1) PTCDP will be submitted under the above requirement. It is estimated that each PTCDP will be approximately 400 pages long and take approximately 16 hours to gather the necessary information and complete each page of the PTCDP. Thus, each PTCDP will take approximately 6,400 hours to complete. However, since this is a one-time requirement and since OMB approvals are for three years, this number needs to be divided by three to accurately calculate the annual burden (6,400 hours divided by three = 2,135 hours (rounded off). Total annual burden for this requirement is 2,135 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

Frequency of Response:		One-time	2,135 hours
Annual number of Responses:	1 PTCDP		
Annual Burden:		2,135 hours	
Annual Cost:		\$155,855 (\$73 x 2,135 hrs.)	

Calculation: 1 PTCDP x 2,135 hrs. = 2,135 hours

(1) A provisional approval of a PTCIP, unless otherwise extended by the Associate Administrator, is valid for a period of 270 days from the date of approval by the Associate Administrator.

(2) The railroad must submit an updated PTCIP with either a complete PTCDP as defined in § 236.1013(a), an updated PTCIP referencing an already approved Type Approval, or a full PTCSP within 270 days after the “Provisional Approval”.

FRA estimates that approximately one (1) updated PTCIP with a complete PTCDP will be submitted under the above requirement. It is estimated that each updated PTCIP will be approximately 100 pages long and take approximately 16 hours to gather the necessary information and complete each page of the document. Thus, each updated PTCIP will take approximately 1,600 hours to complete. Further, it is estimated that each PTCDP will be approximately 400 pages long and take approximately 16 hours to gather the necessary information and complete the PTCDP. Thus, each PTCDP will take approximately 6,400 hours to complete. However, since this is a one-time requirement and since OMB approvals are for three years, these two numbers need to be divided by three to accurately calculate the annual burden (1,600 hours divided by three = 535 hours (rounded off) and 6,400 hours divided by three = 2,135 hours (rounded off)). Total annual burden for this requirement is 2,670 hours.

Respondent Universe:

3
8

r
a
i
l

Burden time per response:

		535 hours; 2,135 hours
Frequency of Response:		One-time
Annual number of Responses:	1 updated PTCIP + 1 PTCDP	
Annual Burden:	2,670 hours	
Annual Cost:	hrs.)	\$194,910 (\$73 x 2,670)

Calculation: 1 PTCIP x 535 hrs. + 1 PTCDPs x 2,135 hrs. = 2,670 hours

(i) Within 90 days of receipt of an updated PTCIP that was submitted with an NPI, the Associate Administrator will approve or disapprove of the updated PTCIP and notify in writing the affected railroad. If the updated PTCIP is not approved, the notification will include the plan’s deficiencies. Within 30 days of receipt of that notification, the railroad or other entity that submitted the plan shall correct all deficiencies and resubmit the plan in accordance with this section and §236.1011, as applicable.

Of the one (1) updated PTCIP, FRA estimates that will require further changes. Thus, FRA estimates that one PTCIP with NPI will be corrected and resubmitted under the above requirement. It is estimated that the corrected PTCIP will be approximately 25 pages long and take approximately 16 hours to gather the necessary information and complete each page of the document. Thus, the corrected PTCIP will take approximately 400 hours to complete. Further, it is estimated that the corrected NPI will be approximately 50 pages long and take approximately 16 hours to gather the necessary information and complete each page of the document. Thus, the corrected NPI will take approximately 800 hours to complete. However, since this is a one-time requirement and since OMB approvals are for three years, these two numbers need to be divided by three to accurately calculate the annual burden (400 hours divided by three = 135 hours (rounded off) and 800 hours divided by three = 270 hours (rounded off)). Total annual burden for this requirement is 405 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

135
hours +
270
hours

Frequency of Response:	One-time
Annual number of Responses:	1 corrected PTCIP + 1 corrected NPI
Annual Burden:	405 hours
Annual Cost:	\$29,565 (\$73 x 405 hrs.)

Calculation: 1 PTCIP x 135 hrs. + 1 NPI x 270 hrs. = 405 hours

(ii) If an update to a “Provisionally Approved” PTCIP is not received by the Associate Administrator for Safety by the end of the period indicated in this paragraph, the “Provisional Approval” given to the PTCIP is automatically revoked. The revocation is retroactive to the date the original PTCIP and NPI were first submitted to the Associate Administrator.

Of the one (1) estimated updated PTCIP with PTCDP to the “Provisionally Approved” PTCIPs, it is estimated that it will not be received by the end of the ninth month and will need to be reworked/resubmitted under the above requirement. It is estimated that the reworked/resubmitted PTCIP will be approximately 25 pages long and take approximately 16 hours to gather the necessary information and complete each page of the document.

Thus, each reworked PTCIP will take approximately 400 hours to complete.

Further, it is estimated that the reworked PTCIP will be approximately 100 pages long and take approximately 16 hours to gather the necessary information and complete the PTCIP. Thus, each reworked PTCIP will take approximately 1,600 hours to complete. However, since this is a one-time requirement and since OMB approvals are for three years, these two numbers need to be divided by three to accurately calculate the annual burden (400 hours divided by three = 135 hours (rounded off) and 1,600 hours divided by three = 535 hours (rounded off)). Total annual burden for this requirement is 670 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

135
hours +
535
hours

Frequency of Response:		One-time
Annual number of Responses:	1 PTCIPs + 1 PTCIPs	
Annual Burden:		670 hours
Annual Cost:		\$48,910 (\$73 x 670 hrs.)

Calculation: 1 PTCIP x 135 hrs. + 1 PTCIP x 535 hrs. = 670 hours

Of the earlier one (1) PTCIP submitted with PTCDP under § 236.1009(c)(2)(i) above, FRA believes that it will need to be reworked or corrected under the above requirement. It is estimated that the reworked PTCIP will be about 25 pages long and that it will take approximately 16 hours to complete each page. Thus, each reworked PTCIP will take approximately 400 hours to complete. Further, it is estimated that the reworked PTCDP will be approximately 100 pages long and that it will take approximately 16 hours to gather the necessary information and complete each page of the PTCDP. Thus, each reworked PTCDP will take approximately 1,600 hours to gather the necessary information and complete each page. However, since this is a one-time requirement and since OMB approvals are for three years, these two numbers need to be divided by three to accurately calculate the annual burden (400 hours divided by three = 135 hours (rounded off) and 1,600 hours divided by three = 535 hours (rounded off)). Total annual burden for this requirement is 670 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

135
hours +
535
hours

Frequency of Response:

One-time

Annual number of Responses:

1 resubmitted PTCIPs + 1 resubmitted
PTCDPs

Annual Burden:

670 hours

Annual Cost:

\$48,910 (\$73 x 670)

hrs.)

Calculation: 1 resubmitted PTCIP x 135 hrs. + 1 resubmitted PTCDP x 535 hrs.
= 670 hours

(d) PTCSP and PTC system certification. The following apply to PTCSP and PTC System Certification.

(1) A PTC System Certification for a PTC system may be obtained by submitting an acceptable PTCSP. If the PTC system is the subject of a Type Approval, the safety case elements contained in the PTCDP may be incorporated by reference into the PTCSP, subject to finalization of the human factors analysis contained in the PTCDP.

(2) Each PTCSP requirement under § 236.1015 shall be supported by information and analysis sufficient to establish that the requirements of this subpart have been satisfied.

The burden associated with the PTCSP is included below under that of § 236.1015. The burden associated with the PTCDP and Type Approval is included under that of § 236.1013. Consequently, there is no additional burden associated with this requirement.

(3) If the Associate Administrator finds that the PTCSP and supporting documentation support a finding that the system complies with this part, the Associate Administrator may approve the PTCSP. If the Associate Administrator approves the PTCSP, the railroad shall receive PTC System Certification for the subject PTC system and shall implement the PTC system according to the PTCSP.

(4) A required PTC system shall not: (i) be used in service until it receives from FRA a PTC System Certification; and (ii) receive a PTC System Certification unless FRA receives and approves an applicable: (A) PTCSP; or (B) Request for Expedited Certification (REC) as defined by § 236.1031(a).

The burden associated with the PTCSP is included below under that of § 236.1015. The burden associated with the Request for Expedited Certification (REC) is included under that of § 236.1031(a). Consequently, there is no additional burden associated with this requirement.

(e) Plan contents. (1) No PTCIP shall receive approval unless it complies with § 236.1011. No railroad shall receive a Type Approval or PTC System Certification unless the applicable PTCDP or PTCSP, respectively, complies with §§ 236.1013 and 236.1015, respectively.

(2) All materials filed in accordance with this subpart must be in the English language, or have been translated into English and attested as true and correct.

FRA estimates that approximately one (1) document filed in accordance with this subpart will not be in English and will need to be translated into English and certified as true and correct. It is estimated that each translated document will be approximately 1,000 pages long (including cover letter) and that it will take approximately eight (8) hours to gather the necessary information/translate the document. Thus, it is estimated that it will take approximately 8,000 hours to complete the document. Total annual burden for this requirement is 8,000 hours.

Respondent Universe:	38 railroads	
Burden time per response:	8,000 hours	
Frequency of Response:		On occasion
Annual number of Responses:	1 document	
Annual Burden:		8,000 hours
Annual Cost:		\$584,000 (\$73 x 8,000 hrs.)

Calculation: 1 document x 8,000 hrs. = 8,000 hours

(3) Each filing referenced in this section may include a request for full or partial confidentiality in accordance with § 209.11 of this chapter. If confidentiality is requested as to a portion of any applicable document, then in addition to the filing requirements under § 209.11 of this chapter, the person filing the document shall also file a copy of the original un-redacted document, marked to indicate which portions are redacted in the document's confidential version without obscuring the original document's contents.

FRA estimates that approximately 38 cover letters and 38 requests for confidentiality with a copy of the original un-redacted document properly marked will be made under the above requirement. It is estimated that each cover letter will be approximately one (1) page long and take approximately eight (8) hours to gather the necessary information and complete; and that each request for confidentiality will be approximately 200 pages long and that it will take approximately four (4) to properly mark/redact each page to complete the document. Thus, it is estimated that it will take eight (8) hours and 800 hours, respectively, to complete the cover letter and confidentiality request. Total annual burden for this requirement is 30,704 hours.

Respondent Universe:

3
8
r

Burden time per response:

8 hours;
800
hours

Frequency of Response:	On occasion
Annual number of Responses:	38 cover letters + 38 requests for confidentiality
Annual Burden:	30,704 hours
Annual Cost:	\$2,241,392 (\$73 x 30,704 hrs.)

Calculation: 38 cover letters x 8 hrs. + 38 confidentiality requests x 800 hrs. = 30,704 hours

(f) Supporting documentation and information.

(1) Issuance of a Type Approval or PTC System Certification is contingent upon FRA’s confidence in the implementation and operation of the subject PTC system. This confidence may be based on FRA-monitored field testing or an independent assessment performed in accordance with § 236.1035 or § 236.1017, respectively.

The burden associated with FRA-monitored field testing or independent assessments is included under that of § 236.1035 and that of § 236.1017, respectively. Consequently, there is no additional burden associated with this requirement.

(2) Upon request by FRA, the railroad requesting a Type Approval or PTC System Certification must engage in field testing or independent assessment performed in accordance with § 236.1035 or § 236.1017, respectively, to support assertions made in any of the plans submitted under this subpart. These assertions include any of the plans’ content requirements under this subpart.

This requirement is above and beyond the earlier requirement. As a result, FRA estimates that all 46 railroads will be affected. It is estimated that these 46 railroads will each conduct approximately five (5) sets of field tests (230 tests in all); that each field test

document will be approximately 100 pages long; and that it will take approximately eight (8) hours to gather the necessary information and complete each page of the field test. Thus, it is estimated that each field test will take approximately 800 hours to complete.

Further, FRA estimates that approximately two (2) independent assessments, in accordance with § 236.1035 or § 236.1017, will be conducted under the above requirement; that each independent assessment document will be approximately 100 pages long; and that it will take approximately eight (8) hours to gather the necessary information and complete each page of the assessment. Thus, it is estimated that each independent assessment will also take approximately 800 hours to complete. Total annual burden for this requirement is 153,600 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

800
hours

Frequency of Response:	On occasion
Annual number of Responses:	190 field tests + 2 independent assessments
Annual Burden:	153,600 hours
Annual Cost:	\$16,896,000 (\$110 x 153,600 hrs.)

Calculation: 190 field tests x 800 hrs. + 2 independent assessments x 800 hrs. = 153,600 hours

(h) FRA access. The Associate Administrator, or that person's designated representatives, shall be afforded reasonable access to monitor, test, and inspect processes, procedures,

facilities, documents, records, design and testing materials, artifacts, training materials and programs, and any other information used in the design, development, manufacture, test, implementation, and operation of the system, as well as interview any personnel:

(1) associated with a PTC system for which a Type Approval or PTC System Certification has been requested or provided; and (2) to determine whether a railroad has been in compliance with this subpart.

FRA estimates that approximately 76 interviews of personnel associated with a PTC system for which a Type Approval or PTC System Certification has been requested/provided will be conducted by FRA representatives under the above requirement. It is estimated that each interview will take approximately 30 minutes to complete. Total annual burden for this requirement is 38 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

30
minutes

Frequency of Response:		On occasion
Annual number of Responses:	76 interviews	
Annual Burden:		38 hours
Annual Cost:		\$2,774 (\$73 x 38 hrs.)

Calculation: 76 interviews x 30 min. = 38 hours

(i) Foreign regulatory entity verification. Information that has been certified under the auspices of a foreign regulatory entity recognized by the Associate Administrator may, at

the Associate Administrator's sole discretion, be accepted as independently Verified and Validated and used to support each railroad's development of the PTCSP.

The burden for this requirement is included under that of § 236.10009(d)(2) above. Consequently, there is no additional burden associated with this requirement.

(j) Processing times for PTCDP and PTCSP. (1) Within 30 days of receipt of a PTCDP or PTCSP, the Associate Administrator will either acknowledge receipt or acknowledge receipt and request more information. (2) To the extent practicable, considering the scope, complexity, and novelty of the product or change: (i) FRA will approve, approve with conditions, or deny the PTCDP within 60 days of the date on which the PTCDP was filed; (ii) FRA will approve, approve with conditions, or deny the PTCSP within 180 days of the date on which the PTCSP was filed.

FRA estimates that approximately eight (8) requests for further information concerning a PTCDP or PTCSP will be made by the Associate Administrator and thus eight (8) documents will be received in response under the above requirement. It is estimated that the required document will be approximately 50 pages long and that it will take approximately eight (8) hours per page for each railroad to gather the necessary information and submit the necessary document to FRA. Thus, it will take approximately 400 hours to complete each required document. Total annual burden for this requirement is 3,200 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

		400 hours
Frequency of Response:		On occasion
Annual number of Responses:	8 documents with further information	
Annual Burden:		3,200 hours
Annual Cost:		\$233,600 (\$73 x 3,200 hrs.)

Calculation: 8 documents with further information x 400 hrs. = 3,200 hours

The burden associated with PTCDPs and PTCSPs is included under that of § 236.1009 and § 236.1015, respectively. Consequently, there is no additional burden associated with the above requirement.

(iii) If FRA has not approved, approved with conditions, or denied the PTCDP or PTCSP within the 60-day or 180-day window, as applicable, FRA will provide the submitting party with a statement of reasons as to why the submission has not yet been acted upon and a projected deadline by which an approval or denial will be issued and any further consultations or inquiries will be resolved.

FRA estimates that zero (0) consultations or inquiries will be made under the above requirement. Consequently, there is no additional burden associated with this requirement.

Total annual burden for this entire requirement is 261,780 hours (6,935 + 1,335 + 32 + 80 + 1 + 2,584 + 16 + 44,960 + 3,745 + 2,135 + 2,670 + 405 + 670 + 670 + 8,000 + 30,704 + 153,600 + 38 + 3,200).

§ 236.1011 – PTC IP Content Requirements

(a) Contents. A PTCIP filed pursuant to this subpart shall, at a minimum, describe: (1) the functional requirements that the proposed system must meet; (2) how the PTC railroad intends to comply with § 236.1009(c) and (d); (3) how the PTC system will provide for interoperability of the system between the host and all tenant railroads on the track segments required to be equipped with PTC systems under this subpart and: (i) include relevant provisions of any agreements, executed by all applicable railroads, in place to achieve interoperability; (ii) list all methods used to obtain interoperability; and (iii) identify any railroads with respect to which interoperability agreements have not been achieved as of the time the plan is filed, the practical obstacles that were encountered that prevented resolution, and the further steps planned to overcome those obstacles; (4) how, to the extent practical, the PTC system will be implemented to address areas of greater risk to the public and railroad employees before areas of lesser risk; (5) the sequence and schedule in which track segments will be equipped and the basis for those decisions, and shall at a minimum address the following risk factors by track segment: (i) Segment traffic

characteristics such as typical annual passenger and freight train volume and volume of poison- or toxic-by-inhalation (PIH or TIH) shipments (loads, residue); (ii) Segment operational characteristics such as current method of operation (including presence or absence of a block signal system), number of tracks, and maximum allowable train speeds, including planned modifications; and (iii) Route attributes bearing on risk, including ruling grades and extreme curvature; (6) the following information relating to rolling stock: (i) what rolling stock will be equipped with PTC technology; (ii) the schedule to equip that rolling stock by December 31, 2015; and (iii) all documents and information required by § 236.1006; and (iv) unless the tenant railroad is filing its own PTCIP, the host railroad's PTCIP shall: (A) attest that the host railroad has made a formal written request to each tenant railroad requesting identification of each item of rolling stock to be PTC system equipped and the date each item will be equipped; and (B) include each tenant railroad's response to the host railroad's written request made in accordance with paragraph (a)(6)(iii)(A) of this section; (7) the number of wayside devices required for each track segment and the installation schedule to complete wayside equipment installation by December 31, 2015; (8) identification of each track segment on the railroad as mainline or non-mainline track. If the PTCIP includes a Mainline Track Exclusion Addendum (MTEA), as defined by § 236.1019, the PTCIP should identify the tracks included in the MTEA as main line track with a reference to the MTEA; (9) to the extent the railroad determines that risk-based prioritization required by paragraph (a)(4) of this section is not practical, the basis for this determination; and (10) the dates the associated PTCIP and PTCSP, as applicable, will be submitted to FRA in accordance with § 236.1009.

(b) Additional Class I PTC Requirements. Each Class I railroad shall include: (1) In its PTCIP a strategy for full deployment of its PTC system, describing the criteria that it will apply in identifying additional rail lines on its own network, and rail lines of entities that it controls or engages in joint operations with, for which full or partial deployment of PTC technologies is appropriate, beyond those required to be equipped under this subpart. Such criteria shall include consideration of the policies established by 49 U.S.C. § 20156 (railroad safety risk reduction program), and regulations issued thereunder, as well as non-safety business benefits that may accrue.

(2) In the Technology Implementation Plan of its Risk Reduction Program, when first required to be filed in accordance with 49 U.S.C. § 20156 and any regulation promulgated thereunder, a specification of rail lines selected for full or partial deployment of PTC under the criteria identified in its PTCIP.

(3) Nothing in this paragraph shall be construed to create an expectation or requirement that additional rail lines beyond those required to be equipped by this subpart must be equipped or that such lines will be equipped during the period of primary implementation ending December 31, 2015.

(4) As used in this paragraph “partial implementation” of a PTC system refers to use, pursuant to subpart H of this part, of technology embedded in PTC systems that does not employ all of the functionalities required by this subpart.

(c) FRA review. Within 90 days of receipt of a PTCIP, the Associate Administrator will approve or disapprove of the plan and notify in writing the affected railroad or other entity. If the PTCIP is not approved, the notification will include the plan’s deficiencies. Within 30 days of receipt of that notification, the railroad or other entity that submitted the plan shall correct all deficiencies and resubmit the plan in accordance with § 236.1009 and paragraph (a) of this section, as applicable.

(d) Subpart H. A railroad that elects to install a PTC system when not required to do so may elect to proceed under this subpart or under subpart H of this part.

(e) Upon receipt of a PTCIP, NPI, PTCDP, or PTCSP, FRA posts on its public website notice of receipt and reference to the public docket in which a copy of the filing has been placed. FRA may consider any public comment on each document to the extent practicable within the time allowed by the law and without delaying implementation of PTC systems.

The burden associated with PTCIPs is included under that of § 236.1009 above. The burden associated with MTEAs is included under that of § 236.1019. At this time, no rule has yet been developed concerning a Risk Reduction Program and filing of a Technology Implementation Plan (TIP). Consequently, there is no additional burden associated with the above requirements.

Public Comment. Concerning item (e) above and public comments on PTCIPs, PTCDPs, and PTCSPs submitted to the agency, FRA estimates that there will be approximately one (1) review and that, because of complexity of the documents, it will take approximately 143 hours to complete. Further, FRA estimates that it will receive approximately 20 comments per reviewed document, or a total of approximately 40 comments on the PTCDPs and PTCSPs (since the deadline for PTCIPs has now expired) It is estimated that each comment will take approximately eight (8) hours to complete each comment. Total annual burden for this requirement is 463 hours.

Respondent Universe:

Burden time per response:

143
hours; 8
hours

Frequency of Response:		On occasion
Annual number of Responses:	1 review + 40 public comments	
Annual Burden:	463 hours	
Annual Cost:		\$33,799 (\$73 x 463 hrs.)

Calculation: 1 review x 143 hrs. + 40 public comments x 8 hrs. = 463 hours

(f) The PTCIP shall be maintained to reflect the railroad’s most recent PTC deployment plans until all PTC system deployments required under the RSIA08 are complete.

The burden associated with PTCIPs is included under that of § 236.1009 above. Consequently, there is no additional burden associated with the above requirement.

Total burden for this entire requirement is 463 hours.

§ 236.1013 – PTC Development Plan and Notice of Product Intent Content Requirements and Type Approval.

(a) For a PTC system to obtain a Type Approval from FRA, the PTCDP shall be filed in accordance with § 236.1009 and shall include: (1) A complete description of the PTC system, including a list of all PTC system components and their physical relationships in the subsystem or system; (2) A description of the railroad operation or categories of operations on which the PTC system is designed to be used, including train movement

density (passenger, freight), operating speeds (including a thorough explanation of intended compliance with § 236.1007), track characteristics, and railroad operating rules; (3) An operational concepts document, including a list with complete descriptions of all functions which the PTC system will perform to enhance or preserve safety; (4) A document describing the manner in which the PTC architecture satisfies safety requirements; (5) A preliminary human factors analysis, including a complete description of all human-machine interfaces and the impact of interoperability requirements on the same; (6) An analysis of the applicability to the PTC system of the requirements of subparts A through G of this part that may no longer apply or are satisfied by the PTC system using an alternative method, and a complete explanation of the manner in which those requirements are otherwise fulfilled; (7) A prioritized service restoration and mitigation plan and a description of the necessary security measures for the system; (8) A description of target safety levels (e.g., MTTHE for major subsystems as defined in subpart H), including requirements for system availability and a description of all backup methods of operation and any critical assumptions associated with the target levels; (9) A complete description of how the PTC system will enforce authorities and signal indications; (10) A description of the deviation which may be proposed under § 236.1029(c), if applicable; and (11) A complete description of how the PTC system will appropriate and timely enforce all integrated hazard detectors in accordance with § 236.1005(c)(3), if applicable.

(b) If the Associate Administrator finds that the system described in the PTCDP would satisfy the requirements for PTC systems under this subpart and that the applicant has made a reasonable showing that a system built to the stated requirements would achieve the level of safety mandated for such a system under § 236.1015, the Associate Administrator may grant a numbered Type Approval for the system.

(c) Each Type Approval shall be valid for a period of five (5) years, subject to automatic and indefinite extension provided that at least one PTC System Certification using the subject PTC system has been issued within that period and not revoked.

(d) The Associate Administrator may prescribe special conditions, amendments, and restrictions to any Type Approval as necessary for safety.

The burden for this requirement is included under that of § 236.1009 above and that of § 236.1023 below. Consequently, there is no additional burden associated with this requirement.

(e) If submitted, a NPI must contain the following information: (1) A description of the railroad operation or categories of operations on which the proposed PTC system is designed to be used, including train movement density (passenger, freight), operating speeds (including a thorough explanation of intended compliance with § 236.1007), track characteristics, and railroad operating rules; (2) An operational concepts document,

including a list with complete descriptions of all functions that the proposed PTC system will perform to enhance or preserve safety; (3) A description of target safety levels (e.g., MTTHE for major subsystems as defined in subpart H), including requirements for system availability and a description of all backup methods of operation and any critical assumptions associated with the target levels; (4) A complete description of how the proposed PTC system will enforce authorities and signal indications; and (5) A complete description of how the proposed PTC system will appropriately and timely enforce all integrated hazard detectors in accordance with § 236.1005(c)(3), if applicable.

The burden for this requirement is included under that of § 236.1009(c) above. Consequently, there is no additional burden associated with this requirement.

§ 236.1015 – PTCSP Content Requirements and PTC System Certification

(a) Before placing a PTC system required under this part in service, the host railroad must submit to FRA a PTCSP and receive a PTC System Certification. If the Associate Administrator finds that the PTCSP and supporting documentation support a finding that the system complies with this part, the Associate Administrator approves the PTCSP and issues a PTC System Certification. Receipt of a PTC System Certification affirms that the PTC system has been reviewed and approved by FRA in accordance with, and meets the requirements of, this part.

(b) A PTCSP submitted under this subpart may reference and utilize, in accordance with this subpart, any Type Approval previously issued by the Associate Administrator to any railroad, provided that the railroad: (1) Maintains a continually updated PTCSP pursuant to § 236.1023; and (2) Shows that the supplier from which they are procuring the PTC system has established and can maintain a quality control system for PTC system design and manufacturing acceptable to the Associate Administrator. The quality control system must include the process for the product supplier or vendor to promptly and thoroughly report any safety relevant failure and previously unidentified hazards to each railroad using the product; and (3) Provides the applicable licensing information.

(c) A PTCSP submitted in accordance with this subpart shall: (1) Include the FRA approved PTCSP or, if applicable, the FRA issued Type Approval; (2)(i) Specifically and rigorously document each variance between the PTC system and its applicable operating conditions as described in the PTCSP, and attest that there are no other such variances; or (ii) Attest that there are no variances between the PTC system and its applicable operating conditions as described in the applicable PTCSP from that as described in the PTCSP; and (3) Attest that the system was otherwise built in accordance with the applicable PTCSP and PTCSP and achieves the level of safety represented therein.

(d) A PTCSP shall include the same information required for a PTCSP under § 236.1013(a). If a PTCSP has been filed and approved prior to filing of the PTCSP, the

PTCSP may incorporate the PTCDP by reference, with the exception that a final human factors analysis shall be provided. The PTCSP shall contain the following additional elements: (1) A hazard log consisting of a comprehensive description of all safety-relevant hazards not previously addressed by the vendor or supplier to be addressed during the life cycle of the PTC system, including maximum threshold limits for each hazard (for unidentified hazards, the threshold shall be exceeded at one occurrence); (2) A description of the safety assurance concepts that are to be used for system development, including an explanation of the design principles and assumptions; (3) A risk assessment of the as-built PTC system described; (4) A hazard mitigation analysis, including a complete and comprehensive description of each hazard and the mitigation techniques used; (5) A complete description of the safety assessment and Verification and Validation processes applied to the PTC system, their results, and whether these processes address the safety principles described in Appendix C to this part directly, using other safety criteria, or not at all; (6) A complete description of the railroad's training plan for railroad and contractor employees and supervisors necessary to ensure safe and proper installation, implementation, operation, maintenance, repair, inspection, testing, and modification of the PTC system; (7) A complete description of the specific procedures and test equipment necessary to ensure the safe and proper installation, implementation, operation, maintenance, repair, inspection, testing, and modification of the PTC system on the railroad and establish safety-critical hazards are appropriately mitigated. These procedures, including calibration requirements, shall be consistent with or explain deviations from the equipment manufacturer's recommendations; (8) A complete description of any additional warning to be placed in the Operations and Maintenance Manual in the same manner specified in § 236.919 and all warning labels to be placed on equipment as necessary to ensure safety; (9) A complete description of the configuration or revision control measures designed to ensure that the railroad or its contractor does not adversely affect the safety-functional requirements and that safety-critical hazard mitigation processes are not compromised as a result of any such change; (10) A complete description of all initial implementation testing procedures necessary to establish that safety-functional requirements are met and safety-critical hazards are appropriately mitigated; (11) A complete description of all post-implementation testing (validation) and monitoring procedures, including the intervals necessary to establish that safety-functional requirements, safety-critical hazard mitigation processes, and safety-critical tolerances are not compromised over time, through use, or after maintenance (adjustment, repair, or replacement) is performed; (12) A complete description of each record necessary to ensure the safety of the system that is associated with periodic maintenance, inspections, tests, adjustments, repairs, or replacements, and the system's resulting conditions, including records of component failures resulting in safety-relevant hazards (see § 236.1037); (13) A safety analysis to determine whether, when the system is in operation, any risk remains of an unintended incursion into a roadway work zone due to human error. If the analysis reveals any such risk, the PTCDP and PTCSP shall describe how that risk will be mitigated; (14) A more detailed description of any alternative arrangements as already provided under § 236.1015(a)(1)(i); (15) A complete description of how the PTC system

will enforce authorities and signal indications, unless already completely provided for in the PTCDP; (16) A description of how the PTCSP complies with § 236.1019(f), if applicable; (17) A description of any in operational requirements for en route failures as specified under § 236.1029(c), if applicable and unless already completely provided for in the PTCDP; (18) A complete description of how the PTC system will appropriate and timely enforce all integrated hazard detectors in accordance with § 236.1005; (19) An emergency and planned maintenance temporary rerouting plan indicating how operations on the subject PTC system will take advantage of the benefits provided under §§ 236.1005(g) through (k); (20) The documents and information required under § 236.1007 and § 236.1033; and (21) A list of each location where a locomotive with a failed onboard PTC apparatus will be regularly exchanged or repaired pursuant to § 236.1029(b)(6) and a list of each movement that could take place pursuant to § 236.1029(b)(6) if the movement potentially could exceed 500 miles.

The burden for the above requirements is included under that of (e)(1), (2), and (3) below. Consequently, there is no additional burden associated with this requirement.

(e) The following additional requirements apply to:

(1) Non-vital overlay. A PTC system proposed as an overlay on the existing method of operation and not built in accordance with the safety assurance principles set forth in Appendix C of this part must, to the satisfaction of the Associate Administrator, be shown to: (i) Reliably execute the functions set forth in § 236.1005; (ii) Obtain at least 80 percent reduction of the risk associated with accidents preventable by the functions set forth in § 236.1005, when all effects of the change associated with the PTC system are taken into account. The supporting risk assessment shall evaluate all intended changes in railroad operations coincident with the introduction of the new system; and (iii) Maintain a level of safety for each subsequent system modification that is equal to or greater than the level of safety for the previous PTC systems.

FRA estimates that it will receive approximately three (3) PTCSPs, which will include the required supporting risk assessments, under the above requirement. It is estimated that each PTCSP will be approximately 1,000 pages long and that it will take approximately 16 hours per page to gather the necessary information and complete each page of the document. Thus, it is estimated that it will take approximately 16,000 hours to complete each PTCSP. Total annual burden for this requirement is 48,000 hours.

Respondent Universe:

3
8

Burden time per response:

		16,000 hours
Frequency of Response:		On occasion
Annual number of Responses:	3 PTCSPs	
Annual Burden:		48,000 hours
Annual Cost:		\$3,504,000 (\$73 x 48,000 hrs.)

Calculation: 3 PTCSPs x 16,000 hrs. = 48,000 hours

(2) Vital overlay. A PTC system proposed on a newly constructed track or as an overlay on the existing method of operation and is built in accordance with the safety assurance principles set forth in Appendix C of this part must, to the satisfaction of the Associate Administrator, be shown to: (i) Reliably execute the functions set forth in § 236.1005; and (ii) Have sufficient documentation to demonstrate that the PTC system, as built, fulfills the safety assurance principles set forth in Appendix C of this part. The supporting risk assessment may be abbreviated as that term is used in subpart H of this part.

FRA estimates that it will receive approximately 28 PTCSPs, which will include supporting risk assessments, under the above requirement. The system complexity is much greater here than with non-vital overlays above. As a result, it is estimated that each PTCSP will be approximately 1,400 pages long and that it will take approximately 16 hours to gather the necessary information and complete each page of the document. Thus, it is estimated that it will take approximately 22,400 hours to complete each PTCSP. Total annual burden for this requirement is 627,200 hours.

Respondent Universe:

Burden time per response:

22,400
hours

Frequency of Response:

On occasion

Annual number of Responses:

28 PTCSPs

Annual Burden:

627,200 hours

Annual Cost:

\$45,785,600 (\$73 x

627,200 hrs.)

Calculation: 28 PTCSPs x 22,400 hrs. = 627,200 hours

(3) Stand-alone. A PTC system proposed on a newly constructed track, an existing track for which no signal system exists, as a replacement for an existing signal or train control system, or to otherwise intend to replace or materially modify the existing method of operation, must: (i) Reliably execute the functions required by § 236.1005 and be demonstrated to do so to FRA’s satisfaction; and (ii) Have a PTCSP establishing, with a high degree of confidence, that the system will not introduce new hazards that have not been mitigated. The supporting risk assessment shall evaluate all intended changes in railroad operations in relation to the introduction of the new system and shall examine in detail the direct and indirect effects of all changes in the method of operations.

FRA estimates that it will receive approximately one (1) PTCSP, which will include the required supporting risk assessments, under the above requirement. It is estimated that each PTCSP will be approximately 2,000 pages long and that it will take approximately 16 hours to gather the necessary information and complete each page of the document. Thus, it is estimated that it will take approximately 32,000 hours to complete each PTCSP. Total annual burden for this requirement is 32,000 hours.

Respondent Universe:

Burden time per response:

		32,000 hours
Frequency of Response:		On occasion
Annual number of Responses:	1 PTCSP	
Annual Burden:		32,000 hours
Annual Cost:		\$2,336,000 (\$73 x 32,000 hrs.)

Calculation: 1 PTCSP x 32,000 hrs. = 32,000 hours

(4) Mixed systems. If a PTC system combining overlay, stand-alone, vital, or non-vital characteristics is proposed, the railroad shall confer with the Associate Administrator regarding appropriate structuring of the safety case and analysis.

FRA estimates that approximately three (3) sit-down conferences with the Associate Administrator will be held under the above requirement. It is estimated that each conference will include two railroads (and FRA representatives) and be held over two eight hour days. Thus, it is estimated that each conference will take approximately 32 hours (2 RRs x 2 days x 8 hrs. p/day) to complete. Total annual burden for this requirement is 96 hours.

Respondent Universe:

Burden time per response:

32
hours

Frequency of Response:

On occasion

Annual number of Responses:

3 conferences

Annual Burden:

96 hours

Annual Cost:

\$7,008 (\$73 x 96 hrs.)

Calculation:

3 conferences x 32 hrs. = 96 hours

Additionally, FRA estimates that it will receive approximately one (1) PTCSP that include the appropriate structure of the safety case and analysis resulting from the above conferences. It is estimated that each PTCSP will be approximately 1,800 pages long and that it will take approximately 16 hours to gather the necessary information and complete each page of the PTCSP. Thus, it is estimated that each PTCSP will take approximately 28,800 hours to complete. Total annual burden for this requirement is 28,800 hours.

Respondent Universe:

3
8

Burden time per response:

28,800
hours

Frequency of Response:		On occasion
Annual number of Responses:	1 PTCSP	
Annual Burden:		28,800 hours
Annual Cost:		\$2,102,400 (\$73 x
	28,800 hrs.)	

Calculation: 1 PTCSP x 28,800 hrs. = 28,800 hours

(f) When determining whether the PTCSP fulfills the requirements under paragraph (d) of this section, the Associate Administrator may consider all available evidence concerning the reliability and availability of the proposed system and any and all safety consequences of the proposed changes. In any case where the PTCSP lacks adequate data regarding safety impacts of the proposed changes, the Associate Administrator may request the necessary data from the applicant. If the requested data are not provided, the Associate Administrator may find that potential hazards could or will arise.

In approximately 19 cases, FRA estimates that the Associate Administrator will request additional PTCSP data and it will be provided under the above requirement. It is estimated that each document will be approximately 200 pages long and that it will take approximately 16 hours to gather the necessary information and complete each page of the requested document. Thus, it is estimated that it will take approximately 3,200 hours to complete each requested document. Total annual burden for this requirement is 60,800 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

3,200
hours

Frequency of Response:		On occasion
Annual number of Responses:	19 additional requested documents	
Annual Burden:		60,800 hours
Annual Cost:		\$4,438,400 (\$73 x
	60,800 hrs.)	

Calculation: 19 additional requested documents x 3,200 hrs. = 60,800 hours

(g) If a PTCSP applies to a system designed to replace an existing certified PTC system, the PTCSP will be approved provided that the PTCSP establishes with a high degree of confidence that the new system will provide a level of safety not less than the level of safety provided by the system to be replaced.

FRA estimates that it will receive approximately 19 PTCSPs under the above requirement. It is estimated that each PTCSP will be approximately 200 pages long and that it will take approximately 16 hours to gather the necessary information and complete each page of the PTCSP. Thus, it is estimated that it will take approximately 3,200 hours to complete each PTCSP. Total annual burden for this requirement is 60,800 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

		3,200 hours
Frequency of Response:		On occasion
Annual number of Responses:	19 PTCSPs	
Annual Burden:		60,800 hours
Annual Cost:		\$4,438,400 (\$73 x

60,800 hrs.)

Calculation: 19 PTCSPs x 3,200 hrs. = 60,800 hours

(h) When reviewing the issue of the potential data errors (for example, errors arising from data supplied from other business systems needed to execute the braking algorithm, survey data needed for location determination, or mandatory directives issued through the computer-aided dispatching system), the PTCSP must include a careful identification of each of the risks and a discussion of each applicable mitigation. In an appropriate case, such as a case in which the residual risk after mitigation is substantial or the underlying method of operation will be significantly altered, the Associate Administrator may require submission of a quantitative risk assessment addressing these potential errors.

The burden for this requirement is included under that § 236.1015(e) above. Consequently, there is no additional burden associated with this requirement.

Additionally, FRA estimates that it will receive approximately 19 non-quantitative risk assessments with the necessary information under the above requirement. It is estimated that each non-quantitative risk assessment will be approximately 200 pages long and that it will take approximately 16 hours to gather the necessary information and complete each page of the non-quantitative risk assessment. Thus, it is estimated that it will take approximately 3,200 hours to complete each non-quantitative risk assessment. Total annual burden for this requirement is 60,800 hours.

Respondent Universe:	38 railroads	
Burden time per response:		3,200 hours
Frequency of Response:		On occasion
Annual number of Responses:	19 non-quantitative risk assessments	
Annual Burden:		60,800 hours
Annual Cost:		\$4,438,400 (\$73 x 60,800 hrs.)

Calculation: 23 non-quantitative risk assessments x 3,200 min. = 73,600 hours

Total annual burden for this entire requirement is 918,496 hours (48,000 + 627,200 + 32,000 + 96 + 28,800 + 60,800 + 60,800 + 60,800).

§ 236.1017 – Independent Third Party Verification and Validation

(a) The PTCSP must be supported by an independent third-party assessment when the Associate Administrator concludes that it is necessary based upon the criteria set forth in § 236.913, with the exception that consideration of the methodology used in the risk assessment (§ 236.913(g)(2)(vii)) shall apply only to the extent that a comparative risk assessment was required. To the extent practicable, FRA makes this determination not later than review of the PTCIP and the accompanying PTCDP or PTCSP. If an independent assessment is required, the assessment may apply to the entire system or a designated portion of the system.

In approximately one (1) case, FRA estimates that the Associate Administrator will determine an independent third party assessment is necessary and that it will be provided to the agency. It is estimated that the third party assessment will be approximately 500 pages long and that it will take approximately 16 hours to gather the necessary information and complete each page of the third party risk assessment. Thus, it is estimated that it will take approximately 8,000 hours to complete each third party assessment. Total annual burden for this requirement is 8,000 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

8,000
hours

Frequency of Response:	On occasion
Annual number of Responses:	1 third party assessment
Annual Burden:	8,000 hours
Annual Cost:	\$880,000 (\$110 x 8,000 hrs.)

Calculation: 1 third party assessment x 8,000 hrs. = 8000 hours

(b) If a PTC system is to undergo an independent assessment in accordance with this section, the host railroad may submit to the Associate Administrator a written request that FRA confirm whether a particular entity would be considered an independent third party pursuant to this section. The request should include supporting information in accordance with paragraph (c) of this section. FRA may request further information to make a determination or provide its determination in writing.

(c) As used in this section, “independent third party” means a technically competent entity responsible to and compensated by the railroad (or an association on behalf of one or more railroads) that is independent of the PTC system supplier and vendor. An entity that is owned or controlled by the supplier or vendor, that is under common ownership or control with the supplier or vendor, or that is otherwise involved in the development of the PTC system is not considered “independent” within the meaning of this section.

FRA estimates that it will receive approximately one (1) written request with supporting information regarding independent third parties under the above requirement. It is estimated that each written request will be approximately one (1) page long and that it will take approximately eight (8) hours to complete each page of the written request. Total annual burden for this requirement is eight (8) hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

		8 hours
Frequency of Response:		On occasion
Annual number of Responses:	1 written request	
Annual Burden:		8 hours
Annual Cost:		\$880 (\$110 x 8 hrs.)

Calculation: 1 written request x 8 hrs. = 8 hours

Additionally, in one (1) case, FRA estimates that it will request further information to make a determination or provide its determination in writing under the above requirement. It is estimated that each additional information document will be approximately 10 pages long and that it will take approximately 16 hours to complete each page of the additional information document. Thus, it is estimated that it will take approximately 160 hours to complete each additional information document. Total annual burden for this requirement is 160 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

160
hours

Frequency of Response:	On occasion
Annual number of Responses:	1 additional information document
Annual Burden:	160 hours
Annual Cost:	\$17,600 (\$110 x 160 hrs.)

Calculation: 1 additional information document x 160 hrs. = 160 hours

(d) The independent third party assessment must, at a minimum, consist of the activities and result in the production of documentation meeting the requirements of Appendix F to this part, unless excepted by this part or by FRA order or waiver. FRA estimates that it will receive approximately one (1) waiver requests under the above requirement. It is estimated that each waiver request will be approximately 10 pages long

and that it will take approximately 16 hours to complete each page of the additional information document. Thus, it is estimated that it will take approximately 160 hours to complete each waiver request. Total annual burden for this requirement is 160 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

		160 hours
Frequency of Response:		On occasion
Annual number of Responses:	1 waiver request	
Annual Burden:		160 hours
Annual Cost:		\$17,600 (\$110 x 160 hrs.)

Calculation: 1 waiver requests x 160 hrs. =160 hours

(e) Information provided that has been certified under the auspices of a foreign railroad regulatory entity recognized by the Associate Administrator may, at the Associate Administrator’s discretion, be accepted as having been independently verified.

FRA estimates that it will receive approximately one (1) request to accept information certified under the auspices of a foreign railroad regulatory entity as having been independently verified under the above requirement. It is estimated that each request will be approximately two (2) pages long and that it will take approximately 16 hours to complete each page of the request. Thus, it is estimated that it will take approximately 32 hours to complete each request. Total annual burden for this requirement is 32 hours.

Respondent Universe:

Burden time per response:

32
hours

Frequency of Response:

On occasion

Annual number of Responses:

1 request to accept certified information from a foreign RR regulatory entity

Annual Burden:

32 hours

Annual Cost:

\$2,336 (\$73 x 32 hrs.)

Calculation:

1 request to accept foreign certified info. x 32 hrs. = 32 hours

Total annual burden for this entire requirement is 8,360 hours (8,000 + 8 + 160 + 160 + 32).

§ 236.1019 – Main Line Track Exceptions

(a) **Scope and procedure.** This section pertains exclusively to exceptions from the rule that trackage over which scheduled intercity and commuter passenger service is provided is considered main line track requiring installation of a PTC system. One or more intercity or commuter passenger railroads, or freight railroads conducting joint passenger and freight operation over the same segment of track may file a main line track exclusion addendum (“MTEA”) to its PTCIP requesting to designate track as not main line subject to the conditions set forth in paragraphs (b) or (c) of this section. No track shall be designated as yard or terminal unless it is identified in a MTEA that is part of an FRA approved PTCIP.

FRA estimates that approximately 36 MTEAs will be filed with the agency under the above requirement. It is estimated that each MTEA will be approximately 10 pages long and that it will take approximately 16 hours to complete each page of the MTEA. Thus, it is estimated that it will take approximately 160 hours to complete each MTEA. Total annual burden for this requirement is 5,760 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

160
hours

Frequency of Response:		On occasion
Annual number of Responses:	36 MTEAs	
Annual Burden:		5,760 hours
Annual Cost:		\$420,480 (\$73 x 5,760 hrs.)

Calculation: 36 MTEAs x 160 hrs. = 5,760 hours

(b) Passenger terminal exception. FRA will consider an exception in the case of trackage used exclusively as yard or terminal tracks by or in support of regularly scheduled intercity or commuter passenger service where the MTEA describes in detail the physical boundaries of the trackage in question, its use and characteristics (including track and signal charts) and all of the following apply: (1) The maximum authorized speed for all movements is not greater than 20 miles per hour, and that maximum is enforced by any available onboard PTC equipment within the confines of the yard or terminal; (2) Interlocking rules are in effect prohibiting reverse movements other than on signal indications without dispatcher permission; and (3) Either of the following conditions exist:

(i) No freight operations are permitted; or (ii) Freight operations are permitted but no passengers will be aboard passenger trains within the defined limits.

FRA estimates that will receive approximately 19 MTEAs under the above requirement. It is estimated that each MTEA will be approximately 10 pages long and that it will take approximately 16 hours to complete each page of the MTEA. Thus, it is estimated that it will take approximately 160 hours to complete each MTEA. Total annual burden for this requirement is 3,040 hours.

Respondent Universe:	38 railroads	
Burden time per response:		160 hours
Frequency of Response:		On occasion
Annual number of Responses:	19 MTEAs	
Annual Burden:		3,040 hours
Annual Cost:		\$221,920 (\$73 x 3,040 hrs.)

Calculation: 19 MTEAs 160 hrs. = 3,040 hours

(c) Limited operations exception. FRA will consider an exception in the case of a track segment used for limited operations (at speeds not exceeding those permitted under 236.0 of this part) under one of the following sets of conditions: (1) The trackage is used for limited operations by at least one passenger railroad subject to at least one of the following conditions: (i) All trains are limited to restricted speed; (ii) Temporal separation of passenger and other trains is maintained as provided in paragraph (e) of this section; or (iii) Passenger service is operated under a risk mitigation plan submitted by all railroads involved in the joint operation and approved by FRA. The risk mitigation plan must be supported by a risk assessment establishing that the proposed mitigations will achieve a level of safety not less than the level of safety that would obtain if the operations were conducted under paragraph (c)(1) or (c)(2) of this section. (2) Passenger service is operated on a segment of track of a freight railroad that is not a Class I railroad on which less than 15 million gross tons of freight traffic is transported annually and on which one of the following conditions applies: (i) If the segment is un-signaled and no more than four regularly scheduled passenger trains are operated during a calendar day, or (ii) If the segment is signaled (e.g., equipped with a traffic control system, automatic block signal system, or cab signal system) and no more than 12 regularly scheduled passenger trains are operated during a calendar day. (3) Not more than four passenger trains per day are operated on a segment of track of a Class I freight railroad on which less than 15 million gross tons of freight traffic is transported annually.

FRA estimates that will receive approximately 19 risk mitigation plans with supporting risk assessments under the above requirement. It is estimated that each risk mitigation plan will be approximately 10 pages long and that it will take approximately 16 hours to complete each page of the risk mitigation plan. Thus, it is estimated that it will take approximately 160 hours to complete each risk mitigation plan. Total annual burden for this requirement is 3,040 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

160
hours

Frequency of Response:

On occasion

Annual number of Responses:

19 risk mitigation plans

Annual Burden:

3,040 hours

Annual Cost:

\$221,920 (\$73 x 3,040

hrs.)

Calculation:

19 risk mitigation plans x 160 hrs. = 3,040
hours

(d) A limited operations exception under paragraph (c) is subject to FRA review and approval. FRA may require a collision hazard analysis to identify hazards and may require that specific mitigations be undertaken. Operations under any such exception shall be conducted subject to the terms and conditions of the approval. Any main line track exclusion is subject to periodic review.

FRA estimates that approximately 12 collision hazard analyses will be completed and submitted to FRA under the above requirement. It is estimated that each collision hazard

analysis will be approximately 100 pages long and that it will take approximately 16 hours to complete each page of the collision hazard analysis. Thus, it will take approximately 1,600 hours to gather the necessary information and complete each collision hazard analysis. Total annual burden for this requirement is 19,200 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

1,600
hours

Frequency of Response:		On occasion
Annual number of Responses:	12 collision hazard analyses	
Annual Burden:		19,200 hours
Annual Cost:		\$1,401,600 (\$73 x 19,200 hrs.)

Calculation: 12 collision hazard analyses x 1,600 hrs. = 19,200 hours

(e) Temporal separation. As used in this section, temporal separation means that limited passenger and freight operations do not operate on any segment of shared track during the same period and also refers to the processes or physical arrangements, or both, in place to ensure that temporal separation is established and maintained at all times. The use of exclusive authorities under mandatory directives is not, by itself, sufficient to establish that temporal separation is achieved. Procedures to ensure temporal separation shall include verification checks between passenger and freight operations and effective physical means to positively ensure segregation of passenger and freight operations in accordance with this paragraph.

FRA estimates that approximately 11 procedures to ensure temporal separation will be developed under the above requirement. It is estimated that each temporal separation procedure will be approximately 10 pages long and that it will take approximately 16 hours to complete each page of the temporal separation procedure. Thus, it is estimated that it will take approximately 160 hours to complete each temporal separation procedure. Total annual burden for this requirement is 1,760 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

160
hours

Frequency of Response:	On occasion
Annual number of Responses:	11 temporal separation procedures
Annual Burden:	1,760 hours
Annual Cost:	\$128,480 (\$73 x 1,760 hrs.)

Calculation: 11 temporal separation procedures x 160 hrs.
= 1,760 hours

(f) PTCSP requirement. No PTCSP filed after the approval of a PTCIP with an MTEA shall be approved by FRA unless it attests that no changes, except for those included in an FRA approved RFA, have been made to the information in the PTCIP and MTEA required by paragraph (b) or (c) of this section.

The burden associated for MTEAs is included above, and the burden for RFAs is included under that of § 236.1021 below. Consequently, there is no additional burden associated with this requirement.

(g) Designation modifications. If subsequent to approval of its PTCIP or PTCSP the railroad seeks to modify which track or tracks should be designated as main line or not main line, it shall request modification of its PTCIP or PTCSP, as applicable, in accordance with § 236.1021.

The burden associated with this requirement is included below under that of § 236.1021. Consequently, there is no additional burden associated with this requirement.

Total annual burden for this requirement is 32,800 hours (5,760 + 3,040 + 3,040 + 19,200 + 1,760).

§ 236.1021 – Discontinuances, Material Modifications, and Amendments

(a) No changes, as defined by this section, to a PTC system, PTCIP, PTCDP, or PTCSP, shall be made unless: (1) The railroad files a request for amendment (“RFA”) to the applicable PTCIP, PTCDP, or PTCSP with the Associate Administrator; and (2) The Associate Administrator approves the RFA.

(b) After approval of an RFA in accordance with paragraph (a) of this section, the railroad shall immediately adopt and comply with the amendment.

(c) In lieu of a separate filing under part 235 of this chapter, a railroad may request approval of a discontinuance or material modification of a signal or train control system by filing a request for amendment (RFA) to its PTCIP, PTCDP, or PTCSP with the Associate Administrator.

(d) An RFA made in accordance with this section will not be approved by FRA unless the request includes:

(1) The information listed in § 235.10 of this chapter and the railroad provides to FRA, upon request, any additional information necessary to evaluate the RFA (see § 235.12), including:

(2) The proposed modifications;

(3) The reasons for each modification;

(4) The changes to the PTCIP, PTCDP or PTCSP, as applicable;

(5) Each modification’s effect on PTC system safety;

(6) An approximate timetable for filing of the PTCDP, PTCSP, or both, if the amendment pertains to a PTCIP; and

(7) An explanation of whether each change to the PTCSP is planned or unplanned.

(i) Unplanned changes that affect the Type Approval's PTCDP require submission and approval in accordance with § 236.1013 of a new PTCDP, followed by submission and approval in accordance with § 236.1015 of a new PTCSP for the PTC system.

(ii) Unplanned changes that do not affect the Type Approval's PTCDP require submission and approval of a new PTCSP.

(iii) Unplanned changes are changes affecting system safety that have not been documented in the PTCSP. The impact of unplanned changes on PTC system safety has not yet been determined.

(iv) Planned changes may be implemented after they have undergone suitable regression testing to demonstrate, to the satisfaction of the Associate Administrator, they have been correctly implemented and their implementation does not degrade safety.

(v) Planned changes are changes affecting system safety in the PTCSP and have been included in all required analysis under § 236.1015. The impact of these changes on the PTC system's safety has been incorporated as an integral part of the approved PTCSP safety analysis.

FRA estimates that it will receive approximately 19 requests for amendment (RFAs) under the above requirements. It is estimated that each RFA will be approximately 10 pages long, and that it will take approximately 16 hours to gather the necessary information and complete each page of the RFA. Thus, it is estimated that it will take approximately 160 hours to complete each RFA and send it to FRA. Total annual burden for this requirement is 3,040 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d

Burden time per response:

160
hours

Frequency of Response:

On occasion

Annual number of Responses: 19 RFAs

Annual Burden: 3,040 hours

Annual Cost: \$221,920 (\$73 x 3,040 hrs.)

Calculation: 19 RFAs x 160 hrs. = 3,040 hours

(e) If the RFA includes a request for approval of a discontinuance or material modification of a signal or train control system, FRA will publish a notice in the **Federal Register** of the application and will invite public comment in accordance with part 211 of this chapter.

FRA estimates that it will receive approximately 20 RFA public comments under the above requirement. It is estimated that it will take approximately three (3) hours for each of the 7 interested groups to review the RFA or a total of 21 hours to review the RFAs. It is further estimated that seven interested groups will make a total of 20 RFA public comments and that each RFA public comment will be approximately two (2) pages and that will take approximately eight (8) hours per page to gather the necessary information and complete the comment. Thus, each RFA comment will take approximately 16 hours to complete and send it to FRA. Total annual burden for this requirement is 341 hours.

Respondent Universe:

Burden time per response:

3 hours;
16
hours

Frequency of Response:	On occasion
Annual number of Responses:	7 reviews + 20 RFA public comments
Annual Burden:	341 hours
Annual Cost:	\$24,893 (\$73 x 341 hrs.)

Calculation: 7 reviews x 3 hrs. + 20 RFA comments x 16 hrs. = 341 hours

(f) When considering the RFA, FRA will review the issue of the discontinuance or material modification and determine whether granting the request is in the public interest and consistent with railroad safety, taking into consideration all changes in the method of operation and system functionalities, both within normal PTC system availability and in the case of a system failed state (unavailable), contemplated in conjunction with installation of the PTC system. The railroad submitting the RFA must, at FRA’s request, perform field testing in accordance with § 236.1035 or engage in Verification and Validation in accordance with § 236.1017.

The burden associated with the above requirement is included below under that of § 236.1035 and that of § 236.1017, respectively. Consequently, there is no additional burden associated with this requirement.

(g) FRA may issue at its discretion a new Type Approval number for a PTC system modified under this section.

(h) Changes requiring filing of an RFA. Except as provided by paragraph (i), an RFA shall be filed to request the following: (1) Discontinuance of a PTC system, or other similar appliance or device; (2) Decrease of the PTC system’s limits (e.g., exclusion or removal of a PTC system on a track segment); (3) Modification of a safety critical element of a PTC system; or (4) Modification of a PTC system that affects the safety critical functionality of any other PTC system with which it interoperates.

The burden associated with this requirement is included above. Consequently, there is no

additional burden associated with this requirement.

Total annual burden for this entire requirement is 3,381 hours (3,040 + 341).

§ 236.1023 – Errors and Malfunctions

(a) Each railroad implementing a PTC system on its property shall establish and continually update a PTC Product Vendor List (PTCPVL) that includes all vendors and suppliers of each PTC system, subsystem, component, and associated product, and process in use system-wide. The PTCPVL shall be made readily available to FRA upon request.

FRA estimates that approximately 38 PTC Product Vendor Lists (PTCPVLs) will be created, maintained, and continually updated under the above requirement. It is estimated that each list will be approximately one (1) page long and that it will take approximately eight (8) hours to gather the necessary information and complete each page of the list. Thus, each list will take approximately eight (8) hours to complete and maintain. Total annual burden for this requirement is 304 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

Frequency of Response:		On occasion	8 hours
Annual number of Responses:	38 lists		
Annual Burden:		304 hours	
Annual Cost:		\$22,192 (\$73 x 304	
	hrs.)		

Calculation: 38 lists x 8 hrs. = 304 hours

(b) The railroad shall specify within its PTCSP all contractual arrangements with hardware and software suppliers or vendors for immediate notification between the parties of any and all safety critical software failures, upgrades, patches, or revisions, as well as any hardware repairs, replacements, or modifications for their PTC system, subsystems, or components. A vendor or supplier, on receipt of a report of any safety-critical failure to their product, shall promptly notify all other railroads that are using that product, whether or not the other railroads have experienced the reported failure of that safety-critical system, subsystem, or component. The notification from a supplier to any railroad shall include explanation from the supplier of the reasons for such notification, the circumstances associated with the failure, and any recommended mitigation actions to be taken pending determination of the root cause and final corrective actions.

The burden for this requirement is already included under that of § 236.1015. Consequently, there is no additional burden associated with this provision.

(c) The railroad shall: (1) Specify the railroad’s process and procedures in its PTCSP for action upon their receipt of notification of safety-critical failure, as well as receipt of a safety-critical upgrade, patch, revision, repair, replacement, or modification. (2) Identify configuration/revision control measures in its PTCSP that are designed to ensure the safety-functional requirements and the safety-critical hazard mitigation processes are not compromised as a result of any change and that such a change can be audited.

The burden for this requirement is already included under that of § 236.1015. Consequently, there is no additional burden associated with this provision.

(d) The railroad shall provide to the applicable vendor or supplier the railroad’s procedures for action upon notification of a safety critical failure, upgrade, patch, or revision for the PTC system, subsystem, component, product, or process, and actions to be taken until the faulty system, subsystem, or component has been adjusted, repaired, or replaced.

FRA estimates that it will receive approximately 38 procedures for action under the above requirement. It is estimated that each procedure for action document will be approximately two (2) pages long and that it will take approximately eight (8) hours to gather the necessary information and complete each page of the document. Thus, it is estimated that it will take approximately 16 hours to complete each procedures for action document and send it to FRA. Total annual burden for this requirement is 608 hours.

Respondent Universe:

3
8

150

Burden time per response:

16
hours

Frequency of Response:		On occasion
Annual number of Responses:	38 procedures for action	
Annual Burden:		608 hours
Annual Cost:		\$44,384 (\$73 x 608 hrs.)

Calculation: 38 procedures for action x 16 hrs. = 608 hours

(e) After the product is placed in service, the railroad shall maintain a database of all safety-relevant hazards as set forth in the PTCSP and those that had not previously been identified in the PTCSP. If the frequency of the safety-relevant hazard exceeds the thresholds set forth in the PTCSP, or has not been previously identified in the appropriate risk analysis, the railroad must: (1) Notify the applicable vendor or supplier and FRA of the failure, malfunction, or defect that decreased or eliminated the safety functionality; and (2) Keep the applicable vendor or supplier and FRA apprised on a continual basis of the status of any and all subsequent failures; and (3) Take prompt counter measures to reduce or eliminate the frequency of the safety-relevant hazards below the threshold identified in the PTCSP.

FRA estimates that approximately 142 notifications will be made to the applicable vendor and FRA under the above requirement. It is estimated that each notification will be approximately two (2) pages long and that it will take approximately eight (8) hours to gather the necessary information and complete each page of the notification. Thus, it is estimated that it will take approximately 16 hours to complete each notification and send it to FRA and the affected railroad. Total annual burden for this requirement is 2,272 hours.

Respondent Universe:

Burden time per response:

16
hours

Frequency of Response:		On occasion
Annual number of Responses:	142 notifications	
Annual Burden:		2,272 hours
Annual Cost:		\$165,856 (\$73 x 2,272 hrs.)

Calculation: 142 notifications x 16 hrs. = 2,272 hours

(2) Additionally, FRA estimates that 142 notification updates will be made to the applicable vendor and FRA under the above requirement. It is estimated that each notification update will be approximately two (2) pages long and that it will take approximately eight (8) hours to gather the necessary information and complete each page of the notification update. Thus, it is estimated that it will take approximately 16 hours to complete each notification update and send it to FRA and the affected railroad. Total annual burden for this requirement is 2,272 hours.

Respondent Universe:

Burden time per response:

		16 hours
Frequency of Response:		On occasion
Annual number of Responses:	142 notification updates	
Annual Burden:		2,272 hours
Annual Cost:		\$165,856 (\$73 x 2,272 hrs.)

Calculation: 142 notification updates x 16 hrs. = 2,272 hours

(f) Each notification required by this section must: (1) be made within 15 days after the vendor, supplier, or railroad discovers the failure, malfunction, or defective condition. However, a report that is due on a Saturday or a Sunday may be delivered on the following Monday and one that is due on a holiday may be delivered on the next business day; (2) be transmitted in a manner and form acceptable to the Associate Administrator and by the most expeditious method available; and (3) include as much available and applicable information as possible, including: (i) PTC system name and model; (ii) Identification of the part, component, or system involved, including the part number as applicable; (iii) Nature of the failure, malfunctions, or defective condition; (iv) Mitigation taken to ensure the safety of train operation, railroad employees, and the public; and (v) The estimated time to correct the failure.

The burden associated with notifications is included § 236.1023(e) above and § 236.1023(h) below. Consequently, there is no additional burden associated with this requirement.

(4) In the event that all information required by § 236.1023(f)(3) of this section is not immediately available, the non-available information shall be forwarded to the Associate Administrator as soon as practicable in supplemental reports.
The burden for this requirement is already included under that of § 236.1023(e)(2) above. Consequently, there is no additional burden associated with this provision.

(g) Whenever any investigation of an accident or service difficulty report shows that a PTC system or product is unsafe because of a manufacturing or design defect, the railroad and its vendor shall, upon request of the Associate Administrator, report to the Associate Administrator the results of its investigation and any action taken or proposed to correct that defect.

In approximately five (5) cases, FRA estimates that the Associate Administrator will request a report on the manufacturer’s investigation of an accident or service difficulty and thus five (5) reports will be received by FRA from manufacturers indicating the results of their investigations and any actions taken or proposed by the manufacturer to correct that defect. It is estimated that each report will be approximately 25 pages long and that it will take approximately 16 hours to gather the necessary information and complete each page of report. Thus, it is estimated that each report will take approximately 400 hours to complete and send to FRA. Total annual burden for this requirement is 2,000 hours.

Respondent Universe:

5
S
y
s
t
e
m

s
u
p
p
l
i
e
r
s

Burden time per response:

400
hours

Frequency of Response:

On occasion

Annual number of Responses: 5 reports

Annual Burden: 2,000 hours

Annual Cost: \$146,000 (\$73 x 2,000

hrs.)

Calculation: 5 reports x 400 hrs. = 2,000 hours

(h) PTC system and product suppliers and vendors shall: (1) Promptly report any safety relevant failures or defective conditions, previously unidentified hazards, and recommended mitigation actions in their PTC system, subsystem, or component to each railroad using the product.

FRA estimates that approximately 142 reports will be completed by suppliers under the above requirement. It is estimated that it will take approximately 16 hours to complete each report and that it will take approximately eight (8) hours to make copies of each of the 142 reports and send them to the affected railroads. Total annual burden for this requirement is 3,408 hours.

Respondent Universe:

5
P
T
C
S
u
p
p
l
i
e
r
s

Burden time per response:

16
hours +
8 hours

Frequency of Response:

On occasion

Annual number of Responses:

142 supplier reports + 142 report copies

Annual Burden:

3,408 hours

Annual Cost:

\$248,784 (\$73 x 3,408

hrs.)

Calculation: 142 supplier reports x 16 hrs. + 142 report copies x 8 hrs. =
3,408 hours

(2) Notify FRA of any safety-relevant failure, defective condition, or previously unidentified hazard discovered by the vendor or supplier and the identity of each affected and notified railroad.

The burden for this requirement is included under that of § 236.1023(g)(1) above. Consequently, there is no additional burden associated with this provision.

(i) The requirements of this section do not apply to failures, malfunctions, or defective conditions that: (1) Are caused by improper maintenance or improper usage; or

(2) Have been previously identified to the FRA, vendor, and applicable railroads.

The burden for this requirement is included under that of § 236.1023(g)(1) above. Consequently, there is no additional burden associated with this provision.

(k) Any railroad experiencing a failure of a system resulting in a more favorable aspect than intended or other condition hazardous to movement of a train shall comply with the reporting requirements, including the making of a telephonic report of an accident or incident involving such failure, under part 233 of this chapter. Filing of one or more reports under part 233 of this chapter does not exempt a railroad or vendor from the reporting requirements contained in this section.

The burden for this requirement is already included under that of § 236.1023(g) and (h) (1) above. Consequently, there is no additional burden associated with this requirement.

Total annual burden for this entire requirement is 10,864 hours (304 + 608 + 2,272 + 2,272 + 2,000 + 3,408).

§ 236.1027 – PTC System Exclusions

Changes or modifications to PTC systems otherwise excluded from the requirements of this subpart by this section do not exclude those PTC systems from the requirements of this subpart if the changes or modifications result in a degradation of safety or a material decrease in safety-critical functionality.

The burden associated with the above requirement is included that of § 236.1021. Consequently, there is no additional burden associated with this requirement.

Primary train control systems cannot be integrated with locomotive electronic systems unless the complete integrated systems: (1) have been shown to be designed on fail safe principles; (2) have demonstrated to operate in a fail-safe mode; (3) have a manual fail safe fallback and override to allow the locomotive to be brought to a safe stop in the event

of any loss of electronic control; and (4) are included in the approved and applicable PTCDP and PTCSP.

The burden associated with the above requirement is included that of § 236.1013 and that of § 236.1015. Consequently, there is no additional burden associated with this requirement.

§ 236.1029 – PTC System Use and En Route Failures

(a) In general. When any safety-critical PTC system component fails to perform its intended function, the cause must be determined and the faulty component adjusted, repaired, or replaced without undue delay. Until repair of such essential components is completed, a railroad shall take appropriate action as specified in its PTCSP.

(b) En route failure. Except as provided in paragraphs (c) and (g) of this section, where a controlling locomotive that is operating in, or is to be operated within, a PTC-equipped track segment experiences PTC system failure or the PTC system is otherwise cut out while en route (i.e., after the train has departed its initial terminal), the train may only continue in accordance with all of the following: (1) Except as provided in paragraph (b) (5), where no block signal system is in use, the train may proceed at a speed not to exceed 40 miles per hour; however, if the involved train is transporting any quantity of PIH material, the train may only proceed at a speed not to exceed 30 miles per hour. (2) Where a block signal system is in place: (i) A passenger train may proceed at a speed not to exceed 59 miles per hour; (ii) A freight train transporting one or more cars containing PIH materials, excluding those cars containing only a residue of PIH materials, may proceed at a speed not to exceed 40 miles per hour; and (iii) Any other freight trains may proceed at a speed not to exceed 49 miles per hour. (3) Where a cab signal system with an automatic train control system is in use, the train may proceed at a speed not to exceed 79 miles per hour. (4) A report of the failure or cut out must be reported to a designated railroad officer of the host railroad as soon as safe and practicable. (5) Where the PTC system is the exclusive method of delivering mandatory directives, an absolute block must be established in advance of the train as soon as safe and practicable, and the train shall not exceed restricted speed until the absolute block in advance of the train is established. (6) Where the failure or cutout is a result of a defective onboard PTC apparatus, the train may continue no farther than the next forward designated location for the repair or exchange of onboard PTC apparatuses.

FRA estimates that approximately 836 reports will be made under the above requirement. It is estimated that it will take approximately 96 hours to gather the necessary information and complete each report to the designated railroad officer. Total annual burden for this requirement is 80,256 hours.

Respondent Universe:

Burden time per response:

96
hours

Frequency of Response:		On occasion
Annual number of Responses:	836 reports	
Annual Burden:		80,256 hours
Annual Cost:		\$5,858,688 (\$73 x
	80,256 hrs.)	

Calculation: 836 reports x 96 hrs. = 80,256 hours

(c) Exception for alternative system failure procedure. A railroad may submit for approval a PTCSP, an RFA, or an Order of Particular Applicability with an alternative system failure procedure other than that required by paragraph (b) of this section. FRA may, in its discretion, approve such an alternative system failure procedure if it provides similar requirements of, and an equivalent or greater level of safety as, the requirements of paragraph (b) of this section.

The burden associated with the above requirement is included that of § 236.1015 and that of § 236.1021. Consequently, there is no additional burden associated with this requirement.

FRA estimates that approximately one (1) Order of Particular Applicability with an alternative system failure procedure other than that required by paragraph (b) of this section will be to FRA made under the above requirement. It is estimated that it will take approximately 3,200 hours to complete each Order of Particular Applicability. Total annual burden for this requirement is 3,200 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

3,200
hours

Frequency of Response:	On occasion
Annual number of Responses:	1 Orders of Particular Applicability
Annual Burden:	3,200 hours
Annual Cost:	\$233,600 (\$73 x 3,200 hrs.)

Calculation: 1 Orders of Particular Applicability x 3,200 hrs. = 3,200 hours

(d) Each railroad must comply with all provisions in the applicable PTCDP and PTCSP for each PTC system it uses and shall operate within the scope of initial operational assumptions and predefined changes identified.

The burden associated with the above requirement is included that of § 236.1009 and that of § 236.1015. Consequently, there is no additional burden associated with this requirement.

(g) Temporary exceptions. From October 21,2014, through the 24 months following the date of required PTC system implementation established by section 20157 of title 49 of the United States Code--

(1) A railroad's PTCSP or Order of Particular Applicability may provide for compliance with the en route failure requirements of § 236.567 instead of paragraph (b) of this section where a controlling locomotive that is operating in, or is to be operated within, a PTC-equipped track segment experiences PTC system failure or the PTC system is otherwise cut out while en route;

(2) A train may proceed as prescribed under either paragraph (b) of this section or § 236.567 of this part where the PTC system fails to initialize for any reason prior to the train's departure from its initial terminal; and

(3) A railroad's PTCSP may provide for the temporary disabling of PTC system service where necessary to perform PTC system repair or maintenance. In this subparagraph, "PTC system service" does not refer to the failure of the onboard PTC apparatus for a single locomotive, locomotive consist, or train.

(i) The PTCSP shall specify appropriate operating rules to apply when the PTC system is temporarily disabled in accordance with this paragraph (g)(3).

(ii) The railroad shall make reasonable efforts to schedule the temporary disabling of PTC system service for times posing the least risk to railroad safety.

The burden associated with PTCSPs is included above under that of § 236.1015. Consequently, there is no additional burden associated with these requirements.

(iii) The railroad shall provide notice to the FRA regional office having jurisdiction over that territory at least 7 days in advance of planned temporary disabling of PTC system service and contemporaneous notice for unplanned temporary disabling of PTC system service.

FRA estimates that approximately 76 notices will be sent to FRA Regional offices at least 7 days in advance of planned temporary disabling of PTC system service and approximately 114 notices of contemporaneous notice for unplanned temporary disabling of PTC system service will be sent to FRA Regional offices under the above requirement. It is estimated that it will take approximately 10 hours to complete each notice. Total annual burden for this requirement is 1,900 hours.

Respondent Universe:

3
8

r
a
i
l
r
o

Burden time per response:

10
hours

Frequency of Response:		On occasion
Annual number of Responses:	76 notices of advanced planning and 114 contemporaneous notices (unplanned)	
Annual Burden:	1,900 hours	
Annual Cost:		\$138,700 (\$73 x 1,900 hrs.)

Calculation: 76 notices of advanced planning x 10 hrs. + 114 contemporaneous notices = 1,900 hours

(iv) The PTC system that is temporarily disabled in accordance with this paragraph (g)(3) shall be placed back into service without undue delay.

(h) Annual report of system failures. Annually, by April 16 of each year following the date of required PTC system implementation established by section 20157 of title 49 of the United States Code, each railroad shall provide FRA with a report of the number of PTC failures that occurred during the previous calendar year. The report shall identify failures by category, including but not limited to locomotive, wayside, communications, and back-office system failures.

FRA estimates that approximately 38 annual reports of the number of PTC failures that occurred during the previous calendar year will be sent to FRA under the above requirement. It is estimated that it will take approximately 20 hours to complete each annual report. Total annual burden for this requirement is 760 hours.

Respondent Universe:

Burden time per response:

		20 hours
Frequency of Response:		On occasion
Annual number of Responses:	38 annual reports	
Annual Burden:		760 hours
Annual Cost:		\$55,480 (\$73 x 760 hrs.)

Calculation: 38 annual reports x 20 hrs. = 760 hours

Total annual burden for this entire requirement is 86,116 hours (80,256 + 3,200 + 1,900 + 760).

§ 236.1031 – Previously Approved PTC Systems

(a) Any PTC system fully implemented and operational prior to March 26, 2010, may receive PTC System Certification if the applicable PTC railroad, or one or more system suppliers and one or more PTC railroads, submits a Request for Expedited Certification (REC) letter to the Associate Administrator. The REC letter must do one of the following:

- (1) Reference a product safety plan (PSP) approved by FRA under subpart H of this part and include a document fulfilling the requirements under §§ 236.1011 and 236.1013 not already included in the PSP; (2) Attest that the PTC system has been approved by FRA and in operation for at least five (5) years and has already received an assessment of Verification and Validation from an independent third party under part 236 or a waiver supporting such operation; or (3) Attest that the PTC system is recognized under an Order prior to March 26, 2010.

FRA estimates that it will receive approximately three (3) (grandfathering) REC letters under the above requirement. It is estimated that each letter will be approximately 10 pages long and that it will take approximately 16 hours to gather the necessary information and complete each page of the REC letter and send it to FRA. Thus, it is estimated that it will take approximately 160 hours to complete each REC letter and send it to FRA. Total annual burden for this requirement is 480 hours.

Respondent Universe:

Burden time per response:

		160 hours
Frequency of Response:		On occasion
Annual number of Responses:	3 REC letters	
Annual Burden:		480 hours
Annual Cost:		\$35,040 (\$73 x 480 hrs.)

Calculation: 3 REC letters x 160 hrs. = 480 hours

(b) If a REC letter conforms to paragraph (a)(1) of this section, the Associate Administrator, at his or her sole discretion, may also issue a new Type Approval for the PTC system.

(c) In order to receive a Type Approval or PTC System Certification under paragraph (a) or (b) of this section, the PTC system must be shown to reliably execute the functionalities required by §§ 236.1005 and 236.1007 and otherwise conform to this subpart.

(d) Previous approval or recognition of a train control system, together with an established service history, may, at the request of the PTC railroad, and consistent with available safety data, be credited toward satisfaction of the safety case requirements set forth in this part for the PTCSP with respect to all functionalities and implementations contemplated by the approval or recognition.

FRA estimates that it will receive approximately three (3) railroad (grandfathering) requests under the above requirement. It is estimated that each request will be approximately 100 pages long and that it will take approximately 16 hours to complete each page of the request. Thus, it is estimated that each request will take approximately

1,600 hours to complete and send to FRA. Total annual burden for this requirement is 4,800 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

1,600
hours

Frequency of Response:		On occasion
Annual number of Responses:	3 requests	
Annual Burden:		4,800 hours
Annual Cost:		\$350,400 (\$73 x 4,800 hrs.)

Calculation: 3 requests x 1,600 hrs. = 4,800 hours

(e) To the extent that the PTC system proposed for implementation under this subpart is different in significant detail from the system previously approved or recognized, the changes shall be fully analyzed in the PTCDP or PTCSP as would be the case absent prior approval or recognition.

The burden associated with the above requirement is included that of § 236.1013 and that of § 236.1015. Consequently, there is no additional burden associated with this requirement.

Total annual burden for this entire requirement is 5,280 hours (480 + 4,800).

§ 236.1033 – Communications and Security Requirements

Each railroad, or its vendor or supplier, shall have a prioritized service restoration and mitigation plan for scheduled and unscheduled interruptions of service. This plan shall be included in the PTCDP or PTCSP as required by §§ 236.1013 or 236.1015, as applicable, and made available to FRA upon request, without undue delay, for restoration of communication services that support PTC system services.

The burden associated with the above requirement is included that of § 236.1009 and that of § 236.1015. Consequently, there is no additional burden associated with this requirement.

§ 236.1035 – Field Testing Requirements

(a) Before any field testing of an uncertified PTC system, or a product of an uncertified PTC system, or any regression testing of a certified PTC system is conducted on the general rail system, the railroad requesting the testing must provide: (1) a complete description of the PTC system; (2) an operational concepts document; (3) a complete description of the specific test procedures, including the measures that will be taken to protect trains and on-track equipment; (4) an analysis of the applicability of the requirements of subparts A through G of this part to the PTC system that will not apply during testing; (5) the date the proposed testing shall begin; (6) the test locations; and (7) the effect on the current method of operation the PTC system will or may have under test.

(b) FRA may impose additional testing conditions that it believes may be necessary for the safety of train operations.

FRA estimates that it will receive approximately 190 requests for field testing with the necessary accompanying documents under the above requirement. It is estimated that each request will be approximately 100 pages long and that it will take approximately eight (8) hours to complete each page of the request. Thus, it is estimated that it will take approximately 800 hours to complete each request with the necessary supporting documents and send them to FRA. Total annual burden for this requirement is 152,000 hours.

Respondent Universe:

3
8
r
a

Burden time per response:

800
hours

Frequency of Response:		On occasion
Annual number of Responses:	190 requests (with necessary documents)	
Annual Burden:		152,000 hours
Annual Cost:		\$11,096,000 (\$73 x 152,000 hrs.)

Calculation: 190 requests x 800 hrs. = 152,000 hours

(c) Relief from regulations other than from subparts A through G of this part that the railroad believes are necessary to support the field testing, must be requested in accordance with part 211 of this title.

FRA estimates that approximately 38 waiver petitions/requests will be received by the agency under above requirement. It is estimated that each waiver petition will be approximately 20 pages long and that it will take approximately 16 hours to gather the necessary information and complete each page of the waiver petition and send it to FRA. Total annual burden for this requirement is 12,160 hours.

Respondent Universe:

Burden time per response:

		320 hours
Frequency of Response:		On occasion
Annual number of Responses:	38 waiver petitions/requests	
Annual Burden:		12,160 hours
Annual Cost:		\$887,680 (\$73 x 12,160 hrs.)

Calculation: 38 waiver petitions x 320 hrs. = 12,160 hours

Total annual burden for this entire requirement is 164,160 hours (152,000 + 12,160).

§ 236.1037 – Records Retention

(a) Each railroad with a PTC system required to be installed under this subpart shall maintain at a designated office on the railroad:

(1) A current copy of each FRA approved Type Approval, if any, PTCDP, and PTCSP that it holds;

(2) Adequate documentation to demonstrate that the PTCSP and PTCDP meet the safety requirements of this subpart, including the risk assessment;

The burden associated with the above requirements is included that of § 236.1013 and that of § 236.1015. Consequently, there is no additional burden associated with this requirement.

(3) An Operations and Maintenance Manual, pursuant to § 236.1039; and

(4) Training and testing records pursuant to § 236.1043(b).

The burden associated with the above requirements is included that of § 236.1039 and that of § 236.1043(b). Consequently, there is no additional burden associated with this requirement.

(b) Results of inspections and tests specified in the PTCSP and PTCDP must be recorded pursuant to § 236.110.

FRA estimates that approximately 836 records will be kept under the above requirement. It is estimated that it will take approximately four (4) hours to gather the necessary

information and complete each record. Total annual burden for this requirement is 3,344 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

Frequency of Response:		On occasion	4 hours
Annual number of Responses:	836 records		
Annual Burden:		3,344 hours	
Annual Cost:		\$244,112 (\$73 x 3,344 hrs.)	

Calculation: 836 paper records x 4 hrs. = 3,344 hours

(c) Each contractor providing services relating to the testing, maintenance, or operation of a PTC system required to be installed under this subpart shall maintain at a designated office training records required under §236.1039(b).

FRA estimates that there will be approximately eight (8) contractors for each of the 38 railroads and that there will be approximately 20 people for each contractor who will be trained (8 contr. x 38 RRs x 20 tr. people) and thus approximately 6,080 records will be kept under the above requirement. Further, it is estimated that records will be kept three (3) times a year and thus a total of 18,240 records will be kept. It is estimated that it will take approximately 30 minutes to gather the necessary information and complete each record. Total annual burden for this requirement is 9,120 hours.

Respondent Universe:

Burden time per response:

30
minutes

Frequency of Response:		On occasion
Annual number of Responses:	18,240 records	
Annual Burden:		9,120 hours
Annual Cost:		\$665,760 (\$73 x 9,120 hrs.)

Calculation: 18,240 records x 30 min. = 9,120 hours

(d) After the PTC system is placed in service, the railroad shall maintain a database of all safety-relevant hazards as set forth in the PTCSP and PTCDP and those that had not been previously identified in either document.

The burden for this portion of the requirement is already included under that of § 236.1009 and § 236.1015 above. Consequently, there is no additional burden associated with this requirement.

If the frequency of the safety-relevant hazards exceeds the threshold set forth in either of these documents, then the railroad shall: Report the inconsistency in writing by mail, facsimile, e-mail, or hand delivery to the Director, Office of Safety Assurance and Compliance, FRA, 1200 New Jersey Ave, SE, Mail Stop 25, Washington, DC 20590, within 15 days of discovery. Documents that are hand delivered must not be enclosed in an envelope; (2) Take prompt countermeasures to reduce the frequency of each safety-relevant hazard to below the threshold set forth in the PTCSP and PTCDP.

FRA estimates that approximately four (4) initial reports will be sent to FRA’s Office of Safety Assurance and Compliance under the above requirement. It is estimated that each report will be approximately one (1) page long and that it will take approximately eight (8)

hours to gather the necessary information and complete each page of the report. Thus, it is estimated that it will take eight (8) hours to complete each initial report. Total annual burden for this requirement is 32 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

Frequency of Response:		On occasion	8 hours
Annual number of Responses:	4 reports		
Annual Burden:		32 hours	
Annual Cost:			\$2,336 (\$73 x 32 hrs.)

Calculation: 4 reports x 8 hrs. = 32 hours

(3) Provide a final report when the inconsistency is resolved to the FRA Director, Office of Safety Assurance and Compliance, on the results of the analysis and countermeasures taken to reduce the frequency of the safety-relevant hazard(s) below the threshold set forth in the PTCSP and PTCDP.

FRA estimates that approximately four (4) final reports will be sent to the Director of FRA's Office of Safety Assurance and Compliance under the above requirement. It is estimated that each final report will be approximately 20 pages long and that it will take approximately eight (8) hours to gather the necessary information and complete each page of the report. Thus, it is estimated that it will take 160 hours to complete each final report. Total annual burden for this requirement is 640 hours.

Respondent Universe:

Burden time per response:

160
hours

Frequency of Response:		On occasion
Annual number of Responses:	4 final reports	
Annual Burden:		640 hours
Annual Cost:		\$46,720 (\$73 x 640 hrs.)

Calculation: 4 final reports x 160 hrs. = 640 hours

Total annual burden for this entire requirement is 13,136 hours (3,344 + 9,120 + 32+ 640).

§ 236.1039 – Operations and Maintenance Manual

(a) The railroad shall catalog and maintain all documents as specified in the PTCDP and PTCSP for the installation, maintenance, repair, modification, inspection, and testing of the PTC system and have them in one Operations and Maintenance Manual, readily available to persons required to perform such tasks and for inspection by FRA and FRA-certified State inspectors.

(b) Plans required for proper maintenance, repair, inspection, and testing of safety-critical PTC systems must be adequate in detail and must be made available for inspection by FRA and FRA-certified State inspectors where such PTC systems are deployed or maintained. They must identify all software versions, revisions, and revision dates. Plans must be legible and correct.

(c) Hardware, software, and firmware revisions must be documented in the Operations and Maintenance Manual according to the railroad's configuration management control plan and any additional configuration/revision control measures specified in the PTCDP and PTCSP.

FRA estimates that approximately 38 Operations and Maintenance Manuals (OMMs) will be developed under the above requirement. It is estimated that each OMM will be approximately 250 pages long and that it will take approximately one (1) hour to gather then necessary information and complete each page of the manual. Total annual burden for this requirement is 9,500 hours.

Respondent Universe:

3
8
r
a
i
l
r
o
a
d
s

Burden time per response:

		250 hours
Frequency of Response:		On occasion
Annual number of Responses:	38 OMMs	
Annual Burden:		9,500 hours
Annual Cost:		\$693,500 (\$73 x 9,500 hrs.)

Calculation: 38 OMMs x 250 hrs. = 9,500 hours

(d) Safety-critical components, including spare equipment, must be positively identified, handled, replaced, and repaired in accordance with the procedures specified in the PTCDP and PTCSP.

FRA estimates that approximately 114,000 safety critical components will be positively identified under the above requirement. It is estimated that it will take approximately one

(1) hour to gather the necessary information and positively identify each component. Total annual burden for this requirement is 114,000 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

Frequency of Response:	On occasion	1 hour
Annual number of Responses:	114,000 identified components	
Annual Burden:	114,000 hours	
Annual Cost:	\$6,726,000 (\$59 x 114,000 hrs.)	

Calculation: 114,000 identified components x 1 hr. = 114,000 hours

(e) Each railroad shall designate in its Operations and Maintenance Manual an appropriate railroad officer responsible for issues relating to scheduled interruptions of service contemplated by § 236.1029.

FRA estimates that approximately 76 railroad officers – two for each of the 38 affected railroads -- will be designated under the above requirement. It is estimated that it will take approximately two (2) hours to gather the necessary information and designate each officer. Total annual burden for this requirement is 152 hours.

Respondent Universe:

3
8

173

Burden time per response:

		2 hours
Frequency of Response:		On occasion
Annual number of Responses:	76 designated railroad officers	
Annual Burden:		152 hours
Annual Cost:		\$11,096 (\$73 x 152 hrs.)

Calculation: 76 designated railroad officers x 2 hrs. = 152 hours

Total annual burden for this entire requirement is 123,652 hours (9,500 + 114,000 + 152).

§ 236.1041 – Training and qualification program, general

(a) Training program for PTC personnel. Employers shall establish and implement training and qualification programs for PTC systems subject to this subpart. These programs must meet the minimum requirements set forth in the PTCDP and PTCSP in §§ 236.1039 through 236.1045, as appropriate, for the following personnel:

(1) Persons whose duties include installing, maintaining, repairing, modifying, inspecting, and testing safety-critical elements of the railroad's PTC systems, including central office, wayside, or onboard subsystems;

(2) Persons who dispatch train operations (issue or communicate any mandatory directive that is executed or enforced, or is intended to be executed or enforced, by a train control system subject to this subpart);

(3) Persons who operate trains or serve as a train or engine crew member subject to instruction and testing under part 217 of this chapter, on a train operating in territory where a train control system subject to this subpart is in use;

(4) Roadway workers whose duties require them to know and understand how a train control system affects their safety and how to avoid interfering with its proper functioning; and

(5) The direct supervisors of persons listed in paragraphs (a)(1) through (a)(4) of this section.

FRA estimates that approximately 38 PTC training programs will be established and implemented under the above requirement. It is estimated that it will take approximately 400 hours to establish each training program. Total annual burden for this requirement is 15,200 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

400
hours

Frequency of Response:	On occasion
Annual number of Responses:	38 PTC training programs
Annual Burden:	15,200 hours
Annual Cost:	\$1,109,600 (\$73 x 15,200 hrs.)

Calculation: 38 PTC training programs x 400 hrs. = 15,200 hours

(b) Competencies. The employer's program must provide training for persons who perform the functions described in paragraph (a) of this section to ensure that they have the necessary knowledge and skills to effectively complete their duties related to operation and maintenance of the PTC system.

The burden associated with training employees specified in (a) above is included in that of §§ 236.1045, 236.1047, and 236.1049 below. Consequently, there is no additional burden associated with this requirement.

Total annual burden for this entire requirement is 15,200 hours.

§ 236.1043 – Task Analysis and Basic Requirements

(a) Training structure and delivery. As part of the program required by § 236.1041, the employer shall, at a minimum:

- (1) Identify the specific goals of the training program with regard to the target population (craft, experience level, scope of work, etc.), task(s), and desired success rate;
- (2) Based on a formal task analysis, identify the installation, maintenance, repair, modification, inspection, testing, and operating tasks that must be performed on a railroad's PTC systems. This includes the development of failure scenarios and the actions expected under such scenarios;
- (3) Develop written procedures for the performance of the tasks identified;
- (4) Identify the additional knowledge, skills, and abilities above those required for basic job performance necessary to perform each task;
- (5) Develop a training and evaluation curriculum that includes classroom, simulator, computer-based, hands-on, or other formally structured training designed to impart the knowledge, skills, and abilities identified as necessary to perform each task;
- (6) Prior to assignment of related tasks, require all persons mentioned in § 236.1041(a) to successfully complete a training curriculum and pass an examination that covers the PTC system and appropriate rules and tasks for which they are responsible (however, such persons may perform such tasks under the direct onsite supervision of a qualified person prior to completing such training and passing the examination);
- (7) Require periodic refresher training and evaluation at intervals specified in the PTCDP and PTCSP that includes classroom, simulator, computer-based, hands-on, or other formally structured training and testing, except with respect to basic skills for which proficiency is known to remain high as a result of frequent repetition of the task; and
- (8) Conduct regular and periodic evaluations of the effectiveness of the training program specified in § 236.1041(a)(1) verifying the adequacy of the training material and its validity with respect to current railroads PTC systems and operations.

The burden associated with training employees specified in (a) above is included in that of §§ 236.1045, 236.1047, and 236.1049 below. Consequently, there is no additional burden associated with this requirement.

FRA estimates that approximately 38 regular and periodic evaluations of the effectiveness of the training program will be conducted under the above requirement. It is estimated that it will take approximately 720 hours to conduct each evaluation. Total annual burden for this requirement is 27,360 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

720
hours

Frequency of Response:	On occasion
Annual number of Responses:	38 regular & periodic evaluations
Annual Burden:	27,360 hours
Annual Cost:	\$1,997,280 (\$73 x 27,360 hrs.)

Calculation: 38 regular & periodic evaluations x 720 hrs. = 27,360 hours

(b) Training records. Employers must retain records which designate persons who are qualified under this section until new designations are recorded or for at least one year after such persons leave applicable service. These records shall be kept in a designated location and be available for inspection and replication by FRA and FRA-certified State inspectors.

FRA estimates that approximately 560 training records (480 signalmen + 30 dispatchers + 50 managers) will be created and retained under the above requirement. It is estimated that it will take approximately 10 minutes to complete each record. Total annual burden for this requirement is 93 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

10
minutes

Frequency of Response:	On occasion
Annual number of Responses:	560 PTC training records
Annual Burden:	93 hours
Annual Cost:	\$6,789 (\$73 x 93 hrs.)

Calculation: 560 PTC training records x 10 min. = 93 hours

Total annual burden for this entire requirement is 27,453 hours (27,360 + 93).

§ 236.1045 – Training Specific to Office Control Personnel

(a) Any person responsible for issuing or communicating mandatory directives in territory where PTC systems are or will be in use must be trained in the following areas, as applicable:

(1) Instructions concerning the interface between the computer-aided dispatching system and the train control system, with respect to the safe movement of trains and other on-track equipment;

(2) Railroad operating rules applicable to the train control system, including provision for movement and protection of roadway workers, unequipped trains, trains with failed or cut-out train control onboard systems, and other on-track equipment; and

(3) Instructions concerning control of trains and other on-track equipment in case the train control system fails, including periodic practical exercises or simulations, and operational testing under part 217 of this chapter to ensure the continued capability of the personnel to provide for safe operations under the alternative method of operation.

FRA estimates that approximately 32 railroad employees specified in this section will receive training under the above requirement. It is estimated that it will take approximately 20 hours to train each employee. Total annual burden for this requirement is 640 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

20
hours

Frequency of Response:	On occasion
Annual number of Responses:	32 PTC trained employees
Annual Burden:	640 hours
Annual Cost:	\$46,720 (\$73 x 640 hrs.)

Calculation: 32 PTC trained employees x 20 hrs. = 640 hours

§ 236.1047 – Training Specific to Locomotive Engineers and Other Operating Personnel

(a) Operating personnel. Training provided under this subpart for any locomotive engineer or other person who participates in the operation of a train in train control territory must be defined in the PTCDP as well as the PTCSP. The following elements must be addressed:

(1) Familiarization with train control equipment onboard the locomotive and the functioning of that equipment as part of the system and in relation to other onboard systems under that person's control;

(2) Any actions required of the onboard personnel to enable, or enter data to, the system, such as consist data, and the role of that function in the safe operation of the train;

(3) Sequencing of interventions by the system, including pre-enforcement notification, enforcement notification, penalty application initiation and post-penalty application procedures;

(4) Railroad operating rules and testing (part 217) applicable to the train control system, including provisions for movement and protection of any unequipped trains, or trains with failed or cut-out train control onboard systems and other on-track equipment;

(5) Means to detect deviations from proper functioning of onboard train control equipment and instructions regarding the actions to be taken with respect to control of the train and notification of designated railroad personnel; and

(6) Information needed to prevent unintentional interference with the proper functioning of onboard train control equipment.

The burden associated with the above requirement is covered under that of § 236.1013, and that of § 236.1015. Consequently, there is no additional burden associated with this requirement.

(b) Locomotive engineer training. Training required under this subpart for a locomotive engineer, together with required records, must be integrated into the program of training required by part 240 of this chapter.

The burden associated with the above requirement is covered under OMB No. 2130-0533 and will be updated to include all new requirements at the next renewal of that information collection. Consequently, there is no additional burden associated with this requirement.

(c) Full automatic operation. The following special requirements apply in the event a train control system is used to effect full automatic operation of the train:

(1) The PTCDP and PTCSP must identify all safety hazards to be mitigated by the locomotive engineer.

(2) The PTCDP and PTCSP must address and describe the training required with provisions for the maintenance of skills proficiency. As a minimum, the training program must:

(i) As described in § 236.1047(a)(2), develop failure scenarios which incorporate the safety hazards identified in the PTCDP and PTCSP including the return of train operations to a fully manual mode;

(ii) Provide training, consistent with § 236.1047(a), for safe train operations under all failure scenarios and identified safety hazards that affect train operations;

(iii) Provide training, consistent with § 236.1047(a), for safe train operations under manual control; and

(iv) Consistent with § 236.1047(a), ensure maintenance of manual train operating skills by requiring manual starting and stopping of the train for an appropriate number of trips and by one or more of the following methods:

(A) Manual operation of a train for a 4-hour work period;

(B) Simulated manual operation of a train for a minimum of four (4) hours in a Type I simulator as required; or

(C) Other means as determined following consultation between the railroad and designated representatives of the affected employees and approved by FRA. The PTCDP and PTCSP must designate the appropriate frequency when manual operation, starting, and stopping must be conducted, and the appropriate frequency of simulated manual operation.

The burden associated with the above requirement is covered under that of § 236.1013, and that of § 236.1015. Consequently, there is no additional burden associated with this requirement.

(d) Conductor training. Training required under this subpart for a conductor, together with required records, must be integrated into the program of training required under this chapter.

FRA estimates that approximately 7,600 railroad conductors will receive training under the above requirement. It is estimated that it will take approximately three (3) hours to train each employee. Total annual burden for this requirement is 22,800 hours.

Respondent Universe:

3
8

r
a
i
l
r
o
a
d
s

Burden time per response:

3 hours

Frequency of Response:		On occasion
Annual number of Responses:	7,600 PTC trained conductors	
Annual Burden:		22,800 hours
Annual Cost:		\$1,687,200 (\$74 x 22,800 hrs.)

Calculation: 7,600 PTC trained conductors x 3 hrs. = 22,800 hours

Total annual burden for this requirement is 22,800 hours.

§ 236.1049 – Training Specific to Roadway Workers.

(a) Roadway worker training. Training required under this subpart for a roadway worker must be integrated into the program of instruction required under part 214, subpart C of this chapter (“Roadway Worker Protection”), consistent with task analysis requirements of §236.1039. This training must provide instruction for roadway workers who provide protection for themselves or roadway work groups.

(b) Training subject areas. (1) Instruction for roadway workers must ensure an understanding of the role of processor-based signal and train control equipment in establishing protection for roadway workers and their equipment.

(2) Instruction for all roadway workers working in territories where PTC is required under this subpart must ensure recognition of processor-based signal and train control equipment

on the wayside and an understanding of how to avoid interference with its proper functioning.

(3) Instructions concerning the recognition of system failures and the provision of alternative methods of on-track safety in case the train control system fails, including periodic practical exercises or simulations and operational testing under part 217 of this chapter to ensure the continued capability of roadway workers to be free from the danger of being struck by a moving train or other on-track equipment.

The burden associated with the above requirements is covered under OMB No. 2130-0539 and will be updated to include all new requirements at the next renewal of that information collection. Consequently, there is no additional burden associated with this requirement.

The total burden for this entire information collection is 3,119,084 hours. [Note: All paperwork requirements in Appendices B, C, D, and F are included above.]

Total annual burden for this entire information collection is **2,728,528 hours**, and the dollar equivalent cost amounts to **\$212,181,116**.

TABLE FOR ALL ITEMS LISTED IN QUESTION NUMBER 12 ABOVE

CFR Section	Respondent Universe	Total Annual Responses	Average Time per Response	Total Annual Burden Hours	Total Annual Dollar Cost
Form FRA F 6180.166 – Annual PTC Progress Report Form	41 railroads	41 reports/forms	39.65 hours	1,626 hours	\$148,298
Form FRA F 6180.165 – Quarterly PTC Progress Report Form	41 railroads	164 reports/forms	22.84 hours	3,746 hours	\$341,629
234.275 – Processor-based systems – Railroad letter explaining deviations of a product from requirements	38 railroads	25 letters	4 hours	100 hours	\$7,300
235.6 – Expedited application for approval of certain signal system changes described in this section - Copy of expedited application to labor union	38 railroads	500 expedited applications	5 hours	2,500 hours	\$182,500
	38 railroads	500 copies	30 minutes	250 hours	\$18,250
				150 hours	\$10,950

CFR Section	Respondent Universe	Total Annual Responses	Average Time per Response	Total Annual Burden Hours	Total Annual Dollar Cost
- Railroad rescindment letter of request for expedited application of certain signal system changes - Revised application for certain signal system changes - Copy of railroad revised application to labor union	38 railroads	25 letters	6 hours		
	38 railroads	13 applications	5 hours	65 hours	\$4,745
	38 railroads	13 copies	30 minutes	7 hours	\$511
236.15 – Designation of automatic block, traffic control, train stop, train control, cab signal, or PTC territory in timetable instructions	38 railroads	13 timetable instructions	60 minutes	13 hours	\$949
236.18 – Software Management Control Plan, New Railroads - Subsequent years: updated plans	5 railroads	1 plan	2,150 hours	2,150 hours	\$156,950
	90 railroads	20 updated plans	1.50 hours	30 hours	\$2,190
236.905 – Railroad Safety Program Plan (RSPP), New Railroads - FRA request for additional information - Railroad request to modify RSPP	5 railroads	1 RSPP	135 hours	135 hours	\$14,850
	78 railroads	1 document	133 hours	133 hours	\$9,709
	78 railroads	1 request for amendment	400 hours	400 hours	\$44,000
236.907 – Product Safety Plans (PSP)	5 railroads/PTC Suppliers	5 plans	6,400 hours	32,000 hours	\$3,520,000
236.909 – Railroad petition for review and approval of Product Safety Plan (PSP) - Railroad sensitivity analysis supporting railroad risk assessment	5 railroads	2 petitions/reviews	19,200 hours	38,400 hours	\$4,224,000
	5 railroads	5 analyses	160 hours	800 hours	\$58,400
236.913 – Filing and approval of joint PSP - Informational filing/petition for special approval	6 railroads	1 joint plan	25,600 hours	25,600 hours	\$2,816,000
	6 railroads	6 filings/approval petitions	1,928 hours	11,568 hours	\$844,464

CFR Section	Respondent Universe	Total Annual Responses	Average Time per Response	Total Annual Burden Hours	Total Annual Dollar Cost
- FRA request for further data after informational filing - FRA request for further information within 15 days after receipt of Notice of Product Development - Technical consultation by FRA with railroad on design and planned development of product - Railroad Petition to FRA for final approval - Comments to FRA on railroad informational filing or special approval petition - 3 rd Party assessment report - Railroad amendment to PSP - Railroad field testing/ informational filing document	6 railroads	2 data calls/ documents	800 hours	1,600 hours	\$116,800
	6 railroads	6 data calls/ documents	16 hours	96 hours	\$7,008
	6 railroads	6 consultations	120 hours	720 hours	\$52,560
	6 railroads	6 petitions	16 hours	96 hours	\$7,008
	Public/railroad community	7 comments/letters	240 hours	1,680 hours	\$122,640
	6 railroads	1 report	104,000 hours	104,000 hours	\$11,440,000
	6 railroads	15 amendments	160 hours	2,400 hours	\$175,200
236.917 – Railroad retention of records: results of tests & inspections specified in PSP - Railroad report that frequency of safety relevant hazards exceeds threshold set forth in PSP	6 railroads	3 procedures	160,000 hours/ 160,000 hours/ 40,000 hours	360,000 hours	\$26,280,000
	6 railroads	1 report	104 hours	104 hours	\$7,592
236.919 – Railroad Operations and Maintenance Manual (OMM) - Plans for proper maintenance, repair, inspection, and testing of safety critical products - Documented hardware, software, & firmware revisions in OMM	6 railroads	6 OMM updates	40 hours	240 hours	\$17,520
	6 railroads	6 plans	53,335 hours	320,010 hours	\$23,360,730
	6 railroads	6 revisions	6,440 hours	38,640 hours	\$2,820,720
236.921 – Training & qualification	6 railroads	6 programs	400 hours	2,400 hours	\$175,200

CFR Section	Respondent Universe	Total Annual Responses	Average Time per Response	Total Annual Burden Hours	Total Annual Dollar Cost
program - Trained signalmen & dispatchers	6 railroads	300 trained signalmen + 20 tr. dispatchers	40 hours + 20 hours	12,400 hours	\$905,200
236.923 – Railroad Task analysis	6 railroads	6 analyses/ documents	720 hours	4,320 hours	\$315,360
- Railroad records designating other qualified persons	6 railroads	350 records	10 minutes	58 hours	\$4,234
236.1001 – Railroad additional or more stringent PTC rules and other special instructions than prescribed under this section	38 railroads	3 rules or instructions	80 hours	240 hours	\$26,400
236.1005 – Railroad request for relief in PTCIP or RFA to implement PTC system based on minimal quantity of PIH materials traffic	38 railroads	3 relief requests	64 hours	192 hours	\$14,016
- Railroad request to temporarily reroute trains equipped with PTC onto tracks not equipped with PTC systems and vice versa	38 railroads	47 requests	8 hours	376 hours	\$27,448
- Written or telephonic notice to FRA Regional Administrator of conditions necessitating emergency rerouting	38 railroads	47 written or telephonic notices	2 hours	94 hours	\$6,862
- Planned maintenance: temporary rerouting requests	38 railroads	720 requests	8 hours	5,760 hours	\$420,480
- Request to FRA for temporary rerouting exceeding 30 days	38 railroads	361 requests	8 hours	2,888 hours	\$210,824
236.1006 – Equipping locomotives operating in PTC territory – Class II or III railroad progress reports for	38 railroads	35 reports	16 hours	560 hours	\$40,880

CFR Section	Respondent Universe	Total Annual Responses	Average Time per Response	Total Annual Burden Hours	Total Annual Dollar Cost
equipping locomotives with onboard apparatus for movements exceeding 20 mph					
236.1007 – HSR-125 document accompanying railroad PTC Safety Plan (PTCSP) for host railroads conducting freight or passenger operations at more than 125 mph - Railroad request to use foreign service data before submittal of PTCSP - Submission of PTCSP with HSR-125 document by host railroad conducting freight or passenger operations at more than 150 mph - Railroad request in PTCSP that FRA excuse compliance with one or more of this section's requirements	38 railroads	3 HSR-125 documents	3,200 hours	9,600 hours	\$1,056,000
	38 railroads	2 data requests	8,000 hours	16,000 hours	\$1,168,000
	38 railroads	3 PTCSPs with HSR- 125 documents	3,200 hours	9,600 hours	\$1,056,000
	38 railroads	1 request	1,000 hours	1,000 hours	\$110,000
236.1009 – Railroad filing PTCIP with FRA for a main line track segment requiring PTC system implementation or request for amendment (RFA) to its PTCIP for initiating a new category of service or materially modifying one or more railroad lines requiring a PTC system - Joint PTCIP - RR Notification to FRA of inability to agree on joint PTCIP - RR comprehensive list of issues preventing RRs	38 railroads	1 PTCIP + 20 RFAs	535 hours + 320 hours	6,935 hours	\$762,850
	38 railroads	5 joint PTCIPs	267 hours	1,335 hours	\$146,850
	38 railroads	1 notification	32 hours	32 hours	\$2,336
	38 railroads	1 list	80 hours	80 hours	\$5,840

CFR Section	Respondent Universe	Total Annual Responses	Average Time per Response	Total Annual Burden Hours	Total Annual Dollar Cost
agreement on joint PTCIP - RR Conference call with FRA - Annual report by each RR filing PTCIP - Host railroad filing unmodified Type Approval with FRA - PTC Development Plan (PTCDP) requesting Type Approval for PTC system or request to modify previous Type Approval with one or more variances - RR submission to FRA of NPI or PTCIP - RR submission of PTCD - Updated PTCIP + updated PTCDP - Corrected PTCIP + corrected NPI - Reworked PTCIP + reworked PTCDP - Resubmitted PTCIP/PTCDP - PTCSP or PTCDP translated from foreign language into English - Railroad request for confidentiality for a filing - Railroad field testing or independent assessment undertaken at FRA request for Type Approval or PTC System Certification - Access interviews with railroad personnel associated with Type Approval or PTC System Certification and to determine compliance with this subpart	38 railroads	1 call	1 hour	1 hour	\$73
	38 railroads	76 reports	8 hours + 60 hours	2,584 hours	\$188,632
	38 railroads	2 documents	8 hours	16 hours	\$1,168
	38 railroads	20 cover letters + 20 modified Type Approvals + 2 PTCDPs	8 hours + 1,600 hours + 6,400 hours	44,960 hours	\$3,282,080
	38 railroads	3 NPIs + 1 PTCIP	1,070 hours + 535 hours	3,745 hours	\$273,385
	38 railroads	1 PTCDP	2,135 hours	2,135 hours	\$155,855
	38 railroads	1 PTCIP + 1 PTCDP	535 hours + 2,135 hours	2,670 hours	\$194,910
	38 railroads	1 amended PTCIP + 1 amended NPI	135 hours/270 hours	405 hours	\$29,565
	38 railroads	1 PTCIP + 1 PTCDP	135 hours + 535 hours	670 hours	\$48,910
	38 railroads	1 PTCIP + 1 PTCDP	135 hours + 535 hours	670 hours	48,910
	38 railroads	1 document	8,000 hours	8,000 hours	\$584,000
	38 railroads	38 cover letters + 38 confidentiality requests	8 hours + 800 hours	30,704 hours	\$2,241,392
	38 railroads	190 field tests + 2 assessments	800 hours	153,600 hours	\$16,896,000
	38 railroads	76 interviews	30 minutes	38 hours	\$2,774

CFR Section	Respondent Universe	Total Annual Responses	Average Time per Response	Total Annual Burden Hours	Total Annual Dollar Cost
- Additional information to FRA on PTCIP and PTCSP	38 railroads	8 documents	400 hours	3,200 hours	\$233,600
236.1011 – PTCIP and public comment on PTCIPs, PTCIPs, and PTCSPs	38 railroads	1 PTCIP + 40 public comments	143 hours + 8 hours	463 hours	\$33,799
236.1015 – PTCSPs	38 railroads	3 PTCSPs	16,000 hours	48,000 hours	\$3,504,000
- Non-vital overlay	38 railroads	28 PTCSPs	22,400 hours	627,200 hours	\$45,785,600
- Vital overlay	38 railroads	1 PTCSP	32,000 hours	32,000 hours	\$2,336,000
- Stand-alone	38 railroads	3 conferences	32 hours	96 hours	\$7,008
- Railroad conference with FRA on mixed systems					
- PTCSP for Mixed System	38 railroads	1 PTCSP	28,800 hours	28,800 hours	\$2,102,400
- Railroad provision of additional information to FRA upon request	38 railroads	19 documents	3,200 hours	60,800 hours	\$4,438,400
- PTCSP replacing existing certified PTC system	38 railroads	19 PTCSPs	3,200 hours	60,800 hours	\$4,438,400
- Non-quantitative risk assessment to FRA	38 railroads	19 assessments	3,200 hours	60,800 hours	\$4,438,400
236.1017 – Third Party Assessment	38 railroads	1 assessment	8,000 hours	8,000 hours	\$880,000
- Host railroad written request to FRA to confirm whether a specific entity is independent	38 railroads	1 written request	8 hours	8 hours	\$880
- Further information provided to FRA upon request	38 railroads	1 additional document	160 hours	160 hours	\$17,600
- Waiver request regarding production of documents required for third party assessment	38 railroads	1 waiver request	160 hours	160 hours	\$17,600
- Request for FRA to accept certified information from a foreign railroad regulatory entity	38 railroads	1 request	32 hours	32 hours	\$2,336
236.1019 – Main line track exception addendum	38 railroads	36 MTEAs	160 hours	5,760 hours	\$420,480
- Intercity commuter or	38 railroads	19 MTEAs	160 hours	3,040 hours	\$221,920

CFR Section	Respondent Universe	Total Annual Responses	Average Time per Response	Total Annual Burden Hours	Total Annual Dollar Cost
passenger line track exception addendum - Limited operation exception: railroad risk mitigation plan - Limited operation exception: railroad collision hazard analysis to FRA - Temporal separation procedures	38 railroads	19 plans	160 hours	3,040 hours	\$221,920
	38 railroads	12 analyses	1,600 hours	19,200 hours	\$1,401,600
	38 railroads	11 procedures	160 hours	1,760 hours	\$128,480
236.1021 – Request for amendment (RFA) to railroad PTCIP /PTCDP/PTCSP - Review and comment on RFA by interested parties	38 railroads	19 RFAs	160 hours	3,040 hours	\$221,920
	7 Interested parties	7 reviews + 20 public comments	3 hours + 16 hours	341 hours	\$24,893
236.1023 – Railroad PTC Product Vendor List - Railroad procedures for action to applicable vendor upon notification of a safety-critical failure, upgrade, patch, revision, replacement, or modification to PTC system - Railroad notification to vendor and FRA of failure, malfunction, or defective condition that decreased or eliminated safety functionality of PTC product - Notification updates - Railroad and vendor report to FRA of results of investigation of accident or service difficulty related to PTC system or product because of a manufacturing or design defect - PTC supplier or	38 railroads	38 lists	8 hours	304 hours	\$22,192
	38 railroads	38 procedures	16 hours	608 hours	\$44,384
	38 railroads	142 notifications	16 hours	2,272 hours	\$165,856
	38 railroads 38 railroads	142 notice updates 5 reports	16 hours 400 hours	2,272 hours 2,000 hours	\$165,856 \$146,000

CFR Section	Respondent Universe	Total Annual Responses	Average Time per Response	Total Annual Burden Hours	Total Annual Dollar Cost
vendor report of PTC system or product safety-relevant failures, defective conditions, previously unidentified hazards, and recommended mitigation actions	38 railroads	142 reports + 142 report copies	16 hours + 8 hours	3,408 hours	\$248,784
236.1029 – PTC System Use: Report of en route failure - Railroad submission to FRA of Order of Particular Applicability for approval - Railroad notice to FRA regional office of planned disabling of PTC system at least 7 days in advance and a contemporaneous notice of unplanned temporary disabling - Annual report of system failures	38 railroads	836 reports	96 hours	80,256 hours	\$5,858,688
	38 railroads	1 order	3,200 hours	3,200 hours	\$233,600
	38 railroads	76 notices + 114 unplanned notices	10 hours	1,900 hours	\$138,700
	38 railroads	38 reports	20 hours	760 hours	\$55,480
236.1031 – Railroad Request for Expedited Certification (REC) - Railroad PTC system request to FRA for grandfathering of previously approved train control system	38 railroads	3 REC letters	160 hours	480 hours	\$35,040
	38 railroads	3 requests	1,600 hours	4,800 hours	\$350,400
236.1035 – Railroad request for approval to conduct field testing of uncertified PTC system with provision of required documents - Railroad request to FRA for regulatory relief from certain requirements of 49 part 236	38 railroads	190 requests	800 hours	152,000 hours	\$111,096,000
	38 railroads	38 requests	320 hours	12,160 hours	\$887,680
236.1037 – Records Retention - Results of inspections and tests specified in	38 railroads	836 records	4 hours	3,344 hours	\$244,112

CFR Section	Respondent Universe	Total Annual Responses	Average Time per Response	Total Annual Burden Hours	Total Annual Dollar Cost
PTCSP and PTCDP - Records on testing, maintenance, or operation of PTC system - Railroad report of frequency of safety-relevant hazards exceeding threshold set forth in PTCSP or PTCDP - Railroad final report to FRA on results of analysis and countermeasures to reduce the frequency of safety-related hazards	38 railroads	18,240 records	30 minutes	9,120 hours	\$665,760
	38 railroads	4 reports	8 hours	32 hours	\$2,336
	38 railroads	4 final reports	160 hours	640 hours	\$46,720
236.1039 – Railroad development and/or update of PTC Operations and Maintenance Manual (OMM) - Railroad identification of PTC safety-critical components - OMM-designated PTC officer responsible for scheduled service interruptions	38 railroads	38 OMM updates	250 hours	9,500 hours	\$693,500
	38 railroads	114,000 I.D.s	1 hour	114,000 hours	\$6,726,000
	38 railroads	76 designated officers	2 hours	152 hours	\$11,096
236.1041– PTC Training & Qualification Program	38 railroads	38 programs	400 hours	15,200 hours	\$1,109,600
236.1043 – Regular & periodic evaluations of PTC training program - Training records	38 railroads	38 regular & periodic evaluations	720 hours	27,360 hours	\$1,997,280
	38 railroads	560 records	10 minutes	93 hours	\$6,789
236.1045 – PTC Training of Office Control Personnel	38 railroads	32 trained personnel	20 hours	640 hours	\$46,720
236.1047 – PTC Training of Operating Personnel	38 railroads	7,600 trained personnel	3 hours	22,800 hours	\$1,687,200

Again, as noted above and included in the provided table, the requested burden for this ICR is:

Total Estimated Annual Responses: 147,526.

Total Estimated Annual Burden: 2,728,528 hours.

Total Estimated Annual Dollar Cost Equivalent: \$212,181,116.

13. Estimate of total annual costs to respondents.

There will be no additional cost burden to respondents beyond the burden listed in FRA's answer to question number 12 and those customary and usual expenses associated with normal daily business operations. Each railroad should be tracking its implementation progress with sufficient detail to demonstrate statutory and regulatory compliance to FRA and, as such, does not require respondents to keep any new records specifically associated with this data collection.

14. Estimate of Cost to Federal Government.

Note: Cost estimates were obtained by consulting with the FRA Signal and Train Control (S&TC) Division Staff Director and a Positive Train Control Technical Expert (Senior Scientific/Technical Advisor) Electrical Engineer) who are most knowledgeable of and intimately involved in the development, testing, and implementation of the Positive Train Control in accordance with Federal statutory and regulatory requirements.

Based on the applicable current 2018 GS Pay Schedule, the annual costs to the Federal Government in connection with this rulemaking and its implementation are broken down as follows (Note: 75 percent overhead costs are included.):

Signal and Train Control Division Staff Director – GS-15-7 (2,080 hours/50% of time = 1,040 hours @ \$136.08 p/hr.) = 1 x \$136,063 = **\$141,523**

Deputy Staff Director-GS-14-4 (2,080 hours/100% of time = 2,080 hours) = 1 x 2,080 hrs. x \$106.05 p/hr. = **\$220,584**

2 PTC Branch Senior Test Monitors - GS-14-4 and 7 (2 x 2,080 hours/100% = 4,160 hours x \$106.05 p/hr.) = **\$441,168**

8 PTC Regional Specialists – GS-13-1/7 (8 x 2,080 hours/100% = 16,640 hours x \$89.75 p/hr.) = **\$1,493,440**

S&TC HQ Safety Specialist – GS-14-5 (2,080 hours/30% = 624 hours x \$109.26 p/hr.) = **\$68,178**

S&TC Electronic Engineer – GS-14-7 and 10 (2 x 2,080 hours/40% = 1,664 hours x \$115.69 p/hr. = **\$192,508**

Field Director – GM-15-00 (2,080 hours/50% = 1,040 x \$138.75 p/hr.) = **\$144,300**

The total estimated number of hours that FRA employees will spend working on implementing the PTC final rule, overseeing field testing of PTC systems, and reviewing large amounts of associated documents = **27,248 hours**. This equates to the estimated total cost below.

FEDERAL GOVERNMENT ANNUAL COST = \$2,701,701

ADDITIONAL COST ASSOCIATED WITH TWO NEW REPORTS/FORMS

Resources	Development Hours	Review/Processing Hours	Number of Employees	\$ Fully Loaded per Hour	Total
FRA Supervisor	10	60 (10 hours per quarterly report + 20 hours for annual reports)	1	\$120	\$8400
FRA Data Analyst	20	110 (20 hours per quarterly report + 30 hours for annual reports)	2	\$100	\$26000
Total Annual Cost					\$34400

The annualized cost to the federal government pertains strictly to the creation and publication of the quarterly PTC progress report form, the annual PTC progress report form, and the PTC reporting guidance letter, and the processing of the data. The creation of these forms and guidance amounts to 50 hours. FRA estimates this will take a team of two (2) FRA data analysts 20 hours to develop, with 10 hours of oversight from an FRA supervisor. Processing and review of both quarterly and annual data is estimated to amount to 280 hours, with 110 hours (20 per quarter and 30 for annual reports) for 2 data analysts and 60 hours of total supervisor oversight.

GRAND TOTAL FEDERAL GOVERNMENT ANNUAL COST = \$2,736,101

15. Explanation of program changes and adjustments.

As noted in the Summary on page 1 of this document, the total burden for this information collection **revision** has decreased by a total **395,674 hours** and **212 responses** from the last approved submission. The decrease in burden is due to both **program changes** and

adjustments. As detailed at the end of the Summary on page 1, there are five (5) changes that FRA is making to the information collections associated with **Form FRA F 6180.165, Quarterly Positive Train Control (PTC) Progress Report**, and **Form FRA F 6180.166, Annual Positive Train Control (PTC) Progress Report**.

FRA is requesting a three-year approval for this revised submission.

The two table below contains the **program changes** and **adjustments**.

TABLE FOR PROGRAM CHANGES

Form	Responses & Avg. Time (Previous Submission)	Responses & Avg. Time (This Submission)	Burden Hours (Previous Submission)	FRA Burden Hours (This Submission)	Difference (plus/minus)
Form FRA F 166, Annual PTC Progress Report Form	41 reports 38.41 hours	41 reports 39.65 hours	1,575 hours	1,626 hours	+ 51 hours 0 responses
Form FRA F 165, Quarterly PTC Progress Report Form	164 reports 21.60 hours	164 reports 22.84 hours	3,543 hours	3,746 hours	+ 203 hours 0 responses

*****Program changes** above increased the burden by *254 hours*, and *zero (0) responses* from the last approved submission.

TABLE FOR ADJUSTMENTS

CFR Section	Responses & Avg. Time (Previous Submission)	Responses & Avg. Time (This Submission)	Burden Hours (Previous Submission)	FRA Burden Hours (This Submission)	Difference (plus/minus)
236.18 – Software Management Control Plan	184 plans 2,150 hours	1 plan 2,150 hours	395,600 hours	2,150 hours	-- 393,450 hrs. -- 183 resp.
236.905 – Railroad Safety Program Plan (RSPP) -- Provision of Additional Document to FRA by RR after FRA Request in light of RR Petition for Special Approval of RSPP	6 plans/RSPPs 135 hours 1 document 400 hours	1 plan/RSPP 1 document 133 hours	810 hours 400 hours	135 hours 133 hours	-- 675 hours -- 5 responses -- 267 hours 0 responses
236.1005 – Requirements for	27 petitions/ relief requests	3 petitions/ requests for relief	1,728 hours	192 hours	-- 1,536 hours -- 24 responses

Positive Train Control (PTC): Request for Relief Based on a Minimal Quantity of PIH Material	64 hours	64 hours			
----------------------------------------------------------------------------------------------	----------	----------	--	--	--

*****Adjustments** above decreased the burden by *395,928 hours*, and decreased the number of responses by *212* from the last approved submission. The current inventory for this submission shows a total burden of **3,124,202 hours** and **147,738 responses**, while the present submission exhibits a total of **2,728,528 hours** and **147,526 responses**. Hence, there is a burden decrease of **395,674 hours** and a decrease of **212 responses**.

There is no change in cost to respondents from the previous submission.

16. Publication of results of data collection.

The information provided by railroads will be published on the FRA’s public website and annual reports will continue to be made available within each railroad’s existing docket on www.regulations.gov. Confidential or proprietary information will be handled as described in question 10, above.

The timeframe for this project would start approximately 40 days from approval.

17. Approval for not displaying the expiration date for OMB approval.

Once OMB approval is received, FRA will publish the approval number for these information collection requirements in the **Federal Register**.

18. Exception to certification statement.

No exceptions are taken at this time.

Meeting Department of Transportation (DOT) Strategic Goals

This information collection supports all five DOT strategic goals. First, it supports the Department’s highest strategic goal, namely transportation safety. The “Positive Train Control” rule and corresponding information collection seeks to reduce the number and

severity of railroad accidents/incidents, particularly train-to-train collisions, and ensuing casualties to train crews and passengers by ensuring that processor-based signal and train control (“PTC”) systems are not put into revenue service until FRA has carefully reviewed all the required documentation, and is satisfied that such systems meet the proposed “high level” performance standard. The “performance standard” provides that any new signal and train control system meets or exceeds the safety performance of the existing system. FRA aims to use the information collected to facilitate safety improvement through accelerated introduction of new technology. FRA believes the information collected will additionally promote the public health and safety by reducing the number and extent of injuries to roadway and signal workers by ensuring that these employees are thoroughly trained regarding the role of a processor-based train control (“PTC”) system in establishing protection for workers and their equipment, whether at a work zone or while moving between work locations.

The information collected also supports the second DOT strategic goal of mobility. As these new systems become more widely available and are approved by FRA and put into revenue service, they will provide important benefits. As mentioned earlier, one of the main benefits of “PTC” systems will be enhanced rail safety. A national rail system which has less accidents/incidents will be a more attractive option for domestic travelers, a safer workplace for railroad employees, and safer to the public in general. Another expected benefit of “PTC” systems will be improved train travel times. Such improvements will further increase the attractiveness of rail transport to larger numbers of people. This new technology will provide a system that is more integrated and will serve to make rail travel more viable and, therefore, more accessible. A more efficient rail system will, naturally, aid in providing flexibility of choices.

Additionally, the information collected supports the third DOT strategic goal of economic growth and trade. The use and expansion of “PTC” systems will create a more efficient and more cost-effective national rail transportation system (corridor-by-corridor). Producers, as a result of lower shipping costs, will be able to move a greater number of goods by rail. This, in turn, will help make U.S. products more competitive and will serve to promote greater trade with Canada and Mexico. Increased domestic demand for products (resulting from lower prices) and increased trade with America’s neighbors will facilitate growth of the domestic gross national product.

The collection of information supports the fourth DOT strategic goal of human and natural environment. By carefully reviewing and approving “PTC” systems that comply with the “high level” performance standard (meets or exceeds current levels of safety), FRA aims to reduce the number of accidents/incidents, especially train-to-train collisions. By reducing the number and severity of railroad accidents/incidents and resulting property damage, communities and the natural environment will be protected and preserved. It should be noted that a collision involving a train or trains carrying hazardous materials can cause great harm to the environment and surrounding communities. Fully approved and

functioning “PTC” systems will help eliminate such occurrences, and thus will promote the sustainability and livability of communities throughout the country.

Finally, this information collection supports the DOT strategic goal of national security. A national rail system, which is more efficient because of approved “PTC” technology, will be able to quickly move both passenger and freight cars carrying men and materiel in the event of a national emergency. In a world filled with terrorism, instability, and sudden crises, the ability to transport men and materiel to specific destinations on schedule will no doubt greatly serve the national interest and indeed promote national security.

In this information collection as in all its information collection activities, FRA seeks to do its very best to fulfill DOT Strategic Goals and to be an integral part of One DOT.