



Hemovigilance Module Adverse Reaction Transfusion Associated Circulatory Overload

*Required for saving

*Facility ID#: _____ NHSN Adverse Reaction #: _____

Patient Information

*Patient ID: _____ *Gender: M F Other *Date of Birth: ___/___/___
 Social Security #: _____ Secondary ID: _____ Medicare #: _____
 Last Name: _____ First Name: _____ Middle Name: _____
 Ethnicity Hispanic or Latino Not Hispanic or Not Latino
 Race American Indian/Alaska Native Asian Black or African American
 Native Hawaiian/Other Pacific Islander White
 *Blood Group: A- A+ B- B+ AB- AB+ O- O+ Blood type not done
 Transitional ABO / Rh + Transitional ABO / Rh - Transitional ABO / Transitional Rh
 Group A/Transitional Rh Group B/Transitional Rh Group O/Transitional Rh Group AB/Transitional Rh

Patient Medical History

List the patient's admitting diagnosis. (Use ICD-10 Diagnostic codes/descriptions)

Code: _____ Description: _____
 Code: _____ Description: _____
 Code: _____ Description: _____

List the patient's underlying indication for transfusion. (Use ICD-10 Diagnostic codes/descriptions)

Code: _____ Description: _____
 Code: _____ Description: _____
 Code: _____ Description: _____

List the patient's comorbid conditions at the time of the transfusion related to the adverse reaction. (Use ICD-10 Diagnostic codes/descriptions) UNKNOWN
 NONE

Code: _____ Description: _____
 Code: _____ Description: _____
 Code: _____ Description: _____

Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)).

Public reporting burden of this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS D-74, Atlanta, GA 30333 ATTN: PRA (0920-0666).

List the patient's relevant medical procedure including past procedures and procedures to be performed during the current hospital or outpatient stay. (Use ICD-10 Procedure codes/descriptions) UNKNOWN
 NONE

Code: _____ Description: _____
Code: _____ Description: _____
Code: _____ Description: _____

Additional Information _____

Transfusion History

Has the patient received a previous transfusion? YES NO UNKNOWN
Blood Product: WB RBC Platelet Plasma Cryoprecipitate Granulocyte
Date of Transfusion: ____/____/____ UNKNOWN
Was the patient's adverse reaction transfusion-related? YES NO
If yes, provide information about the transfusion adverse reaction.
Type of transfusion adverse reaction: Allergic AHTR DHTR DSTR FNHTR
 HTR TTI PTP TACO TAD TA-GVHD TRALI UNKNOWN
 OTHER Specify _____

Reaction Details

*Date reaction occurred: ____/____/____ *Time reaction occurred: ____:____ Time unknown
*Facility location where patient was transfused: _____
Is this reaction associated with an incident? Yes No If Yes, Incident #: _____

Investigation Results

* **Transfusion associated circulatory overload (TACO)**

*Case Definition

Check all that occurred within 6 hours of cessation of transfusion (new onset or exacerbation):

- Acute respiratory distress (dyspnea, orthopnea, cough)
- Elevated brain natriuretic peptide (BNP)
- Elevated central venous pressure (CVP)
- Evidence of left heart failure
- Evidence of positive fluid balance
- Radiographic evidence of pulmonary edema

Other signs and symptoms: (check all that apply)

Generalized:	<input type="checkbox"/> Chills/rigors	<input type="checkbox"/> Fever	<input type="checkbox"/> Nausea/vomiting
Cardiovascular:	<input type="checkbox"/> Blood pressure decrease	<input type="checkbox"/> Shock	
Cutaneous:	<input type="checkbox"/> Edema	<input type="checkbox"/> Flushing	<input type="checkbox"/> Jaundice
	<input type="checkbox"/> Other rash	<input type="checkbox"/> Pruritus (itching)	<input type="checkbox"/> Urticaria (hives)
Hemolysis/Hemorrhage:	<input type="checkbox"/> Disseminated intravascular coagulation	<input type="checkbox"/> Hemoglobinemia	
	<input type="checkbox"/> Positive antibody screen		
Pain:	<input type="checkbox"/> Abdominal pain	<input type="checkbox"/> Back pain	<input type="checkbox"/> Flank pain <input type="checkbox"/> Infusion site pain
Renal:	<input type="checkbox"/> Hematuria	<input type="checkbox"/> Hemoglobinuria	<input type="checkbox"/> Oliguria
Respiratory:	<input type="checkbox"/> Bilateral infiltrates on chest x-ray	<input type="checkbox"/> Bronchospasm	<input type="checkbox"/> Cough

Hypoxemia Shortness of breath

Other: (specify) _____

***Severity**

Did the patient receive or experience any of the following?

No treatment required Symptomatic treatment only

Hospitalization, including prolonged hospitalization Life-threatening reaction

Disability and/or incapacitation Congenital anomaly or birth defect(s) of the fetus

Other medically important conditions Death Unknown or not stated

***Imputability**

Which best describes the relationship between the transfusion and the reaction?

No other explanations for circulatory overload are possible.

Transfusion is a likely contributor to circulatory overload

The patient has a history of a pre-existing condition(s) that most likely explains circulatory overload.

Evidence is clearly in favor of a cause other than the transfusion, but transfusion cannot be excluded.

There is conclusive evidence beyond reasonable doubt of a cause other than the transfusion.

The relationship between the adverse reaction and the transfusion is unknown or not stated.

Did the transfusion occur at your facility? YES NO

Does the patient have a history of cardiac insufficiency?

Yes, the patient has a history of cardiac insufficiency that could explain the circulatory overload, but transfusion is just as likely to have caused the circulatory overload.

Yes, the patient has a history of pre-existing cardiac insufficiency that most likely explains circulatory overload.

No, the patient does not have a history of cardiac insufficiency.

Did the patient received other fluids in addition to the transfusion? YES NO

Module-generated Designations

NOTE: Designations for case definition, severity, and imputability will be automatically assigned in the NHSN application based on responses in the corresponding investigation results section above.

***Do you agree with the case definition designation?** YES NO

^Please indicate your designation _____

***Do you agree with the severity designation?** YES NO

^Please indicate your designation _____

***Do you agree with the imputability designation?** YES NO

^Please indicate your designation _____

Patient Treatment

Did the patient receive treatment for the transfusion reaction? YES NO UNKNOWN

If yes, select treatment(s):

Medication (*Select the type of medication*)

Antipyretics Antihistamines Inotropes/Vasopressors Bronchodilator Diuretics

Intravenous Immunoglobulin Intravenous steroids Corticosteroids Antibiotics

Antithymocyte globulin Cyclosporin Other

- Volume resuscitation (Intravenous colloids or crystalloids)
- Respiratory support (*Select the type of support*)
 - Mechanical ventilation Noninvasive ventilation Oxygen
- Renal replacement therapy (*Select the type of therapy*)
 - Hemodialysis Peritoneal Continuous Veno-Venous Hemofiltration
- Phlebotomy
- Other Specify: _____

Outcome

- *Outcome:** Death Major or long-term sequelae Minor or no sequelae Not determined
- Date of Death: ____/____/____
- ^If recipient died, relationship of transfusion to death:
- Definite Probable Possible Doubtful Ruled Out Not determined
- Cause of death: _____
- Was an autopsy performed? Yes No

Component Details

***Was a particular unit implicated in (i.e., responsible for) the adverse reaction?** Yes No N/A

Transfusion Start and End Date/Time	*Component code (check system used)	Amount transfused at reaction onset	^Unit number (Required for Infection and TRALI)	*Unit expiration Date/Time	*Blood group of unit	Implicated Unit?
____/____/____ ____:____:____	<input type="checkbox"/> ISBT-128 <input type="checkbox"/> Codabar	<input type="checkbox"/> Entire unit <input type="checkbox"/> Partial unit _____ mL	_____ _____ _____	____/____/____ :_____	<input type="checkbox"/> A- <input type="checkbox"/> A+ <input type="checkbox"/> B- <input type="checkbox"/> B+ <input type="checkbox"/> AB- <input type="checkbox"/> AB+ <input type="checkbox"/> O- <input type="checkbox"/> O+ <input type="checkbox"/> N/A	Y
____/____/____ ____:____:____	<input type="checkbox"/> ISBT-128 <input type="checkbox"/> Codabar	<input type="checkbox"/> Entire unit <input type="checkbox"/> Partial unit _____ mL	_____ _____ _____	____/____/____ :_____	<input type="checkbox"/> A- <input type="checkbox"/> A+ <input type="checkbox"/> B- <input type="checkbox"/> B+ <input type="checkbox"/> AB- <input type="checkbox"/> AB+ <input type="checkbox"/> O- <input type="checkbox"/> O+ <input type="checkbox"/> N/A	N

Custom Fields

Label	Label
_____ _____ _____	_____ _____ _____

Comments