

Methane Challenge ONE Future Reporting Form

This reporting form must be downloaded from the Methane Challenge module in e-GGRT. All data on this page will automatically populate based on data entered in e-GGRT. **Note that you will need to submit a separate report for each of your facilities.**

If data on this tab are incorrect, you can fix the data in e-GGRT and redownload this form. If you need help locating the data in e-GGRT, please contact the Help Desk (GHGreporting@epa.gov)

After completing this Facility Info tab, please use the Table of Contents ("TOC") tab to navigate to and fill out the appropriate tabs corresponding to the sources for which this facility is reporting. Based on the segment you select, cells collecting data not applicable to your segment will automatically turn black and serve as an indicator that you do not need to fill them out.

Last Updated: 3/31/2021
Version: ICR RENEWAL 2021

Report Year

Partner Name

Facility Name

This is a preview version of the reporting form only. The Methane Challenge Reporting System will not accept reports submitted on this version of the reporting form. Partners should always download their facility-specific reporting forms directly from the Reporting System.

Methane Challenge Partner ID Number Assigned Methane Challenge Partner ID Number is unique to each partner. Each reporting facility under the Partner should use the same Methane Challenge Partner ID Number.

Methane Challenge Facility ID Number Assigned Methane Challenge Facility ID Number is unique to each facility. Each reporting facility for a Partner should have a unique Methane Challenge Facility ID Number.

GHGRP Facility ID Number A 6-digit number in this cell indicates that this facility reported through the Greenhouse Gas Reporting Program (GHGRP). On all subsequent tabs, fields shaded in grey represent information that should have already been reported for this facility via the GHGRP. Therefore, when completing this form you should skip fields that are shaded in grey. Please note that this form will not update Subpart W data in e-GGRT.

- Industry Segment
- Production
 - Gathering & Boosting
 - Processing
 - Transmission Compression
 - Storage
 - LNG Storage
 - LNG Import/Export
 - Transmission Pipeline
 - Distribution

Pre-populated using certified Part 98 Subpart W annual report:

Reporting Year:
Version:
Date Certified:

This collection of information is approved by OMB under the Paperwork Reduction Act, 44 U.S.C. 3501 et seq. (OMB Control No. 2060-0722). Responses to this collection of information are voluntary 42 USC 7403(g). An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The public reporting and recordkeeping burden for this collection of information is estimated to be 60 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates and any suggested methods for minimizing respondent burden to the Regulatory Support Division Director, U.S. Environmental Protection Agency (2821T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address

Table of Contents

This hyperlinked ToC is provided to make it easier to navigate the reporting form. The . If a source is applicable, but its tab not yet complete, 'No' will appear in the correspond Column C. To indicate a source is complete, mark the 'Source Form Complete' button source is applicable for the facility's segment, but the facility does not actually contain i automatically.

Sources
Acid Gas Removal Vents
Associated Gas Venting & Flaring
Blowdowns
Blowdown Vent Stacks
Combustion Units
Combustion Units - Subpart C
Compressors - Centrifugal
Compressors - Reciprocating
Compressor Starts
Damages
Dehydrator Vents
Distribution Mains & Services
Equipment Leaks
Equipment Leaks - Distribution
Equipment Leaks - Gathering and Transmission Pipelines
Flare Stacks
Liquids Unloading
Meters
Pneumatic Devices
Pneumatic Pumps
Pressure Relief Valves
Station Venting
Storage Tank Venting
Well Drilling
Well Venting During Completions/Workovers with Hydraulic Fracturing
Well Venting During Completions/Workovers without Hydraulic Fracturing
Well Testing Venting and Flaring
Renewable Natural Gas
Innovative Technologies, Practices, and Approaches

Based on your segment, please fill out all of the fields below. Hitting the tab key after data entry will automatically take you to the next data-entry field.

Source Form Complete

[For additional information about the data being requested, and for further detail on quantification methodologies, please refer to the "ONE Future Commitment Option Technical Document"](#) Source Not Applicable

Partner Name	Facility Name	Report Year
SAMPLE PARTNER	SAMPLE FACILITY	20XX

[Return to Table of Contents](#)

Acid Gas Removal Vents

Applicable Segments: Processing

Table 1. Acid Gas Removal Vents

Actual count of AGR units	
Annual CH ₄ emissions (mt CH ₄)	

Table 2. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year

Mitigation actions implemented to reduce methane emissions	Methodology used to quantify reductions (type)	Methodology used to quantify reductions (details)
Emission reductions from voluntary action (mt CH ₄)		

Additional Information

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements which communicates progress on the applicable commitment.

Based on your segment, please fill out all of the fields below. Hitting the tab key after data entry will automatically take you to the next data-entry field.

Source Form Complete

[For additional information about the data being requested, and for further detail on quantification methodologies, please refer to the "ONE Future Commitment Option Technical Doc"](#)

Source Not Applicable

Partner Name	Facility Name	Report Year
SAMPLE PARTNER	SAMPLE FACILITY	20XX

[Return to Table of Contents](#)

Blowdowns

Applicable Segments: Production, Transmission Pipeline, Distribution

Jump to: [Production](#) [Transmission Pipeline](#) [Distribution](#)

Table 1. Production

Vessel Blowdowns	
Actual count of blowdowns (optional)	
Actual count of vessels	
Annual CH ₄ emissions (mt CH ₄)	
Compressor Blowdowns	
Actual count of blowdowns (optional)	
Actual count of compressors	
Annual CH ₄ emissions (mt CH ₄)	

Table 2. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year

Mitigation actions implemented to reduce methane emissions	Methodology used to quantify reductions (type)	Methodology used to quantify reductions (details)
Emission reductions from voluntary action (mt CH ₄)		

Table 3. Transmission Pipeline (Between Compressor Stations)

[Return to top](#)

	Emissions calculated by equipment or event type	Emissions calculated using a flow meter	Alternate Calculation Method
Actual count of blowdowns			
Annual CH ₄ emissions (mt CH ₄)			

Table 4. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year

Number of blowdowns that routed gas to:	
A compressor or capture system for beneficial use	
A flare	
A low-pressure system	
Number of hot taps utilized that avoided the need to blowdown gas to the atmosphere	
Number of blowdowns utilizing other emissions control technique	
Specify emissions control methodology	
Emission reductions from voluntary action (mt CH ₄)	

Table 5. Distribution Pipeline - Routine Maintenance

[Return to top](#)

Miles of distribution pipeline mains	
Miles of distribution pipeline services	
Annual CH ₄ emissions (mt CH ₄)	

Table 6. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year

	Count	Methodology used to quantify reductions (type)	Methodology used to quantify reductions (details)
Blowdowns that routed gas to a compressor or capture system for beneficial use, flare, or low-pressure system			
Hot taps utilized that avoided the need to blowdown gas to the atmosphere			
Emission reductions from voluntary action (mt CH ₄)			

Additional Information

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements which communicates progress on the applicable commitment.

Based on your segment, please fill out all of the fields below. Hitting the tab key after data entry will automatically take you to the next data-entry field.

Source Form Complete

[For additional information about the data being requested, and for further detail on quantification methodologies, please refer to the "ONE Future Commitment Option Techn](#) Source Not Applicable

Partner Name	Facility Name	Report Year
SAMPLE PARTNER	SAMPLE FACILITY	20XX

[Return to Table of Contents](#)

Combustion Units - Subpart C

Applicable Segments: Processing, Transmission Compression, Storage, LNG Storage, LNG Import/Export

Table 1. Combustion Units- Subpart C (GHGRP)

Individual combustion units (98.36(b))	
Total number of individual combustion units	
Total annual CH ₄ emissions (mt CH ₄) from all individual combustion units	
Aggregation of combustion units (98.36(c)(1))	
Total number of aggregated groups	
Total annual CH ₄ emissions (mt CH ₄) from aggregated units	
Combustion units sharing a common stack or duct that is monitored by CO₂ CEMS (98.36(c)(2))	
Total number of combustion units sharing the common stack or duct	
Total annual CH ₄ emissions (mt CH ₄) for all units sharing a common stack or duct	
Combustion units served by a common fuel supply line (98.36(c)(3))	
Total number of common pipe configurations	
Total annual CH ₄ emissions (mt CH ₄) for all units served by a common fuel supply line	

Table 2. Combustion Units - Subpart C (alternate calculation method)

Combustion Units (alternate calculation method)		
Fuel type	Total volume of gas consumed	Total annual CH ₄ emissions (mt CH ₄)

Table 3. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year

Mitigation actions implemented to reduce methane emissions	
Emission reductions from voluntary action (mt CH₄)	

Additional Information

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements which communicates progress on the applicable commitment.

Based on your segment, please fill out all of the fields below. Hitting the tab key after data entry will automatically take you to the next data-entry field.

Source Form Complete

[For additional information about the data being requested, and for further detail on quantification methodologies, please refer to the "ONE Future Commitment Option Technical Document"](#)

Source Not Applicable

Partner Name	Facility Name	Report Year
SAMPLE PARTNER	SAMPLE FACILITY	20XX

[Return to Table of Contents](#)

Centrifugal Compressors

Applicable Segments: Production, Gathering & Boosting, Processing, Transmission Compression, Storage, LNG Storage, LNG Import/Export

Jump to: [Production or Gathering & Boosting](#)

[Processing, Transmission, Compression, Storage, LNG Storage, or LNG Import/Export](#)

Table 1. Centrifugal Compressors - Production, Gathering & Boosting

Centrifugal compressors with wet seal oil degassing vents	
Number of centrifugal compressors with wet seal oil degassing vents	
Annual CH ₄ emissions (mt CH ₄)	
Centrifugal compressors with dry seals	
Number of centrifugal compressors with dry seals	
Annual CH ₄ emissions (mt CH ₄)	

Table 2. Centrifugal Compressors - Other Segments

[Return to top.](#)

	Compressors reported to Subpart W	Compressors not reported to Subpart W (reporting of detailed activity data is optional)
Number of centrifugal compressors with wet seals		
Number of manifolded groups of compressors with wet seals, isolation valves, or blowdown valves		
Number of compressors with wet seals, isolation valves, or blowdown valves that are routed to a flare		
Number of compressors with wet seals, isolation valves, or blowdown valves that have vapor recovery		
Number of compressors with wet seals, isolation valves, or blowdown valves that are routed to combustion (fuel or thermal oxidizer)		
Annual CH ₄ emissions vented to the atmosphere (mt CH ₄)		
Number of compressors not reported to Subpart W (i.e., those utilizing the alternate calculation method)		
Annual CH ₄ emissions using the alternate calculation method (mt CH ₄)		

Table 3. Centrifugal Compressors - Other Segments - Compressors With Dry Seals

Centrifugal compressors with dry seals - number of compressors reported to Subpart W	
Centrifugal compressors with dry seals - number of compressors not reported to Subpart W	
Annual CH ₄ Emissions vented to atmosphere (mt CH ₄) - Calculated using GHGI EF	
Annual CH ₄ Emissions vented to atmosphere (mt CH ₄) - Calculated using alternate method for dry seals	
Total Annual CH ₄ emissions (mt CH ₄)	

Use only one method to calculate emissions from compressors with dry seals

This cell will automatically calculate the total emissions, summing the values in cells C26, D29,C35 and C36.

Table 4. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year

[Return to top.](#)

	Number of compressors	Methodology used to quantify reductions (type)	Methodology used to quantify reductions (details)
Compressors routed to vapor recovery units			
Compressors routed to flare			
Compressors where source emissions are captured for fuel use or routed to a thermal oxidizer			
Compressors utilizing other emissions control technique			
Specify emissions control methodology			
Emission reductions from voluntary action (mt CH ₄)			

Additional Information

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements which communicates progress on the applicable commitment.

Based on your segment, please fill out all of the fields below. Hitting the tab key after data entry will automatically take you to the next data-entry field.

Source Form Complete

[For additional information about the data being requested, and for further detail on quantification methodologies, please refer to the "ONE Future Commitment Option Technical](#)

Source Not Applicable

Partner Name	Facility Name	Report Year
SAMPLE PARTNER	SAMPLE FACILITY	20XX

[Return to Table of Contents](#)

Reciprocating Compressors

Applicable Segments: Production, Gathering and Boosting, Processing, Transmission Compression, Storage, LNG Storage, LNG Import/Export

Jump to: [Production or Gathering & Boosting](#)

[Processing, Transmission, Compression, Storage, LNG Storage, or LNG Import/Export](#)

Table 1. Reciprocating Compressors - Production, Gathering & Boosting

Number of reciprocating compressors	
Annual CH ₄ emissions (mt CH ₄)	

Table 2. Reciprocating Compressors - Other Segments

[Return to top](#)

	Compressors reported to Subpart W	Compressors not reported to Subpart W (reporting of detailed activity data is optional)
Number of reciprocating compressors		
Number of compressors with rod packing emissions vented to the atmosphere		
Number of manifolded groups of compressor sources: isolation valves, blowdown valves, and rod packing		
Number of compressors routing isolation valve leakage to flares, combustion (fuel or thermal oxidizer), or vapor recovery		
Number of compressors routing blowdown valve leakage to flares, combustion (fuel or thermal oxidizer), or vapor recovery		
Number of compressors routing rod packing vents to flares, combustion (fuel or thermal oxidizer), or vapor recovery		
Annual CH ₄ emissions vented to the atmosphere from isolation valves, blowdown valves, and rod packing (including estimated fraction of CH ₄ from manifolded compressor sources) (mt CH ₄)		
Number of compressors not reported to Subpart W (i.e., those utilizing the alternate calculation method)		
Annual CH ₄ emissions using the alternate calculation method (mt CH ₄)		
Total Annual CH ₄ emissions (mt CH ₄)		

This cell will automatically calculate the total emissions, summing the values in cells C23 and D26

Table 3. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year

[Return to top](#)

	Number of compressors	Methodology used to quantify reductions (type)	Methodology used to quantify reductions (details)
Replaced reciprocating compressor rod packing			
Compressors routed to vapor recovery units			
Compressors routed to flare			
Compressors where source emissions are captured for fuel use or routed to a thermal oxidizer			
Compressors utilizing other emissions control technique			
Specify emissions control methodology			
Emission reductions from voluntary action (mt CH ₄)			

Additional Information

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements which communicates progress on the applicable commitment.

Based on your segment, please fill out all of the fields below. Hitting the tab key after data entry will automatically take you to the next data-entry field.

Source Form Complete

[For additional information about the data being requested, and for further detail on quantification methodologies, please refer to the "ONE Future Commitment Option Technic](#)

Source Not Applicable

Partner Name	Facility Name	Report Year
SAMPLE PARTNER	SAMPLE FACILITY	20XX

[Return to Table of Contents](#)

Compressor Starts

Applicable Segments: Production

Table 1. Compressor Starts (GHGI)

Actual count of starts (optional)	
Actual count of compressors	
Annual CH ₄ emissions (mt CH ₄)	

Table 2. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year

Mitigation actions implemented to reduce methane emissions	Methodology used to quantify reductions (type)	Methodology used to quantify reductions (details)
Emission reductions from voluntary action (mt CH ₄)		

Additional Information

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements which communicates progress on the applicable commitment.

Based on your segment, please fill out all of the fields below. Hitting the tab key after data entry will automatically take you to the next data-entry field.

Source Form Complete

[For additional information about the data being requested, and for further detail on quantification methodologies, please refer to the "ONE Future Commitment Option Technic](#)

Source Not Applicable

Partner Name	Facility Name	Report Year
SAMPLE PARTNER	SAMPLE FACILITY	20XX

[Return to Table of Contents](#)

Damages

Applicable Segments: Gathering & Boosting, Distribution

Table 1. Upsets: Mishaps

Miles of gathering pipeline	
Miles of distribution pipeline mains	
Miles of distribution pipeline services	
Annual CH ₄ emissions (mt CH ₄)	

Table 2. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year

Actions taken to minimize excavation damages/reduce methane emissions from excavation damages	Methodology used to quantify reductions (type)	Methodology used to quantify reductions (details)
Emission reductions from voluntary action (mt CH ₄)		

Additional Information

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements which communicates progress on the applicable commitment.

Based on your segment, please fill out all of the fields below. Hitting the tab key after data entry will automatically take you to the next data-entry field.

Source Form Complete

[For additional information about the data being requested, and for further detail on quantification methodologies, please refer to the "ONE Future Commitment Option Technical Document"](#)

Source Not Applicable

Partner Name	Facility Name	Report Year
SAMPLE PARTNER	SAMPLE FACILITY	20XX

[Return to Table of Contents](#)

Dehydrator Vents

Applicable Segments: Production, Gathering & Boosting, Processing, Transmission Compression, Storage

Table 1. Dehydrators (GHGRP; alternate calculation method for Transmission Compression and Storage segments)

	Small glycol dehydrators	Large glycol dehydrators	Desiccant dehydrators
For Calculation Method 1 and Calculation Method 2, actual count of glycol dehydrators			
For Calculation Method 3, actual count of desiccant dehydrators			
Count of dehydrators venting to a flare or regenerator firebox/fire tubes			
Count of dehydrators at the facility that vented to a vapor recovery device			
Annual CH ₄ emissions from dehydrators venting to a flare or regenerator firebox/fire tubes (mt CH ₄)			
Annual CH ₄ emissions from all dehydrators that were not vented to a flare or regenerator firebox/fire tubes (mt CH ₄)			

This table can be filled out optionally for Transmission Compression or Storage facilities if data are available.

*Subpart W - Calculation Method 1 using computer modeling for glycol dehydrators
 Subpart W - Calculation Method 2 using EFs and population counts for glycol dehydrators
 Subpart W - Calculation Method 3 using engineering calculations for desiccant dehydrators*

Table 2. Dehydrators (GHGI)

If data are provided in the Table 1 above for Transmission Compression or Storage facilities, the facility does not need to complete the GHGI methodology table.

Volume of gas dehydrated (MMscf/yr) in Transmission Compression and Storage segments	
Annual CH ₄ emissions from dehydrators in Transmission Compression and Storage segments (mt CH ₄)	

Table 3. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year

	Count	Methodology used to quantify reductions (type)	Methodology used to quantify reductions (details)
Dehydrators routed to Vapor Recovery Units			
Dehydrators routed to Flare or Regenerator Firebox/Fire Tubes			
Dehydrators utilizing other emissions control technique			
Specify emissions control methodology			
Emission reductions from voluntary action (mt CH ₄)			

Additional Information

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements which communicates progress on the applicable commitment.

Based on your segment, please fill out all of the fields below. Hitting the tab key after data entry will automatically take you to the next data-entry field.

Source Form Complete

[For additional information about the data being requested, and for further detail on quantification methodologies, please refer to the "ONE Future Commitment Option Technical Dc](#)

Source Not Applicable

Partner Name	Facility Name	Report Year
SAMPLE PARTNER	SAMPLE FACILITY	20XX

[Return to Table of Contents](#)

Distribution Mains & Services

Applicable Segments: Distribution

Table. 1 Distribution Mains	Total miles	Annual CH ₄ emissions (mt CH ₄)
Cast iron distribution mains		
Plastic distribution mains		
Protected steel distribution mains		
Unprotected steel distribution mains		
Cast iron or unprotected steel distribution mains with plastic liners or inserts		

Table 2. Distribution Services	Total number	Annual CH ₄ emissions (mt CH ₄)
Cast iron services		
Copper services		
Plastic services		
Protected steel services		
Unprotected steel services		
Cast iron or unprotected steel services with plastic liners or inserts		

Table 3. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year

MAINS	
Miles of cast iron mains replaced with plastic, protected steel, or rehabilitated with plastic pipe inserts or cured-in-place liners	
Miles of unprotected steel mains cathodically protected, replaced with plastic or protected steel, or rehabilitated with pipe inserts or cured-in-place liners	
Emission reductions from voluntary action for mains (mt CH ₄)	
SERVICES	
Actual count of cast iron services replaced with plastic, protected steel, copper, or rehabilitated with plastic pipe inserts	
Actual count of unprotected steel services cathodically protected or replaced with protected steel, plastic, copper, or rehabilitated with plastic pipe inserts	
Emission reductions from voluntary action for services (mt CH ₄)	

Additional Information

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements which communicates progress on the applicable commitment.

Based on your segment, please fill out all of the fields below. Hiding the tab key after data entry will automatically take you to the next data entry field.

Source Form Complete

Source Not Applicable

[For additional information about the data being requested, and for further detail on qualification methodologies, please refer to the "GHG Future Commitment Option Technical Document"](#)

Purveyor Name EXAMPLE PARTNER	Facility Name EXAMPLE FACILITY	Report Year 20XX	Return to Table of Contents
----------------------------------	-----------------------------------	---------------------	---

Equipment Leaks - Distribution Applicable Segments: Distribution
 Jump to station type: [Above grade T-D transfer](#) [Below grade T-D transfer](#) [Above grade metering/regulating](#) [Below grade metering/regulating](#)

Table 1. Equipment Leaks - Above Grade Transmission-Distribution (T-D) Transfer Stations

Does the facility perform equipment leak surveys across a multiple year leak survey cycle?	
Actual count of above grade T-D transfer stations	
Actual count of meter/regulator runs at above grade T-D transfer station facilities	
Number of above grade T-D transfer stations surveyed in the calendar year or surveyed in the current leak survey cycle	
Number of meter/regulator runs at above grade T-D transfer stations surveyed in the calendar year or surveyed in the current leak survey cycle	
Average time that meter/regulator runs surveyed in the calendar year or surveyed in the current leak survey cycle were operational, in hours	
Annual CH ₄ emissions (net CH ₄)	

Table 2. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year - Above Grade Transmission-Distribution Transfer Stations

Mitigation actions implemented to reduce methane emissions	
Emission reductions from voluntary action (net CH ₄)	

Table 3. Equipment Leaks - Below Grade Transmission-Distribution (T-D) Transfer Stations

	Actual Count of below grade T-D transfer stations	Average estimated time that the emission source type was operational in the calendar year (hours)	Annual CH ₄ emissions (net CH ₄)
Below grade T-D transfer stations (gas service, inlet pressure > 300 psig)			
Below grade T-D transfer stations (gas service, inlet pressure 100-300 psig)			
Below grade T-D transfer stations (gas service, inlet pressure < 100 psig)			

Table 4. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year - Below Grade Transmission-Distribution Transfer Stations

Mitigation actions implemented to reduce methane emissions	Methodology used to quantify reductions (type)	Methodology used to quantify reductions (details)
Emission reductions from voluntary action (net CH ₄)		

Table 5. Equipment Leaks - Above Grade Metering-Regulating (MAR) Stations

Actual count of above grade metering-regulating stations that are not T-D transfer stations	
Actual count of meter/regulator runs at above grade metering-regulating stations that are not above grade T-D transfer station facilities	
Average estimated time that each meter/regulator run at above grade metering-regulating stations, that are not above grade T-D transfer stations, was operational in the calendar year (hours)	
Annual CH ₄ emissions (net CH ₄)	

Table 6. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year - Above Grade Metering-Regulating Stations

Mitigation actions implemented to reduce methane emissions	Methodology used to quantify reductions (type)	Methodology used to quantify reductions (details)
Emission reductions from voluntary action (net CH ₄)		

Table 7. Equipment Leaks - Below Grade Metering-Regulating (MAR) Stations

	Actual count of below grade MAR stations	Average estimated time that the emission source type was operational in the calendar year (hours)	Annual CH ₄ emissions (net CH ₄)
Actual count of below grade MAR stations (gas service, inlet pressure > 300 psig)			
Actual count of below grade MAR stations (gas service, inlet pressure 100-300 psig)			
Actual count of below grade MAR stations (gas service, inlet pressure < 100 psig)			

Table 8. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year - Below Grade Metering-Regulating Stations

Mitigation actions implemented to reduce methane emissions	Methodology used to quantify reductions (type)	Methodology used to quantify reductions (details)
Emission reductions from voluntary action (net CH ₄)		

Additional Information

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements which communicates progress on the applicable commitments.

--

Based on your segment, please fill out all of the fields below. Hitting the tab key after data entry will automatically take you to the next data-entry field.

Source Form Complete

[For additional information about the data being requested, and for further detail on quantification methodologies, please refer to the "ONE Future Commitment Option Technical Document"](#) Source Not Applicable

Partner Name	Facility Name	Report Year
SAMPLE PARTNER	SAMPLE FACILITY	20XX

[Return to Table of Contents](#)

Equipment Leaks

Applicable Segments: Gathering & Boosting, Transmission Pipeline

Table 1. Leaks - Gathering and Transmission Pipelines

Pipeline type	Total miles of pipeline type	Annual CH ₄ emissions from pipeline type (mt CH ₄)
Gathering - Cast Iron		
Gathering - Protected Steel		
Gathering - Unprotected Steel		
Gathering - Plastic/Composite		
Transmission - All		

Table 2. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year

Mitigation actions implemented to reduce methane emissions	Methodology used to quantify reductions (type)	Methodology used to quantify reductions (details)

Emission reductions from voluntary action (mt CH ₄)	
---	--

Additional Information

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements which communicates progress on the applicable commitment.

Based on your segment, please fill out all of the fields below. Hitting the tab key after data entry will automatically take you to the next data-entry field.

Source Form Complete

[For additional information about the data being requested, and for further detail on quantification methodologies, please refer to the "ONE Future Commitment Option Techn.](#)

Source Not Applicable

Partner Name	Facility Name	Report Year
SAMPLE PARTNER	SAMPLE FACILITY	20XX

[Return to Table of Contents](#)

Flare Stacks

Applicable Segments: Production, Gathering and Boosting, Processing, Transmission Compression, Storage, LNG Storage, LNG Import/Export

Table 1. Flare Stacks

Actual count of flare stacks	
Annual CH ₄ emissions (mt CH ₄)	

Table 2. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year

Number of flares with all or part of gas flow routed to VRU, fuel, or other beneficial use	
Combined volume of gas routed to VRU, fuel, or other beneficial use (scf)	
Emission reductions from voluntary action (mt CH ₄)	

Additional Information

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements which communicates progress on the applicable commitment.

Based on your segment, please fill out all of the fields below. Hitting the tab key after data entry will automatically take you to the next data-entry field.

Source Form Complete

For additional information about the data being requested, and for further detail on quantification methodologies, please refer to the "ONE Future Commitment Option Techni

Source Not Applicable

Partner Name	Facility Name	Report Year
SAMPLE PARTNER	SAMPLE FACILITY	20XX

[Return to Table of Contents](#)

Meters

Applicable Segments: Distribution

Table 1. Meters

Residential Meters	
Actual count of outdoor residential meters	
Annual CH ₄ emissions (mt CH ₄)	

Commercial/Industrial Meters	
Actual count of commercial/industrial meters	
Annual CH ₄ emissions (mt CH ₄)	

Table 2. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year

Residential Meters		
Mitigation actions implemented to reduce methane emissions	Methodology used to quantify reductions (type)	Methodology used to quantify reductions (details)

Emission reductions from voluntary action (mt CH ₄)	
---	--

Commercial/Industrial Meters		
Mitigation actions implemented to reduce methane emissions	Methodology used to quantify reductions (type)	Methodology used to quantify reductions (details)

Emission reductions from voluntary action (mt CH ₄)	
---	--

Additional Information

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements which communicates progress on the applicable commitment.

Based on your segment, please fill out all of the fields below. Hitting the tab key after data entry will automatically take you to the next data-entry field.

Source Form Complete

[For additional information about the data being requested, and for further detail on quantification methodologies, please refer to the "ONE Future Commitment Option Technical Document" found on the M.](#)

Source Not Applicable

Partner Name	Facility Name	Report Year
SAMPLE PARTNER	SAMPLE FACILITY	20XX

[Return to Table of Contents](#)

Pneumatic Devices

Applicable Segments: Production, Gathering & Boosting, Processing, Transmission Compression, Storage

Jump to: [Production, Gathering & Boosting, Transmission Compression, or Storage](#) [Processing](#)

Table 1. Natural Gas Pneumatic Device (Controller) Vents - All Segments (except Processing)

Controller type	Actual count	Estimated count	Annual CH ₄ emissions from controller type (mt CH ₄)
High-bleed pneumatic controllers			
Intermittent-bleed pneumatic controllers			
Low-bleed pneumatic controllers			

Table 2. Natural Gas Pneumatic Device (Controller) Vents - Processing

[Return to Top](#)

Controller type	Actual count	Annual CH ₄ emissions from controller type (mt CH ₄)
High-bleed pneumatic controllers		
Intermittent-bleed pneumatic controllers		
Low-bleed pneumatic controllers		

Table 3. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year

[Return to Top](#)

Number of high-bleed controllers converted to low-bleed	
Number of high-bleed controllers converted to zero emitting or removed from service	
Number of intermittent-bleed controllers converted to zero emitting or removed from service	
Number of low-bleed controllers converted to zero emitting or removed from service	
Number of controllers utilizing other emissions control technique	
Specify emissions control methodology	
Emission reductions from voluntary action (mt CH ₄)	

Additional Information

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements which communicates progress on the applicable commitment.

Based on your segment, please fill out all of the fields below. Hitting the tab key after data entry will automatically take you to the next data-entry field.

Source Form Complete

[For additional information about the data being requested, and for further detail on quantification methodologies, please refer to the "ONE Future Commitment Option Technical Document"](#)

Source Not Applicable

Partner Name	Facility Name	Report Year
SAMPLE PARTNER	SAMPLE FACILITY	20XX

[Return to Table of Contents](#)

Pneumatic Pumps

Applicable Segments: Production, Gathering & Boosting

Table 1. Natural Gas Driven Pneumatic (Chemical Injection) Pump Vents

Actual count of natural gas driven pneumatic pumps	
Annual CH ₄ emissions (mt CH ₄)	

Table 2. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year

Mitigation actions implemented to reduce methane emissions	Number of pumps with mitigation actions implemented to reduce emissions

Emission reductions from voluntary action (mt CH ₄)	
---	--

Additional Information

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements which communicates progress on the applicable commitment.

Based on your segment, please fill out all of the fields below. Hitting the tab key after data entry will automatically take you to the next data-entry field.

Source Form Complete

[For additional information about the data being requested, and for further detail on quantification methodologies, please refer to the "ONE Future Commitment Option Technical Document"](#) Source Not Applicable

Partner Name	Facility Name	Report Year
SAMPLE PARTNER	SAMPLE FACILITY	20XX

[Return to Table of Contents](#)

Pressure Relief Valves

Applicable Segments: Production, Distribution

Table 1. Pressure Relief Valves

Pressure Relief Valve Releases	
Actual count of PRVs (production)	
Miles of main (distribution)	
Annual CH ₄ emissions (mt CH ₄)	

Per Annex Table 3.6-1 in the GHGI, Pressure Relief Valve releases are categorized as Upsets for the Production segment and Routine Maintenance for the Distribution segment.

Table 2. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year

Mitigation actions implemented to reduce methane emissions	Methodology used to quantify reductions (type)	Methodology used to quantify reductions (details)

Emission reductions from voluntary action (mt CH ₄)	
---	--

Additional Information

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements which communicates progress on the applicable commitment.

Based on your segment, please fill out all of the fields below. Hitting the tab key after data entry will automatically take you to the next data-entry field.

Source Form Complete

[For additional information about the data being requested, and for further detail on quantification methodologies, please refer to the "ONE Future Commitment Option Technical Document"](#) Source Not Applicable

Partner Name	Facility Name	Report Year
SAMPLE PARTNER	SAMPLE FACILITY	20XX

[Return to Table of Contents](#)

Station Venting

Applicable Segments: Storage, LNG Storage

Table 1. Station Venting (GHGI)

Routine Maintenance/Upsets: Storage Station - Venting	
Actual count of storage stations (natural gas)	
Annual CH ₄ emissions (mt CH ₄)	
LNG Storage: LNG Stations	
Actual count of LNG storage stations (natural gas)	
Annual CH ₄ emissions (mt CH ₄)	

Please fill out either the GHGI method table OR the alternate calculation table.

Table 2. Station Venting (alternate calculation method)

	Actual count of blowdowns by equipment or event type	Annual CH ₄ emissions by equipment or event type (mt CH ₄)
Facility piping		
Pipeline venting		
Compressors		
Scrubbers/strainers		
Pig launchers and receivers		
Emergency shutdowns		
All other equipment with a physical volume greater than or equal 50 cubic feet		
Annual total CH ₄ emissions calculated by flow meter (mt CH ₄) (emissions calculated using flow meters)		

Table 3. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year

Mitigation actions implemented to reduce methane emissions	Methodology used to quantify reductions (type)	Methodology used to quantify reductions (details)

Emission reductions from voluntary action (mt CH ₄)	
---	--

Additional Information

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements which communicates progress on the applicable commitment.

Based on your segment, please fill out all of the fields below. Hitting the tab key after data entry will automatically take you to the next data-entry field.

Source Form Complete

For additional information about the data being requested, and for further detail on quantification methodologies, please refer to the "ONE Future Commitment Option Technical D

Source Not Applicable

Partner Name	Facility Name	Report Year
SAMPLE PARTNER	SAMPLE FACILITY	20XX

[Return to Table of Contents](#)

Storage Tank Venting

Applicable Segments: Production, Gathering & Boosting, Transmission Compression

Jump to: [Production or Gathering & Boosting](#) [Transmission Compression](#)

Table 1. Fixed-Roof Tanks - Production, Gathering & Boosting

Using Calculation Methods 1 & 2

Total volume of oil sent to tanks from all gas-liquid separators or gathering and boosting non-separator equipment or wells flowing directly to atmospheric tanks with oil throughput ≥ 10 barrels/day (bbl/year)		
Number of wells sending oil to gas-liquid separators or directly to atmospheric tanks at ≥10 bbl/day		
Actual count of atmospheric tanks		
Annual CH ₄ emissions (mt CH ₄)		
	Count	Annual CH₄ emissions (mt CH₄)
Tanks that control emissions with vapor recovery systems		
Tanks that vented directly to the atmosphere		
Tanks with flaring emission control measures		
Gas-liquid separators whose liquid dump valves did not close properly		

Using Calculation Method 3

Total annual oil/condensate throughput that is sent to all atmospheric tanks from wells, separators, and non-separator equipment with oil throughput <10 barrels/day (bbl/year)		
Count of wells with gas-liquid separators		
Count of wells without gas-liquid separators		
Actual count of atmospheric tanks		
Annual CH ₄ emissions (mt CH ₄)		
	Count	Annual CH₄ emissions (mt CH₄)
Tanks that did not control emissions with flares		
Tanks that vented directly to the atmosphere		
Tanks with flaring emission control measures		

Table 2. Floating Roof Tanks - Production, Gathering & Boosting

Actual count of floating roof tanks	
Annual CH ₄ emissions (mt CH ₄)	

[Return to top](#)

Table 3. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year - Production and Gathering & Boosting

Number of tanks routed to VRU or beneficial use	
Number of tanks routed to flare	
Emission reductions from voluntary action (mt CH ₄)	

This cell will automatically calculate the total number of tanks routed to flare, summing the values in cells C18 and C31

Table 4. Storage Tank Vents - Transmission Compression

[Return to top](#)

	Count	Annual CH ₄ emissions (mt CH ₄)
Storage tank vent stacks with flares attached		
Storage tank vent stacks without flares attached		
Storage tank vent stacks with dump valve leakage directly to atmosphere		
Storage tank vent stacks with flared dump valve leakage		
Storage tanks utilizing the alternate calculation method		

Table 5. Voluntary Actions Taken to Reduce Methane Emissions During Reporting Year - Transmission Compression

Number of tanks with compressor scrubber dump valve leakage routed to flare or control device	
Emission reductions from voluntary action (mt CH ₄)	

Additional Information

[Return to top](#)

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements which communicates progress on the applicable commitment.

Based on your segment, please fill out all of the fields below. Hitting the tab key after data entry will automatically take you to the next data-entry field.
 For additional information about the data being requested, please refer to the ["ONE Future Commitment Option Technical Document"](#) found on the Methane Challenge website.

- Source Form Complete
- Source Not Applicable

Partner Name	Facility Name	Report Year
EXAMPLE PARTNER	EXAMPLE FACILITY	20XX

[Return to Table of Contents](#)

Renewable Natural Gas Applicable Segments: Transmission Pipeline, Distribution

Table 1. General Information

Investing in biogas projects	Directly interconnecting with biogas project	Delivering RNG to end users	Supplying RNG to end users	Purchasing environmental attributes for RNG that is physically connected to the company's system	Purchasing environmental attributes for RNG that is not physically connected to the company's system
What role(s) does your company play in the RNG process?					
Does your company offer a 'green gas' option to residential customers?					

Table 2. Information About the Biogas Source

Biogas Project ID	What is the feedstock for the biogas?	Specify "Other" Feedstock	Name the specific municipal solid waste landfill or digester from which the RNG was generated	What upgrading technology was used?

Table 3. Information About the Pipeline Interconnect(s)

Type of interconnect	Name of interconnecting company	Biogas Project ID	If interconnect with biogas project:					
			Location of the interconnect (latitude)	Location of the interconnect (longitude)	Volume of gas received this year (scf gas)	Reference to the company's gas quality standards that are applicable to this project (e.g., pipeline tariff)	How far is the interconnect from the feedstock source (mi)?	Is there a virtual pipeline?

Table 4. Information about the end use(s) and environmental attributes

Biogas Project ID (if known)	What is the designated market for the RNG (region/city/state/facility) (if known)?	What is the designated end use?	Specify "Other" end use	Volume of RNG going to this end use, this year (scf gas) (if known)	Does your company currently meet the environmental attributes for the RNG?	If your company does not own the interconnect, who does? (if known)	If your company does, or at end point, own the attributes for RNG, does your supply contract for "renewable" natural gas include conveyance of environmental attributes to your company (e.g., by way of a contract clause, attestation)?	If your company is selling renewable natural gas supply to another downstream entity (e.g., distributor, end consumer etc.), have you correctly conveyed the RNG's environmental attributes to the downstream buyer?	Is your company using a third party provider to verify or track attributes? If so, which one(s)?

Table 5. Information about the Partner's strategy for supply of "low carbon fuels"

Company-specific goals or strategies for supply of "low carbon fuels" (such as upgraded biogas, hydrogen, etc.) (e.g., percent of natural gas supply to be RNG by a certain year; convert vehicle fleet to run on natural gas and use RNG for fuel), if applicable
Is your company blending hydrogen into its natural gas supply?
At what rate will you be blending (% hydrogen by volume)
What is the source and/or feedstock of the hydrogen? (e.g., renewable/electricity, etc.)
Is any upgrading/cleaning of the hydrogen required before injection?
What pipeline types does your company inject hydrogen into (material and pressure)?
Have you done any related customer engagement?
Has anything been done to customer appliances (if yes, what)?

Additional Information

This space provides an opportunity for reporting optional, qualitative information that was not covered in the above data elements.

Additional information on the role(s) your company plays in the RNG process or 'green gas' offerings
Additional information on the biogas project(s)/ upgrading process(es)
Additional information on the interconnect process
Additional information on the end use(s)
Additional information about environmental attributes

Partners may provide information on technologies/practices/approach currently included in the program. This information may be provided c please upload it with your BMP form(s) in e-GGRT.

[For additional information about the data being requested, please refer](#)

Partner Name

SAMPLE PARTNER

Innovative Technologies, Practices, and Approach
BEFORE SUBMITTING INFORMATION UNDER THIS

Applicable emission source(s)
Applicable industry segments
Name of technology/practice(s) to mitigate emissions from that source
Scope of implementation

Confirmation the technology/practice is covered by regulation (federal, state, local)

A description of the technology/practice(s)

Description of how widely available technology is

Description of any technical infeasibilities/issues that need to be addressed

Estimated range of emission reductions achievable and methodology used to develop the estimate

Assessment of cost-effectiveness

Data elements needed to monitor progress in reducing methane emissions

Any other information needed to fully understand the technology/practice/approach

ies to mitigate emissions from existing emission sources in the program, or for emission sources not
on this form, or as a standalone Word document/PDF. If using a Microsoft Word document or PDF,

[er to the "ONE Future Commitment Option Technical Document" found on the Methane Challenge webs](#)

Facility Name


Report Year

SAMPLE FACILITY

20XX

es

MECHANISM, PLEASE EMAIL GASSTAR@EPA.GOV FOR APPROVAL OF TH-





- Tab complete

- Partner does not intend to report this information

[Return to Table of Contents](#)

THE TOPIC