

Broadcast Survey

OMB Control No. 0920-1154

Exp. Date 03/31/2026

The public reporting burden of this collection of information is estimated to average 15 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to - CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333 ATTN: PRA (0920-1154).

The Centers for Disease Control and Prevention (CDC) developed and launched the Stop Overdose campaigns, four education campaigns, to prevent and reduce drug overdoses. This is research in which you will respond to multiple choice and open-ended questions to give your opinions about Stop Overdose campaign messages and materials. Participation is voluntary and you may complete all or some of the survey. If you have questions about this research, you may contact the principal investigator, Everett L. Long, PhD., by email at elong@brunetgarcia.com or phone, (704)-657-5338.

By continuing to the survey, you are indicating your consent for us to collect the information you provide in your responses.



This is a test interview.



What is your age?

Previous Next

Powered by QuenchTec



This is a test interview.



What state do you live in?

Previous Next

Powered by QuenchTec



This is a test interview.



5%

Please list the zip code where you currently live.

33601

Previous Next

Powered by QuenchTec



This is a test interview.



10%

Typically, how often do you listen to AM or FM radio, including both music and talk stations?

Please consider all the ways you might listen to radio, including on a regular radio, in the car, online through your computer, streamed through a phone/tablet/other mobile device, or through a game console, smart speaker or other connected device.

- Several times a day
- About once a day
- Several times a week
- A few times a week
- About once a week
- Less than once a week

Previous Next

Powered by QuenchTec



This is a test interview.



10%

Typically, how often do you listen to AM or FM radio, including both music and talk stations?
Please consider all the ways you might listen to radio, including on a regular radio, in the car, online through your computer, streamed through a phone/tablet/other mobile device, or through a game console, smart speaker or other connected device.

- Several times a day
- About once a day
- Several times a week
- A few times a week
- About once a week
- Less than once a week

Previous Next

Powered by QuenchTec



Feb 1 12:19



This is a test interview.



8%

How often do you do the following on your computer, smartphone, tablet, connected TV, or other streaming devices?


	Daily	A few times per week	About once a week	Less than once a week	Never
Listen to/stream a podcast	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Listen to/stream music	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Watch a short video clip	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Watch a movie or TV show	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Previous Next

Powered by QuenchTec



This is a test interview.



We'd like to know about your radio listening habits. Please indicate which stations you have listened to in the past week. (Select all that apply)
Please consider all the ways you might listen to radio, including on a regular radio, in the car, online through your computer, streamed through a phone/tablet/other mobile device, or through a game console, smart speaker or other connected device.

- Z105 (WTZB-FM, 105.9)
- 95.7 The Beat (WBTP-FM, 95.7)
- 93.3 FLZ (WFLZ-FM, 93.3)
- Newsradio 790 WFLA (WFLA-AM, 970)
- 107.9 WSRZ (WSRZ-FM, 107.9)
- Mix 100.7 (WMTX-FM, 100.7)
- Rumba 106.5 Tampa (WRUB-FM, 106.5)
- 1250 WHNZ (WHNZ-AM, 1250)
- US 103-5 (WFUS-FM, 103.5)
- 620 WDAE (WDAE-AM, 620)
- 98ROCK (WXTB-FM, 97.9)
- None of the above

Previous Next



This is a test interview.



Are you or someone you care about currently at risk for opioid misuse or overdose?

- Yes
- No

Previous Next

Powered by QuenchTec



This is a test interview.



How interested are you in learning more information about opioid misuse and reducing drug overdose?

- Extremely interested
- Very interested
- Somewhat interested
- Slightly interested
- Not at all interested

[Previous](#) [Next](#)

Powered by QuenchTec



This is a test interview.



The survey is about CDC's Stop Overdose campaigns. Read each statement and indicate your level of agreement or answer each question by selecting a response.

[Previous](#) [Next](#)

Powered by QuenchTec



This is a test interview.




Please indicate to what extent you agree or disagree with each of the statements below regarding fentanyl.

	Strongly agree	Agree	Disagree	Strongly disagree	Don't know
Fentanyl can cause an overdose	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
I feel confident I can protect myself from a fentanyl overdose	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Fentanyl can be found mixed with many drugs such as heroin, cocaine, methamphetamine, and ecstasy	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

[Previous](#) [Next](#)

Powered by QuenchTec




Have you ever searched for information about fentanyl?

- Yes
- No
- Prefer not to answer

Previous Next

Powered by QuenchTec



Fentanyl test strips are used to determine whether drugs have been laced with fentanyl. Please indicate your response to each of the statements below regarding fentanyl test strips.

	Yes	No	Don't know	Prefer not to answer
Have heard of fentanyl test strips	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Have ever used a fentanyl test strip	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Currently carry or use fentanyl test strips	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

Previous Next

Powered by QuenchTec



This is a test interview.



Do you plan to seek out further information about the dangers of fentanyl?

- Yes
- No
- Prefer not to answer

Previous Next

Powered by QuenchTec



This is a test interview.



Naloxone is a drug that can reverse an overdose from opioids, including heroin, fentanyl, and prescription opioid medications. (You may have also heard of Narcan, a brand of naloxone).

Please indicate your response to each of the statements below regarding naloxone.

	Yes	No	Don't know	Prefer not to answer
I'm familiar with naloxone	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Naloxone is available where I live	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>
I need a prescription to get naloxone	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>

Previous Next

Powered by QuenchTec



This is a test interview.



41%

Have you ever searched for information about naloxone?

- Yes
- No
- Prefer not to answer

Previous Next

Powered by QuenchTec



This is a test interview.



44%

Please indicate to what extent you agree or disagree with each of the statements below regarding naloxone.

	Strongly agree	Agree	Disagree	Strongly disagree	Don't know
Naloxone is easy to carry	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
If I carry naloxone, I could help save a life	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Using naloxone in time can help prevent overdose deaths	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

Previous Next

Powered by QuenchTec



This is a test interview.



Please indicate if you have ever done or currently do each of the following.

	Yes	No	Don't know	Prefer not to answer
I have obtained naloxone (purchased, received for free through a health care provider or fire department, etc.)	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
I have used/administered naloxone to help reverse an overdose	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
I currently carry/have naloxone or keep it accessible in case of an emergency	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

[Previous](#) [Next](#)

Powered by QuenchTec



This is a test interview.



Do you plan to seek out further information about naloxone?

Yes

No

Prefer not to answer

[Previous](#) [Next](#)

Powered by QuenchTec

0

This is a test interview.



51%

Do you plan to obtain naloxone to carry with you in case of emergency?

- Yes
- No
- Prefer not to answer

Previous Next

Powered by QuenchTec

0

This is a test interview.



54%

Do you recall seeing or hearing any of the Stop Overdose campaigns to prevent and reduce drug overdoses?

- Yes
- No
- Not Sure

Previous Next

Powered by QuenchTec



This is a test interview.



Lastly, we want to find out a little more about you.

Previous Next

Powered by QuenchTec



This is a test interview.



Last year, that is in 2022, what was your total household income from all sources, before taxes?

- Less than \$15,000
- \$15,000 to \$24,999
- \$25,000-\$34,999
- \$35,000-\$49,999
- \$50,000-\$74,999
- \$75,000-\$99,999
- \$100,000+
- Prefer not to answer

Previous Next

Powered by QuenchTec



This is a test interview.



What is the highest level of education you have completed?

- Some high school
- High school diploma
- Some college or associate's degree
- Bachelor's degree
- Advanced degree

[Previous](#) [Next](#)

Powered by QuenchTec



This is a test interview.



In the last 3 months, have you used illicit drugs at least once? When referring to illicit drugs, this includes drugs such as cocaine, methamphetamine, ecstasy, molly, opioids, heroin, fentanyl, or misuse of prescription opioids. **This does not include alcohol or marijuana alone.**

- Yes
- No
- Prefer not to answer

[Previous](#) [Next](#)

Powered by QuenchTec



This is a test interview.



85%

In the past 3 months, have you intentionally taken more than one illicit drug, either together or within a short period of time?

- Yes
- No
- Prefer not to answer

Previous Next

Powered by QuenchTec



This is a test interview.



87%

Have you ever intentionally taken more than one illicit drug, either together or within a short period of time?

- Yes
- No
- Prefer not to answer

Previous Next

Powered by QuenchTec



This is a test interview.



90%

Does your use of drugs cause health problems, disability, or challenges with major responsibilities at work, school, or home?

- Yes
- No
- Prefer not to answer

Previous Next

Powered by QuenchTec



This is a test interview.



92%

In the last year, have you been diagnosed with, or in recovery or treatment for a substance use disorder?

- Yes
- No
- Prefer not to answer

Previous Next

Powered by QuenchTec



This is a test interview.



95%

Do you have a close friend or family member who, in the last 3 months, has used illicit drugs at least once? When referring to illicit drugs, this includes drugs such as cocaine, methamphetamine, ecstasy, molly, opioids, heroin, fentanyl, or misuse of prescription opioids. **This does not include alcohol or marijuana alone.**

- Yes
- No
- Prefer not to answer

Previous

Next

Powered by QuenchTec



This is a test interview.



That completes the survey. Thank you for your participation. Please click on the "Next" button to submit your responses.

Next

Powered by QuenchTec

Thank you for participating in this survey!

For some reason you have been re-directed to this default landing page instead of your usual end page.
It could be due to an error in the survey set-up, survey being performed in an external system, or a momentary break in your internet connection.
Once the survey has been closed, the correct status will be applied to your account, but please allow one to two weeks for this to take place.

If you have any questions, please visit our [FAQs](#).

Thank you.

Technical information
Correlation: 2b2c4002-a280-4e81-b8e5-d0567c89fcff
/Survey/Complete?ProjectToken=c81d84a5-ca1b-4a6a-853b-27fa6fe3c29f

Cint